






E. PRODUCT GUIDE

| | | |
|--|---|---|
| FS20101 RACOR 2010SM  Overall Height: 2.87 (73) Overall OD: 3.05 (78) End 1 ID: 0.59 (15) End 2 ID: 0.65 (17) | FS20403 RACOR 2040PM  Overall Height: 4.63 (118) End 1 OD: 4.35 (111) End 2 OD: 5.04 (128) End 1 ID: 0.83 (21) End 2 ID: 0.65 (17) | HF6006 REXNORD 493143  Overall Height: 5.06 (129) End 1 OD: 4.52 (115) End 2 OD: 4.51 (115) End 1 ID: 0.53 (13) End 2 ID: 2.25 (57) |
| FS20102 RACOR 2010TM  Overall Height: 2.78 (71) Overall OD: 3.08 (78) End 1 ID: 0.64 (16) | FS43252 CHRYSLER 5183410AA, MOPAR 4936025  Overall Height: 9.253 (235.03) End 1 OD: 4.469 (113.51) Thread Size: M105 X 4 Special Butt | HF6007 CASE 267841C91  Overall Height: 3.59 (91) Overall OD: 2.35 (60) End 1 ID: 1.08 (27) |
| FS20103 RACOR 2010PM  Overall Height: 2.78 (71) Overall OD: 3.08 (78) | Hydraulic Filters | |
| FS20201 RACOR 2020SM  Overall Height: 9.63 (245) End 1 OD: 4.35 (111) End 2 OD: 5.04 (128) End 1 ID: 0.83 (21) End 2 ID: 0.65 (17) | HF6000 CASE 401073R2, CASE 530144R92  Gasket: 328797, 328798, 3310302 Overall Height: 3.01 (76) Overall OD: 5.06 (129) End 1 ID: 2.93 (74) | HF6008 CASE A60524, CASE A61234  Gasket: 328081, 328082 Overall Height: 6.05 (154) Overall OD: 3.82 (97) End 1 ID: 1.08 (27) |
| FS20202 RACOR 2020TM  Overall Height: 9.63 (245) End 1 OD: 4.35 (111) End 2 OD: 5.04 (128) End 1 ID: 0.83 (21) End 2 ID: 0.65 (17) | HF6001 FIAT-ALLIS 70253952  Overall Height: 6.82 (173) Largest OD: 3.81 (97) ADBV: Yes Thread Size: 13/16-16 UNS-2B | HF6009 CASE A65854, CASE G34278  Gasket: 328081, 328082 Overall Height: 6.05 (154) Overall OD: 3.82 (97) End 1 ID: 1.08 (27) |
| FS20203 RACOR 2020PM Is European Version of: FS1293  Overall Height: 9.63 (245) End 1 OD: 4.35 (111) End 2 OD: 5.04 (128) End 1 ID: 0.83 (21) End 2 ID: 0.65 (17) | HF6002 CHAR-LYNN 5604  Overall Height: 5.79 (147) Largest OD: 3.73 (95) Thread Size: 1 1/4-12 UNF-2B | HF6011 CASE D43800, CASE D43801  Gasket: 332288 Overall Height: 7.21 (183) Overall OD: 2.61 (66) End 1 ID: 1.22 (31) |
| FS20401 RACOR 2040SM  Overall Height: 4.63 (118) End 1 OD: 4.35 (111) End 2 OD: 5.04 (128) End 1 ID: 0.83 (21) End 2 ID: 0.65 (17) | HF6003 CHAR-LYNN 5610  Overall Height: 5.79 (147) Largest OD: 3.73 (95) Thread Size: 1 1/4-12 UNF-2B | HF6012 JOHN DEERE AT24274  Overall Height: 7.19 (183) Overall OD: 4.39 (112) End 1 ID: 3.42 (87) |
| FS20402 RACOR 2040TM  Overall Height: 4.63 (118) End 1 OD: 4.35 (111) End 2 OD: 5.04 (128) End 1 ID: 0.83 (21) End 2 ID: 0.65 (17) | HF6004 CASE A44012  Gasket: 3836935 Overall Height: 7.06 (179) End 1 OD: 4.52 (115) End 2 OD: 4.51 (115) End 1 ID: 0.53 (13) End 2 ID: 2.25 (57) | HF6013 CASE A36524, CASE A51463  Overall Height: 6.01 (153) Overall OD: 2.33 (59) End 1 ID: 1.36 (35) |
| | HF6005 VICKERS 350577, CESSNA 62200AF Upgrade of HF7604  Overall Height: 5.79 (147) Largest OD: 3.73 (95) Thread Size: 1 1/8-16 UN-2B | HF6014 FORD C7NMF882A, FORD C8NNE882B Ford C8NNE882B  Overall Height: 6.00 (152) End 1 OD: 6.50 (165) End 2 OD: 6.00 (152) End 1 ID: 2.41 (61) |

E. PRODUCT GUIDE

| | | |
|--|--|---|
| HF6015 JOHN DEERE U41343  Overall Height: 9.50 (241) Overall OD: 4.39 (112) End 1 ID: 3.42 (87) | HF6023 JOHN DEERE AH76668  Overall Height: 8.00 (203) Overall OD: 3.38 (86) End 1 ID: 2.57 (65) | HF6056 For Upgrade, use HF7608  Overall Height: 5.84 (148) Largest OD: 3.69 (94) Thread Size: 1-12 UNF-2B |
| HF6016 CASE 878015C3  Overall Height: 9.12 (232) Overall OD: 5.97 (152) End 1 ID: 2.62 (67) | HF6024 CASE 113940C1  Overall Height: 8.93 (227) Overall OD: 4.87 (124) End 1 ID: 2.88 (73) | HF6057 JOHN DEERE AT38431, VOLVO 100462, BUHLER 2854, GRESEN 8057000, CROSS 1A9023  Overall Height: 5.84 (148) Largest OD: 3.69 (94) Thread Size: 1-12 UNF-2B |
| HF6017 JOHN DEERE AT39266  Overall Height: 7.97 (202) Overall OD: 4.52 (115) End 1 ID: 2.27 (58) | HF6025 A M GENERAL 5997769  Overall Height: 4.19 (106) Overall OD: 3.53 (90) End 1 ID: 0.86 (22) End 2 ID: 1.37 (35) | HF6058 REXNORD 493309  Overall Height: 5.79 (147) Largest OD: 3.73 (95) Thread Size: 1-12 UNF-2B |
| HF6018 FIAT-ALLIS 70267300  Overall Height: 6.13 (156) Overall OD: 5.06 (129) End 1 ID: 2.93 (74) | HF6026 JOHN DEERE AT53999  Overall Height: 8.96 (228) Overall OD: 5.97 (152) End 1 ID: 4.48 (114) | HF6059 GRESEN 3293 Uses service part: 3314250S, 3320571S  Gasket: 333208 (2), 334021 Overall Height: 7.00 (178) Overall OD: 4.52 (115) End 1 ID: 1.80 (46) |
| HF6019 CASE L72877  Overall Height: 8.97 (228) Overall OD: 5.06 (129) End 1 ID: 2.93 (74) | HF6028 CASE A46403, CASE A147925  Overall Height: 7.09 (180) Overall OD: 4.52 (115) End 1 ID: 2.27 (58) | HF6060 GRESEN 3294 Uses service part: 3314250S, 3320571S  Gasket: 333208 (2) Overall Height: 7.00 (178) Overall OD: 4.52 (115) End 1 ID: 1.80 (46) |
| HF6020 CASE 388085R92  Gasket: 323330, 323331 Overall Height: 3.63 (92) Overall OD: 7.24 (184) End 1 ID: 1.45 (37) End 2 ID: 2.87 (73) | HF6029 CASE 69848C1, CASE 69878C91  Gasket: 327834 Overall Height: 5.51 (140) Overall OD: 2.90 (74) End 1 ID: 1.12 (28) | HF6061 CASE 631144C2  Gasket: 251139 (1) ¹⁰ Overall Height: 9.06 (230) End 1 OD: 4.51 (115) End 2 OD: 4.52 (115) End 1 ID: 2.25 (57) End 2 ID: 0.53 (13) |
| HF6021 FIAT-ALLIS 70098441  Gasket: 314204 Overall Height: 7.00 (178) Overall OD: 4.52 (115) End 1 ID: 0.75 (19) | HF6054 CASE 528493R3 Uses service part: 323344S, 3305996S, 3305997S, 3306000S, 3306001S  Gasket: 323343 ¹² , 323344 ¹⁰ , 3305996 ¹⁰ , 3305997 ¹⁰ , 3306000 ¹⁰ , 3306001 ¹⁰ Overall Height: 6.11 (155) Overall OD: 5.06 (129) End 1 ID: 2.93 (74) End 2 ID: 2.93 (74) | HF6062 TWIN DISC M2725A, REXNORD 493144  Gasket: 251139 ¹⁰ Overall Height: 9.06 (230) End 1 OD: 4.52 (115) End 2 OD: 4.51 (115) End 1 ID: 0.53 (13) End 2 ID: 2.25 (57) |
| HF6022 WHITE 165442A  Gasket: 252556 Overall Height: 5.56 (141) Overall OD: 2.06 (52) End 1 ID: 0.91 (23) | HF6055 FORD D1NNF933A  Overall Height: 6.92 (176) Largest OD: 3.73 (95) Thread Size: 1-12 UNF-2B | HF6063 BRIGGS & STRATTON BP7181  Overall Height: 17.88 (454) Overall OD: 6.19 (157) End 1 ID: 2.56 (65) |

E. PRODUCT GUIDE

| | | |
|---|--|---|
| <p>HF6064 REXNORD 493136</p>  <p>Overall Height: 5.06 (129) End 1 OD: 4.52 (115) End 2 OD: 4.51 (115) End 1 ID: 0.53 (13) End 2 ID: 2.25 (57)</p> | <p>HF6082 CASE 666219C1</p>  <p>Overall Height: 12.12 (308) Overall OD: 6.49 (165) End 1 ID: 5.50 (140)</p> | <p>HF6091 HOUGH 185531H1</p>  <p>Overall Height: 4.81 (122) Overall OD: 2.63 (67) End 1 ID: 1.25 (32)</p> |
| <p>HF6066 CASE 388080R93</p>  <p>Gasket: 323330, 323331 Overall Height: 2.50 (64) Overall OD: 7.24 (184) End 1 ID: 1.45 (37) End 2 ID: 2.87 (73)</p> | <p>HF6083 CATERPILLAR 7J0670 Uses service part: 3308694S For Upgrade, use HF6339</p>  <p>Gasket: 3308694¹⁰ Overall Height: 9.00 (229) Overall OD: 6.83 (173) End 1 ID: 3.94 (100)</p> | <p>HF6092 GMC 7194968</p>  <p>Overall Height: 3.36 (85) Overall OD: 2.75 (70) End 1 ID: 0.78 (20) End 2 ID: 0.31 (8)</p> |
| <p>HF6068 REXNORD 493218, DAVIS H311654</p>  <p>Overall Height: 5.79 (147) Largest OD: 3.73 (95) Thread Size: 1 1/8-16 UN-2B</p> | <p>HF6084 KOMATSU 2811611290</p>  <p>Gasket: 3303726 Overall Height: 9.12 (232) Overall OD: 4.00 (102) End 1 ID: 1.64 (42)</p> | <p>HF6093 WABCO WA9652</p>  <p>Overall Height: 9.26 (235) Overall OD: 5.10 (130) End 1 ID: 3.35 (85)</p> |
| <p>HF6071 FIAT-ALLIS 70269310</p>  <p>Overall Height: 8.97 (228) Overall OD: 5.06 (129) End 1 ID: 2.93 (74) End 2 ID: 2.93 (74)</p> | <p>HF6085 CASE 930654C1</p>  <p>Overall Height: 9.10 (231) Overall OD: 4.52 (115) End 1 ID: 1.75 (44)</p> | <p>HF6094 VICKERS 228468, INGERSOLL-RAND 59681635, KOMATSU 381256R92</p>  <p>Gasket: 317506 Overall Height: 7.06 (179) End 1 OD: 4.52 (115) End 1 ID: 0.53 (13) End 2 ID: 2.25 (57)</p> |
| <p>HF6072 KOMATSU 1754911580</p>  <p>Overall Height: 9.12 (232) End 1 OD: 4.00 (102) End 2 OD: 3.99 (101) End 1 ID: 1.64 (42) End 2 ID: 1.42 (36)</p> | <p>HF6086 ORENSTEIN & KOPPEL 124926</p>  <p>Overall Height: 6.35 (161) Overall OD: 5.17 (131) End 1 ID: 3.75 (95)</p> | <p>HF6095 FIAT-ALLIS 70640780</p>  <p>Overall Height: 9.05 (230) Overall OD: 4.51 (115) End 1 ID: 1.78 (45)</p> |
| <p>HF6079 JOHN DEERE AR75601, JOHN DEERE AR1400R, JOHN DEERE AR28271R Uses service part: 333763S</p>  <p>Gasket: 333763 Overall Height: 5.47 (139) Overall OD: 4.62 (117) End 1 ID: 2.20 (56)</p> | <p>HF6087 KOMATSU 1754314130</p>  <p>Overall Height: 18.21 (463) Overall OD: 4.00 (102) End 1 ID: 1.64 (42) End 2 ID: 1.42 (36)</p> | <p>HF6096 CASE 395789R2</p>  <p>Overall Height: 3.85 (98) Largest OD: 3.70 (94) Thread Size: 3/4-16 UNF-2B</p> |
| <p>HF6080 CASE A32297</p>  <p>Overall Height: 5.79 (147) Largest OD: 3.73 (95) Thread Size: 1-12 UNF-2B</p> | <p>HF6089 CLARK 2515079 For Upgrade, use HF6340 Not to be used with flame retardant fluid</p>  <p>Overall Height: 18.06 (459) Overall OD: 6.02 (153) End 1 ID: 0.66 (17)</p> | <p>HF6097 CATERPILLAR 9M9740 Uses service part: 3308690S, 3838223S, 3838229S For Upgrade, use HF6341</p>  <p>Gasket: 3308690¹⁰, 3838223¹⁰, 3838226¹⁰, 3838229¹⁰ Overall Height: 9.25 (235) Overall OD: 3.99 (101) End 1 ID: 2.30 (58)</p> |
| <p>HF6081 CASE 623017C1</p>  <p>Gasket: 328199 Overall Height: 9.00 (229) Overall OD: 5.06 (129) End 1 ID: 2.93 (74)</p> | <p>HF6090 KOMATSU 1016015171 For Upgrade, use HF28980</p>  <p>Overall Height: 5.65 (144) Overall OD: 2.52 (64) End 1 ID: 1.00 (25)</p> | |

E. PRODUCT GUIDE


| | | | | | |
|---|--|--|---|--|---|
| HF6098  | CATERPILLAR 4J6064 Uses service part: 3308691S, 3308692S, 3308695S, 3838221S, 3838222S For Upgrade, use HF6342 Gasket: 3308691 ¹⁰ , 3308692 ¹⁰ , 3308693 ¹⁰ , 3308695 ¹⁰ , 3838221 ¹⁰ , 3838222 ¹⁰ , 3838225 ¹⁰ , 3838227 ¹⁰ Overall Height: 9.00 (229) Overall OD: 5.10 (130) End 1 ID: 3.35 (85) | HF6109  | SCHROEDER K3 For Upgrade, use HF7332 Overall Height: 9.23 (234) Overall OD: 3.93 (100) End 1 ID: 1.61 (41) | HF6119  | CASE 404886R1 Overall Height: 3.84 (98) Largest OD: 3.73 (95) Thread Size: 1-12 UNF-2B |
| HF6100  | TWIN DISC M2725A, WABCO VK1626 Overall Height: 9.06 (230) End 1 OD: 4.52 (115) End 2 OD: 4.51 (115) End 1 ID: 0.53 (13) End 2 ID: 2.25 (57) | HF6110  | SCHROEDER K10 For Upgrade, use HF6343 Overall Height: 9.23 (234) Overall OD: 3.93 (100) End 1 ID: 1.61 (41) | HF6120  | REXNORD 493308 Overall Height: 3.85 (98) Largest OD: 3.71 (94) Thread Size: 1-12 UNF-2B |
| HF6101  | KOMATSU 1756027380 For Upgrade, use HF28977 Overall Height: 11.50 (292) Overall OD: 5.10 (130) End 1 ID: 3.35 (85) | HF6111  | SCHROEDER K25 Overall Height: 9.23 (234) Overall OD: 3.93 (100) End 1 ID: 1.61 (41) | HF6121  | CASE H311647, FORD 30891689 Overall Height: 5.84 (148) Largest OD: 3.69 (94) Thread Size: 1-12 UNF-2B |
| HF6102  | KOMATSU 1416018270 Overall Height: 11.50 (292) Overall OD: 5.12 (130) End 1 ID: 3.37 (86) | HF6115  | NEW HOLLAND D8NNB486CAFORD D8NNB486CA Overall Height: 6.86 (174) Largest OD: 3.72 (94) BPV Setting: 7.98 (55) Thread Size: 1 1/8-16 UN-2B | HF6122  | CLARK 6559458 Overall Height: 8.11 (206) Largest OD: 3.73 (95) Thread Size: 1-12 UNF-2B |
| HF6103  | JOHN DEERE AT69852 Overall Height: 8.05 (204) Largest OD: 3.74 (95) Thread Size: 1 1/2-16 UN-2B | HF6116  | TENNANT 677182, PALL HC9540SUJ4H, CASE H335620, JOHN DEERE AE37594 Overall Height: 5.81 (148) Largest OD: 3.72 (94) Thread Size: 1 1/2-16 UN-2B | HF6123  | FORD D8NNB486EA Overall Height: 5.36 (136) Largest OD: 3.72 (94) BPV Setting: 7.98 (55) Thread Size: 1 1/8-16 UN-2B |
| HF6104  | JOHN DEERE AT63557 Gasket: 333269 Overall Height: 8.05 (204) Largest OD: 3.74 (95) Thread Size: 1 1/2-16 UN-2B | HF6117  | CASE 113465C1 Gasket: 333269 Overall Height: 5.83 (148) Largest OD: 3.74 (95) Thread Size: 1 1/2-16 UN-2B | HF6124  | FORD E0NNB486A11B Gasket: 329936 Overall Height: 6.89 (175) Largest OD: 3.69 (94) BPV Setting: 7.98 (55) Thread Size: 1 1/8-16 UN-2B |
| HF6107  | GMC 25010543 GMC 6903488 Gasket: 3837033 Overall Height: 5.98 (152) Largest OD: 3.68 (93) Thread Size: 3/4-16 UNF-2B | HF6118  | AC PF951, VOLVO 15052 Uses service part: 317237S, 3832879S For Upgrade, use HF6271 Hydraulic and Transmission applications for lube applications use LF509N Gasket: 173368 ¹⁰ , 317237 ¹⁰ , 322951, 333639, 3832879 ¹⁰ , 3841722 Overall Height: 8.91 (226) Overall OD: 4.51 (115) End 1 ID: 1.44 (37) | HF6125  | CLARK 6552507 Gasket: 329753, 3312097 ¹⁰ Overall Height: 7.07 (180) Largest OD: 5.08 (129) Thread Size: 1 1/2-16 UN-2B |
| HF6108  | Overall Height: 8.91 (226) Overall OD: 4.51 (115) End 1 ID: 1.44 (37) | HF6119  | Overall Height: 9.23 (234) Overall OD: 3.93 (100) End 1 ID: 1.61 (41) | HF6126  | JOHN DEERE AT73307 Gasket: 333269 Overall Height: 9.35 (237) Largest OD: 3.72 (94) Thread Size: 1 1/2-16 UN-2B |

E. PRODUCT GUIDE

| | | |
|--|---|--|
| <p>HF6129 STEIGER 502689T91</p>  <p>Gasket: 333208, 3837027, 3837028 Overall Height: 7.00 (178) Overall OD: 4.52 (115) End 1 ID: 1.80 (46)</p> | <p>HF6138 CIM-TEK 70020</p>  <p>Gasket: 3312097¹⁰, 332418 Overall Height: 10.71 (272) Largest OD: 5.08 (129) Thread Size: 1 1/2-16 UN-2B</p> | <p>HF6147 JOHN DEERE AT62042</p>  <p>Overall Height: 7.18 (182) Overall OD: 4.52 (115) End 1 ID: 1.75 (44)</p> |
| <p>HF6130 CASE H341974</p>  <p>Gasket: 329753, 3312097¹⁰ Overall Height: 6.71 (170) Largest OD: 5.08 (129) Thread Size: 1 1/2-16 UN-2B</p> | <p>HF6140 CASE A161845 For Upgrade, use HF6348</p>  <p>Gasket: 3312097¹⁰, 3826177 Overall Height: 10.71 (272) Largest OD: 5.08 (129) Thread Size: 1 1/2-16 UN-2B</p> | <p>HF6148 JOHN DEERE AT63548</p>  <p>Overall Height: 8.08 (205) Overall OD: 4.52 (115) End 1 ID: 2.27 (58)</p> |
| <p>HF6131 NEW HOLLAND D8NNB486EAFORD D8NNM903AA, BEHRINGER FLUID SYSTEMS, INC BSO128S10N383</p>  <p>Gasket: 329753, 3312097¹⁰ Overall Height: 6.71 (170) Largest OD: 5.08 (129) Thread Size: 1 1/2-16 UN-2B</p> | <p>HF6141 MANN & HUMMEL WD962, VOLVO 4787923 For ZF transmissions only</p>  <p>Overall Height: 8.29 (211) Largest OD: 3.68 (94) BPV Setting: 36.26 (250) Thread Size: 1-12 UNF-2B</p> | <p>HF6149 TOWMOTOR 349804</p>  <p>Overall Height: 9.00 (229) Overall OD: 4.52 (115) End 1 ID: 2.27 (58)</p> |
| <p>HF6132 Ford D8NN-M903-CA</p>  <p>Gasket: 329753, 3312097¹⁰ Overall Height: 6.71 (170) Largest OD: 5.08 (129) Thread Size: 1 1/2-16 UN-2B</p> | <p>HF6142 CASE G35446</p>  <p>Gasket: 326434, 328081, 328082, 335094 Overall Height: 6.05 (154) Overall OD: 3.82 (97) End 1 ID: 1.08 (27)</p> | <p>HF6150 CASE L52029P</p>  <p>Overall Height: 9.00 (229) Overall OD: 4.52 (115) End 1 ID: 0.53 (13) End 2 ID: 2.25 (57)</p> |
| <p>HF6133 VICKERS 575942, VICKERS 736578</p>  <p>Gasket: 3312097¹⁰, 332418 Overall Height: 6.71 (170) Largest OD: 5.08 (129) Thread Size: 1 1/2-16 UN-2B</p> | <p>HF6143 VICKERS 426531</p>  <p>Overall Height: 8.96 (228) Overall OD: 4.00 (102) End 1 ID: 2.22 (56)</p> | <p>HF6151 CASE 1140079C1</p>  <p>Overall Height: 9.12 (232) Overall OD: 4.52 (115) End 1 ID: 2.26 (57)</p> |
| <p>HF6135 CROSS 1A9251</p>  <p>Gasket: 3312097¹⁰, 3316527 Overall Height: 8.96 (228) Largest OD: 5.08 (129) Thread Size: 1 1/2-16 UN-2B</p> | <p>HF6144 VICKERS 426530</p>  <p>Overall Height: 8.96 (228) Overall OD: 4.00 (102) End 1 ID: 2.22 (56)</p> | <p>HF6152 CASE 113618C1, CASE 113618C1P, CASE 1240689C91</p>  <p>Gasket: 328797, 331032 Overall Height: 2.50 (64) Overall OD: 5.06 (129) End 1 ID: 2.93 (74)</p> |
| <p>HF6136 CROSS 1A9253</p>  <p>Gasket: 3312097¹⁰, 3316527, 332418 Overall Height: 8.96 (228) Largest OD: 5.08 (129) Thread Size: 1 1/2-16 UN-2B</p> | <p>HF6145 HYDRECO 918X1, CASE 1E3935</p>  <p>Gasket: 326062 Overall Height: 5.59 (142) Overall OD: 4.03 (102) End 1 ID: 1.56 (40) Thread Size: 1 7/8-12 UN-2A</p> | <p>HF6153 JOHN DEERE AH91274, ROTH TANK COMPANY 156112</p>  <p>Overall Height: 6.20 (157) Overall OD: 5.06 (129) End 1 ID: 2.88 (73) End 2 ID: 2.93 (74)</p> |
| <p>HF6137 SUNDSTRAND 9700653</p>  <p>Gasket: 3312097¹⁰, 332418 Overall Height: 8.96 (228) Largest OD: 5.08 (129) Thread Size: 1 1/2-16 UN-2B</p> | <p>HF6146 GRESN 8074001</p>  <p>Overall Height: 7.00 (178) Overall OD: 4.52 (115) End 1 ID: 1.80 (46)</p> | <p>HF6154 JOHN DEERE AH76991, ROTH TANK COMPANY 156105</p>  <p>Overall Height: 9.00 (229) Overall OD: 5.06 (129) End 1 ID: 2.93 (74) End 2 ID: 2.93 (74)</p> |

E. PRODUCT GUIDE

HF6155 CASE 613788C91P, CASE 613788C91



Overall Height: 11.12 (282)
Overall OD: 5.06 (129)
End 1 ID: 2.93 (74)
End 2 ID: 2.93 (74)

HF6164 JOHN DEERE AM39653 For Upgrade, use HF6446




Gasket: 331279
Overall Height: 3.85 (98)
Largest OD: 3.72 (94)
Thread Size: 3/4-16 UNF-2B

HF6173 J.C.B. 32902301 For Upgrade, use HF7983




Overall Height: 5.59 (142)
Largest OD: 3.68 (94)
Thread Size: 3/4-14 BSP

HF6156 CASE 475606C2



Gasket: 334823, 334824
Overall Height: 4.82 (122)
End 1 OD: 3.48 (88)
End 2 OD: 3.47 (88)
End 2 ID: 1.36 (35)

HF6165 FIAT-ALLIS 706795132 Uses service part: 333763S



Gasket: 333763 (1)¹⁰
Overall Height: 7.23 (184)
End 1 OD: 4.50 (114)
End 2 OD: 4.46 (113)
End 1 ID: 2.88 (73)
End 2 ID: 2.22 (56)

HF6175 CROSLAND 518




Overall Height: 1.44 (37)
Overall OD: 3.43 (87)
End 1 ID: 1.10 (28)

HF6158 NISSAN 31725L1000




Overall Height: 3.45 (88)
Largest OD: 3.04 (77)
ADB: Yes
Thread Size: 3/4-16 UNS-2B

HF6166 MARVEL 54500, MARVEL 5763665125, MARVEL 5763665140



Overall Height: 7.25 (184)
Overall OD: 4.50 (114)
End 1 ID: 2.22 (56)

HF6176 FULLER A1781, PUROLATOR PF200L



Gasket: 3843018
Overall Height: 2.91 (74)
Overall OD: 3.01 (76)
End 1 ID: 1.04 (26)

HF6159 NISSAN 5839647601




Overall Height: 5.59 (142)
Largest OD: 3.68 (94)
ADB: Yes
BPV Setting: 36.26 (250)
Thread Size: 1-12 UNF-2B

HF6167 TORO 445340, CASE 69149C1, VOLVO 12754598



Gasket: 3312097¹⁰, 3316527, 332418
Overall Height: 6.71 (170)
Largest OD: 5.08 (129)
Thread Size: 1 1/2-16 UN-2B

HF6177 UCC HYDRAULICS UCMX1591410 Filter used with 3904380 For Upgrade, use HF7980




Overall Height: 7.09 (180)
Largest OD: 5.04 (128)
Thread Size: 1 1/4 BSP

HF6160 CASE D59062




Overall Height: 5.13 (130)
Largest OD: 3.80 (96)
Thread Size: 1 5/16-12 UNS 2B

HF6168 HOUGH 877826C4



Overall Height: 18.12 (460)
Overall OD: 5.97 (152)
End 1 ID: 2.63 (67)

HF6178 AKERMAN 12919, VOLVO 4786819




Overall Height: 10.04 (255)
Overall OD: 3.60 (92)
End 1 ID: 1.97 (50)

HF6161 ZF 7633141101




Overall Height: 4.57 (116)
Overall OD: 3.19 (81)
End 1 ID: 0.51 (13)

HF6170 JOHN DEERE AT45422




Overall Height: 9.53 (242)
Overall OD: 4.38 (111)
End 1 ID: 0.69 (17)

HF6179 JOHN DEERE AE43494




Overall Height: 9.00 (229)
Overall OD: 5.10 (130)
End 1 ID: 2.82 (72)

HF6162 MERCEDES-BENZ 4660604



Overall Height: 3.96 (101)
Overall OD: 2.32 (59)
End 1 ID: 0.71 (18)

HF6171 FIAT-ALLIS 70669434



Gasket: 3309945, 3309947, 3310209
Overall Height: 12.75 (324)
Overall OD: 4.51 (115)
End 1 ID: 1.75 (44)

HF6180 RICHIER 568006001, POCLAIN N0250574, VOLVO 6638403, FAUN-FRISCH 4134431 Atlas 331055, 359455



Overall Height: 10.24 (260)
Overall OD: 4.17 (106)
End 1 ID: 0.35 (9)
End 2 ID: 2.84 (72)

HF6163 CLARK 6591038




Gasket: 3312097¹⁰, 3316527, 332418
Overall Height: 6.71 (170)
Largest OD: 5.08 (129)
Thread Size: 1 1/2-16 UN-2B

HF6172 MARVEL 6763665110



Overall Height: 7.44 (189)
Overall OD: 4.50 (114)
End 1 ID: 2.22 (56)

HF6181 POCLAIN J0150566, HYMAC 2700210 For Synthetic Version use HF7962



Overall Height: 8.27 (210)
Overall OD: 4.96 (126)
End 1 ID: 0.35 (9)
End 2 ID: 3.62 (92)

E. PRODUCT GUIDE

| | | | | | |
|---|---|---|---|---|--|
|  | <p>HF6182 ORENSTEIN & KOPPEL 511615, VOLVO 6210359, VOLVO 6635975 For Synthetic Media Version use HF28803</p> <p>Overall Height: 11.42 (290) Overall OD: 4.96 (126) End 1 ID: 0.35 (9) End 2 ID: 3.62 (92)</p> |  | <p>HF6192 VICKERS 398855, AC PF2028</p> <p>Overall Height: 4.00 (102) Overall OD: 3.11 (79) End 1 ID: 1.86 (47)</p> |  | <p>HF6201 CATERPILLAR 4J816, CATERPILLAR 1R0728 Uses service part: 3838224S</p> <p>Gasket: 3838224¹⁰ Overall Height: 9.00 (229) Overall OD: 3.12 (79) End 1 ID: 1.86 (47)</p> |
|  | <p>HF6184 JOHN DEERE AR94510 Uses service part: 333763S</p> <p>Gasket: 333763¹⁰ Overall Height: 7.97 (202) Overall OD: 4.62 (117) End 1 ID: 2.20 (56)</p> |  | <p>HF6193 VICKERS 398854</p> <p>Overall Height: 8.00 (203) Overall OD: 3.12 (79) End 1 ID: 1.86 (47)</p> |  | <p>HF6202 CATERPILLAR 9J0750, CATERPILLAR 9J5461 Uses service part: 3838228S For Upgrade, use HF6344</p> <p>Gasket: 3838228¹⁰ Overall Height: 11.13 (283) Overall OD: 5.10 (130) End 1 ID: 3.35 (85)</p> |
|  | <p>HF6185 VICKERS 228467, INGERSOLL-RAND 51057255</p> <p>Gasket: 318037 Overall Height: 4.47 (114) Overall OD: 2.90 (74) End 1 ID: 1.12 (28) End 2 ID: 0.49 (12)</p> |  | <p>HF6194 VICKERS 398856</p> <p>Overall Height: 8.00 (203) Overall OD: 3.11 (79) End 1 ID: 1.86 (47)</p> |  | <p>HF6203 VICKERS 573082</p> <p>Gasket: 333404 Overall Height: 5.69 (145) Largest OD: 3.72 (94) Thread Size: 1 1/8-16 UN-2B</p> |
|  | <p>HF6186 RENAULT V.I. 7701015558</p> <p>Overall Height: 5.91 (150) Overall OD: 2.68 (68) End 1 ID: 1.02 (26)</p> |  | <p>HF6195 FIAT-ALLIS 70079170 GMC 2381012, IHC 169743-R91</p> <p>Overall Height: 2.49 (63) Overall OD: 3.50 (89) End 1 ID: 1.06 (27)</p> |  | <p>HF6204 VICKERS 573083</p> <p>Gasket: 333404 Overall Height: 5.69 (145) Largest OD: 3.72 (94) Thread Size: 1 1/8-16 UN-2B</p> |
|  | <p>HF6187 CLARK 1530600 Not to be used with flame retardant fluid</p> <p>Gasket: 3310176, 3310177 Overall Height: 18.00 (457) Overall OD: 6.01 (153) End 1 ID: 2.73 (69)</p> |  | <p>HF6196 KOMATSU 1306048210</p> <p>Overall Height: 10.94 (278) Overall OD: 2.52 (64) End 1 ID: 1.00 (25)</p> |  | <p>HF6205 ATLAS COPCO 16193771</p> <p>Overall Height: 8.29 (211) Largest OD: 3.68 (94) BPV Setting: 36.26 (250) Thread Size: 1-12 UNF-2B</p> |
|  | <p>HF6188 FORD D6NNB486A</p> <p>Overall Height: 6.61 (168) Largest OD: 3.98 (101) BPV Setting: 14.50 (100) Thread Size: 1 1/8-16 UN-2B</p> |  | <p>HF6197 KOMATSU 1454932430</p> <p>Overall Height: 9.12 (232) Overall OD: 4.00 (102) End 1 ID: 1.64 (42)</p> |  | <p>HF6206 PETERBILT 10960</p> <p>Overall Height: 6.91 (176) Largest OD: 3.73 (95) Thread Size: 1-12 UNF-2B</p> |
|  | <p>HF6190 PUROLATOR EP114 Uses service part: 3311273S</p> <p>Gasket: 251390¹⁰, 3311273¹⁰, 3842585 (2) Overall Height: 8.53 (217) Overall OD: 6.00 (152) End 1 ID: 3.44 (87)</p> |  | <p>HF6198 MICHIGAN 230962</p> <p>Gasket: 3842592 Overall Height: 5.61 (142) Overall OD: 3.48 (88) End 1 ID: 1.14 (29)</p> |  | <p>HF6207 AC PF975 GMC 25011413</p> <p>Overall Height: 9.01 (229) Overall OD: 5.10 (130) End 1 ID: 2.84 (72)</p> |
|  | <p>HF6191 VICKERS 398853</p> <p>Overall Height: 4.00 (102) Overall OD: 3.11 (79) End 1 ID: 1.86 (47)</p> |  | <p>HF6200 CASE 666220C1</p> <p>Overall Height: 15.03 (382) Overall OD: 6.50 (165) End 1 ID: 5.50 (140)</p> |  | <p>HF6208 JOHN DEERE AT67960</p> <p>Overall Height: 7.51 (191) Overall OD: 2.90 (74) End 1 ID: 1.12 (28)</p> |

E. PRODUCT GUIDE

| | | |
|---|--|--|
| HF6209  JOHN DEERE AT67957 Overall Height: 3.74 (95) Overall OD: 2.90 (74) End 1 ID: 1.12 (28) | HF6218  VICKERS 404210 Overall Height: 8.98 (228) End 1 OD: 4.00 (102) End 2 OD: 3.99 (101) End 1 ID: 2.23 (57) | HF6226  FORD D8NNM903EA, FORD D8NNF914AA Gasket: 329753 Overall Height: 8.96 (228) Largest OD: 5.08 (129) Thread Size: 1 1/2-16 UN-2B |
| HF6210  JOHN DEERE AT78414 Overall Height: 8.08 (205) Overall OD: 4.52 (115) End 1 ID: 2.27 (58) | HF6219  VICKERS 404211 Overall Height: 17.96 (456) End 1 OD: 4.00 (102) End 2 OD: 3.99 (101) End 1 ID: 2.23 (57) | HF6237  CLARK 888331 Overall Height: 8.00 (203) Overall OD: 6.01 (153) End 1 ID: 3.53 (90) |
| HF6212  SCHROEDER A25 Overall Height: 4.86 (123) Overall OD: 3.00 (76) End 1 ID: 1.30 (33) | HF6220  MARVEL 6292065110 Overall Height: 4.87 (124) Overall OD: 2.61 (66) End 1 ID: 1.24 (32) End 2 ID: 1.24 (32) | HF6238  GMC 15513845 Overall Height: 5.07 (129) Overall OD: 3.99 (101) End 1 ID: 1.31 (33) End 2 ID: 1.10 (28) |
| HF6213  KOMATSU 1446011160 Overall Height: 11.06 (281) Overall OD: 3.94 (100) End 1 ID: 2.34 (59) | HF6221  SCHROEDER A3 Overall Height: 4.88 (124) Overall OD: 3.00 (76) End 1 ID: 1.06 (27) | HF6239  RIPLEY 4P03 Gasket: 3826062 Overall Height: 4.31 (109) Overall OD: 2.81 (71) End 1 ID: 1.31 (33) |
| HF6214  CASE D35995 Overall Height: 7.44 (189) Overall OD: 4.50 (114) End 1 ID: 2.22 (56) | HF6222  SCHROEDER A10 Overall Height: 5.00 (127) Overall OD: 3.00 (76) End 1 ID: 1.06 (27) | HF6240  RIPLEY 8P03 Gasket: 3826062 Overall Height: 4.31 (109) Overall OD: 2.81 (71) End 1 ID: 1.31 (33) |
| HF6215  SCHROEDER KK3 Overall Height: 18.20 (462) Overall OD: 3.90 (99) End 1 ID: 1.81 (46) | HF6223  CASE 940241C2 Overall Height: 18.15 (461) Overall OD: 7.44 (189) End 1 ID: 4.85 (123) | HF6241  RIPLEY 4P13 Gasket: 3826061 Overall Height: 7.72 (196) Overall OD: 3.72 (94) End 1 ID: 1.98 (50) |
| HF6216  VICKERS 404208 Overall Height: 8.98 (228) Overall OD: 4.00 (102) End 1 ID: 2.23 (57) | HF6224  VERSATILE 36169 Gasket: 334823, 334824 Overall Height: 9.27 (235) BPV Setting: 17.50 (121) End 1 OD: 3.49 (89) End 2 OD: 3.47 (88) End 2 ID: 1.36 (35) | HF6242  RIPLEY 8P13 Gasket: 3826061 Overall Height: 7.72 (196) Overall OD: 3.72 (94) End 1 ID: 1.98 (50) |
| HF6217  VICKERS 404209 Overall Height: 17.96 (456) End 1 OD: 4.00 (102) End 2 OD: 3.99 (101) End 1 ID: 2.23 (57) | HF6225  AC PF889 Gasket: 3316886, 3316887, 333639 Overall Height: 8.91 (226) Overall OD: 4.51 (115) End 1 ID: 1.44 (37) | HF6243  NEW HOLLAND 73142551 Filter used with 3314849S For Upgrade, use HF6318 Gasket: 3826108 Overall Height: 10.30 (261) Largest OD: 4.67 (119) Thread Size: 1 5/16-12 UNS-2B |

E. PRODUCT GUIDE

| | | |
|---|--|---|
| HF6244  WABCO PB4545 Uses service part: 3318304S Gasket: 3318304 ¹⁰ Overall Height: 18.73 (476) Overall OD: 5.10 (130) End 1 ID: 3.35 (85) | HF6252  GRESEN FST1121R0, ZINGA SS1200 Overall Height: 6.85 (174) Overall OD: 3.38 (86) End 1 ID: 1.51 (38) | HF6262  GRESEN FST1151RX, CAN-FLO CFSE301003 Overall Height: 8.00 (203) Overall OD: 3.36 (85) BPV Setting: 3.05 (21) End 1 ID: 1.73 (44) |
| HF6245  POCLAIN R1050586 Overall Height: 6.75 (172) Overall OD: 3.78 (96) End 1 ID: 2.68 (68) End 2 ID: 0.39 (10) | HF6253  GRESEN FST1151R0, CAN-FLO CFSE30100 Overall Height: 8.05 (204) Overall OD: 3.38 (86) End 1 ID: 1.75 (44) | HF6263  ZINGA SS1503, CAN-FLO CFSE401003 Overall Height: 9.75 (248) Overall OD: 3.91 (99) BPV Setting: 3.05 (21) End 1 ID: 1.74 (44) |
| HF6246  LIEBHERR 7211198 Overall Height: 16.54 (420) Overall OD: 5.98 (152) End 1 ID: 3.47 (88) End 2 ID: 1.87 (48) | HF6254  ZINGA SS1500, CAN-FLO CFSE40100 Overall Height: 10.04 (255) Overall OD: 3.94 (100) End 1 ID: 1.38 (35) | HF6264  GRESEN FST1201RX, ZINGA SS2003 Overall Height: 10.04 (255) Overall OD: 3.94 (100) BPV Setting: 3.05 (21) End 1 ID: 2.25 (57) |
| HF6247  LIEBHERR 7360470 Overall Height: 18.07 (459) Overall OD: 3.92 (100) End 1 ID: 2.48 (63) End 2 ID: 1.89 (48) | HF6255  GRESEN FST1201R0, ZINGA SS2000 Overall Height: 10.04 (255) Overall OD: 3.94 (100) End 1 ID: 2.25 (57) | HF6265  GRESEN FST1251RX, ZINGA SS2503 Overall Height: 10.10 (257) Overall OD: 5.12 (130) BPV Setting: 3.05 (21) End 1 ID: 2.68 (68) |
| HF6248  LIEBHERR 7211191 Overall Height: 13.66 (347) Overall OD: 3.92 (100) End 1 ID: 2.48 (63) End 2 ID: 1.89 (48) | HF6257  GRESEN FST1311R0, ZINGA SS3000 Overall Height: 11.81 (300) Overall OD: 5.06 (129) End 1 ID: 3.25 (83) | HF6266  GRESEN FST1311RX, ZINGA SS3003 Overall Height: 11.88 (302) Overall OD: 5.06 (129) BPV Setting: 3.05 (21) End 1 ID: 3.30 (84) |
| HF6249  GRESEN FST1051R0 Overall Height: 3.07 (78) Overall OD: 2.63 (67) End 1 ID: 0.72 (18) | HF6259  GRESEN FST1071RX, ZINGA SS0703 Overall Height: 2.53 (64) Overall OD: 2.62 (67) BPV Setting: 3.05 (21) End 1 ID: 0.93 (24) | HF6267  KHD(KLOCKNER-HUMBOLDT-DEUTZ) 4305722 Overall Height: 8.27 (210) Largest OD: 3.68 (94) BPV Setting: 36.26 (250) Thread Size: 1-12 UNF-2B |
| HF6250  GRESEN FST1071R0 Overall Height: 3.50 (89) Overall OD: 2.63 (67) End 1 ID: 0.93 (23) | HF6260  GRESEN FST1101RX, ZINGA SS1003 Overall Height: 5.35 (136) Overall OD: 2.63 (67) BPV Setting: 3.05 (21) End 1 ID: 1.15 (29) | HF6268  FIAT-ALLIS 1909106 Overall Height: 8.23 (209) Overall OD: 3.35 (85) BPV Setting: 14.50 (100) End 1 ID: 1.38 (35) |
| HF6251  GRESEN FST1101R0, ZINGA SS1000 Overall Height: 5.35 (136) Overall OD: 2.63 (67) End 1 ID: 1.15 (29) | HF6261  GRESEN FST1121RX, ZINGA SS1203 Overall Height: 6.81 (173) Overall OD: 3.36 (85) BPV Setting: 3.05 (21) End 1 ID: 1.50 (38) | HF6269  INGERSOLL-RAND 35296920 Overall Height: 8.72 (221) Largest OD: 3.73 (95) Thread Size: 1 1/4-12 UNF-2B |

E. PRODUCT GUIDE

| | | |
|---|---|--|
| HF6270  Uses service part: 3832879S Upgrade of HF6373 Microglass Version of HF6118 Gasket: 322951, 333639, 3836102 Overall Height: 8.93 (227) Overall OD: 4.51 (115) End 1 ID: 1.44 (37) | HF6280  FORD D5NNF933A Overall Height: 6.67 (170) Largest OD: 3.86 (98) BPV Setting: 20.30 (140) Thread Size: 1-12 UNF-2B | HF6301  LIEBHERR 7211188 Overall Height: 24.57 (624) Overall OD: 5.98 (152) End 1 ID: 3.47 (88) End 2 ID: 1.87 (48) |
| HF6271  Uses service part: 3832879S Upgrade of HF6118 For Upgrade, use HF6373 Gasket: 322951, 3836102 Overall Height: 8.93 (227) Overall OD: 4.51 (115) End 1 ID: 1.44 (37) | HF6281  JOHN DEERE RE27284 Microglass Filter Gasket: 333269 Overall Height: 5.83 (148) Largest OD: 3.74 (95) Thread Size: 1 1/2-16 UN-2B | HF6302  SAME 24419210110, CARRARO 109617 Overall Height: 8.23 (209) Overall OD: 3.35 (85) End 1 ID: 1.38 (35) |
| HF6272  POCLAIN H1050532 For Synthetic Media Version use HF7957 Overall Height: 12.99 (330) Overall OD: 7.99 (203) End 1 ID: 0.51 (13) End 2 ID: 6.18 (157) | HF6283  DONALDSON P160113 Overall Height: 13.00 (330) Overall OD: 4.39 (112) End 1 ID: 2.44 (62) | HF6303  LETOURNEAU- WESTINGHOUSE 727076 Overall Height: 7.00 (178) Overall OD: 4.52 (115) End 1 ID: 1.77 (45) |
| HF6273  FAIREY ARLON FX110 Overall Height: 11.81 (300) Overall OD: 2.84 (72) End 1 ID: 2.05 (52) | HF6284  DONALDSON P160205 Overall Height: 5.00 (127) Overall OD: 4.38 (111) End 1 ID: 2.44 (62) | HF6305  MITSUBISHI 68937001001 Overall Height: 14.88 (378) Overall OD: 4.46 (113) End 1 ID: 2.83 (72) |
| HF6274  FIAT-ALLIS 74975589 Overall Height: 8.11 (206) Overall OD: 1.77 (45) End 1 ID: 0.98 (25) | HF6286  DONALDSON P160213 Overall Height: 13.00 (330) Overall OD: 4.39 (112) End 1 ID: 2.44 (62) | HF6306  FAIREY ARLON TXX310 Overall Height: 5.91 (150) Overall OD: 2.84 (72) End 1 ID: 0.28 (7) End 2 ID: 2.05 (52) |
| HF6276  FORD D8NNB951AE Overall Height: 7.44 (189) Overall OD: 4.63 (118) End 1 ID: 2.23 (57) | HF6296  DONALDSON P160700 Overall Height: 16.00 (406) Overall OD: 4.39 (112) End 1 ID: 2.44 (62) | HF6307  FAIREY ARLON TXX3D10 Overall Height: 7.87 (200) Overall OD: 2.84 (72) End 1 ID: 0.28 (7) End 2 ID: 2.05 (52) |
| HF6278  ZF 7633141110 Overall Height: 4.57 (116) Overall OD: 2.17 (55) End 1 ID: 0.51 (13) | HF6297  DONALDSON P161571 Overall Height: 16.00 (406) Overall OD: 4.38 (111) End 1 ID: 2.43 (62) | HF6308  FAIREY ARLON TXX410 Cellulose Media. For Synthetic Media Version use HF7959. Overall Height: 7.48 (190) Overall OD: 4.17 (106) End 1 ID: 0.35 (9) End 2 ID: 2.84 (72) |
| HF6279  FORD D8NNF933AB Overall Height: 6.65 (169) Largest OD: 3.73 (95) BPV Setting: 17.40 (120) Thread Size: 1-12 UNF-2B | HF6298  DONALDSON P161917 Overall Height: 13.00 (330) Overall OD: 4.39 (112) End 1 ID: 2.44 (62) | HF6309  FAIREY ARLON TXX5A10 For Upgrade, use HF7961 Overall Height: 18.31 (465) Overall OD: 4.17 (106) End 1 ID: 0.35 (9) End 2 ID: 2.84 (72) |

























E. PRODUCT GUIDE

| | | | |
|--|--|--|--|
| HF6310  | FAIREY ARLON TXX8B10 For Synthetic Media Version use HF7958 Overall Height: 15.35 (390) Overall OD: 4.96 (126) End 1 ID: 0.35 (9) End 2 ID: 3.62 (92) | HF6318  | HF6326  |
| HF6311  | FAIREY ARLON TXX8C10 For Synthetic Media Version use HF7964 Overall Height: 18.90 (480) Overall OD: 4.96 (126) End 1 ID: 0.35 (9) End 2 ID: 3.62 (92) | HF6319  | HF6327  |
| HF6312  | FAIREY ARLON TXX1110 For Synthetic Media Version of HF7965 Overall Height: 17.32 (440) Overall OD: 7.99 (203) End 1 ID: 0.51 (13) End 2 ID: 6.18 (157) | HF6320  | HF6328  |
| HF6313  | FAIREY ARLON TXX1210 For Synthetic Media Version use HF7966 Overall Height: 21.46 (545) Overall OD: 7.99 (203) End 1 ID: 0.51 (13) End 2 ID: 6.18 (157) | HF6321  | HF6329  |
| HF6314  | FAIREY ARLON TXX1310 For Synthetic Media Version use HF7967 Overall Height: 32.48 (825) Overall OD: 7.99 (203) End 1 ID: 0.51 (13) End 2 ID: 6.18 (157) | HF6322  | HF6330  |
| HF6315  | BOMAG 5821203 Overall Height: 5.61 (143) Largest OD: 3.68 (94) BPV Setting: 36.26 (250) Thread Size: 3/4-16 UNF-2B | HF6323  | HF6333  |
| HF6316  | ZF 750131012 Overall Height: 5.61 (143) Largest OD: 3.68 (94) BPV Setting: 36.26 (250) Thread Size: M24 X 1.5-6H INT | HF6324  | HF6334  |
| HF6317  | ZF 750131013 Overall Height: 8.29 (211) Largest OD: 3.68 (94) BPV Setting: 36.26 (250) Thread Size: M24 X 1.5-6H EXT | HF6325  | HF6335  |

E. PRODUCT GUIDE

| | | |
|--|---|---|
| HF6336  VICKERS 736430 Overall Height: 4.00 (102) Overall OD: 2.90 (74) End 1 ID: 1.26 (32) | HF6344  CATERPILLAR 4T3134 Uses service part: 3838228S Upgrade of HF6202 Gasket: 3838228 (1) ¹⁰ Overall Height: 11.12 (282) Overall OD: 5.10 (130) End 1 ID: 3.35 (85) | HF6356  KOMATSU 1956016320 For Upgrade, use HF28975 Overall Height: 11.81 (300) Overall OD: 5.91 (150) End 1 ID: 4.33 (110) |
| HF6337  CATERPILLAR 4T7948 Overall Height: 4.59 (117) Largest OD: 3.68 (94) Standpipe: YES BPV Setting: 17.40 (120) Thread Size: 13/16-16 UN-2B | HF6348  CASE A169652 Upgrade of HF6140 Microglass Version Gasket: 3312097 ¹⁰ , 332418 Overall Height: 10.71 (272) Largest OD: 5.08 (129) BPV Setting: 22.04 (152) Thread Size: 1 1/2-16 UN-2B | HF6357  TORO 678110 Overall Height: 4.57 (116) Largest OD: 3.73 (95) Thread Size: 1-12 UNF-2B |
| HF6338  JOHN DEERE AT120444, LHA MACDONMPE402 Filter used with HH6952 Gasket: 333269 Overall Height: 8.00 (203) Largest OD: 3.75 (95) Thread Size: 1 1/2-16 UN-2B | HF6349  SAME 244192602 Overall Height: 8.54 (217) Largest OD: 3.68 (94) Thread Size: 1-14 UNS-2B | HF6358  CHAMPION ROAD MACH. 13028 Gasket: 3833451 Overall Height: 6.71 (170) Largest OD: 5.08 (129) Thread Size: 1 1/2-16 UN-2B |
| HF6339  CATERPILLAR 4T3133 Upgrade of HF6083 Overall Height: 9.12 (232) Overall OD: 6.83 (173) End 1 ID: 3.94 (100) | HF6350  SAME 244192800 Overall Height: 9.00 (229) Largest OD: 4.25 (108) Thread Size: M40 X 2-6H INT | HF6359  LIEBHERR 7010930, CASE 1966553C1 Overall Height: 9.09 (231) Largest OD: 5.20 (132) Thread Size: 1 1/4 BSP |
| HF6340  Upgrade of HF6089 Overall Height: 18.06 (459) Overall OD: 6.02 (153) End 1 ID: 3.40 (86) | HF6351  HYSTER 297865 Overall Height: 5.61 (143) Largest OD: 3.68 (94) ADBV: Yes BPV Setting: 23.21 (160) Thread Size: 3/4-16 UNF-2B | HF6360  JOHN DEERE AL56469 Overall Height: 6.87 (175) Largest OD: 3.68 (94) Thread Size: 1-12 UNF-2B |
| HF6341  CATERPILLAR 4T3131 Upgrade of HF6097 Overall Height: 9.37 (238) Overall OD: 3.99 (101) End 1 ID: 2.30 (58) | HF6352  HYSTER 309112 Overall Height: 4.59 (117) Largest OD: 3.68 (94) ADBV: Yes BPV Setting: 9.43 (65) Thread Size: 3/4-16 UNF-2B | HF6361  M.A.N. 81331180007 Overall Height: 5.61 (143) Largest OD: 3.68 (94) BPV Setting: 36.26 (250) Thread Size: 1-12 UNF-2B |
| HF6342  CATERPILLAR 4T3132 Upgrade of HF6098 Overall Height: 9.12 (232) Overall OD: 5.10 (130) End 1 ID: 3.35 (85) | HF6353  MANN & HUMMEL H151906N Overall Height: 15.00 (381) Overall OD: 5.91 (150) End 1 ID: 1.20 (31) | HF6363  VICKERS 737720 Overall Height: 8.08 (205) Largest OD: 3.72 (94) Thread Size: 1 1/8-16 UN-2B |
| HF6343  PARKER 925779, SCHROEDER KS7 Upgrade of HF6110 Overall Height: 9.23 (234) Overall OD: 3.93 (100) End 1 ID: 1.61 (41) | HF6354  KOMATSU 706301054 For Upgrade, use HF28979 Overall Height: 8.26 (210) Overall OD: 3.94 (100) End 1 ID: 2.33 (59) | HF6365  CATERPILLAR 2P5834 Overall Height: 5.65 (144) End 1 OD: 2.97 (75) End 2 OD: 2.90 (74) End 1 ID: 1.04 (26) |

E. PRODUCT GUIDE

| | | |
|--|---|---|
| HF6366  CLARK 2366807 Overall Height: 6.90 (175) Largest OD: 3.72 (94) Thread Size: 2-16 UNS-2B | HF6386  ARMY-NAVY AN62351A Overall Height: 1.88 (48) Overall OD: 0.83 (21) End 1 ID: 0.38 (10) | HF6394  CASE A39578 Overall Height: 6.01 (153) Overall OD: 2.33 (59) End 1 ID: 1.36 (35) |
| HF6367  MARVEL 6763865140 Overall Height: 7.41 (188) Overall OD: 4.49 (114) End 1 ID: 2.36 (60) End 2 ID: 2.36 (60) | HF6387  ARMY-NAVY AN62352A Overall Height: 4.63 (117) Overall OD: 1.13 (29) End 1 ID: 0.63 (16) | HF6399  JOHN DEERE AT127608, JOHN DEERE AT147343, LUBERFINER LH8488 Gasket: 3839550 Overall Height: 17.88 (454) Overall OD: 5.91 (150) End 1 ID: 4.33 (110) |
| HF6368  TIMBERJACK 205882 Overall Height: 9.12 (232) Overall OD: 5.12 (130) End 1 ID: 3.36 (85) End 2 ID: 0.40 (10) | HF6388  ARMY-NAVY AN62353A Overall Height: 3.44 (87) Overall OD: 1.63 (41) End 1 ID: 0.88 (22) | HF6406  VICKERS 737933 Overall Height: 8.20 (208) End 1 OD: 3.12 (79) End 2 OD: 3.11 (79) |
| HF6369  CASE 573201R1 Overall Height: 4.44 (113) Overall OD: 1.75 (44) End 1 ID: 1.00 (25) | HF6389  DDA 23040988 Overall Height: 8.22 (209) End 1 OD: 3.26 (83) End 2 OD: 3.21 (81) End 1 ID: 1.51 (38) | HF6411  VICKERS 737562 Overall Height: 9.23 (234) Overall OD: 3.94 (100) End 1 ID: 1.61 (41) |
| HF6371  FORD E8NNB486AA Overall Height: 8.05 (204) Largest OD: 3.72 (94) BPV Setting: 8.00 (55) Thread Size: 1 1/8-16 UN-2B | HF6390  ARMY-NAVY AN62361 Gasket: 3836766 Overall Height: 1.93 (49) Overall OD: 6.00 (152) End 1 ID: 3.50 (89) | HF6413  VICKERS 737582 Overall Height: 9.23 (234) Overall OD: 3.93 (100) End 1 ID: 1.61 (41) |
| HF6372  FORD E8NNB486BA Overall Height: 6.86 (174) Largest OD: 3.72 (94) BPV Setting: 8.00 (55) Thread Size: 1 1/8-16 UN-2B | HF6391  ARMY-NAVY AN62362 Gasket: 3836766 Overall Height: 4.00 (102) Overall OD: 5.94 (151) End 1 ID: 3.50 (89) | HF6417  DYNAHOE 499519 Overall Height: 8.29 (211) Largest OD: 3.68 (94) Thread Size: 1-12 UNF-2B |
| HF6373  Upgrade of HF6271 For Upgrade, use HF6270 Microglass Version of HF6118 Gasket: 322951, 333639, 3836102 Overall Height: 8.93 (227) Overall OD: 4.51 (115) End 1 ID: 1.44 (37) | HF6392  VICKERS 922788 Gasket: 318037 Overall Height: 4.47 (114) Overall OD: 2.90 (74) End 1 ID: 1.12 (28) End 2 ID: 0.49 (12) | HF6418  WHITE 3107499 Overall Height: 5.12 (130) Overall OD: 3.93 (100) End 1 ID: 1.07 (27) |
| HF6376  CATERPILLAR 4T0522 Overall Height: 7.00 (178) Overall OD: 5.07 (129) End 1 ID: 3.34 (85) | HF6393  CATERPILLAR 9W2932 Overall Height: 9.37 (238) Overall OD: 3.99 (101) End 1 ID: 2.30 (58) | HF6420  CLARK 234099 Overall Height: 5.61 (143) Largest OD: 3.68 (94) BPV Setting: 23.21 (160) Thread Size: 2-16 UN-2B |

E. PRODUCT GUIDE

| | | |
|---|---|---|
| HF6421  VME (VOLVO BMMICH/EUCLID) 2560232 Overall Height: 18.15 (461) Overall OD: 7.44 (189) End 1 ID: 4.85 (123) | HF6435  JOHN DEERE AT147822 Overall Height: 8.07 (205) Largest OD: 4.28 (109) Thread Size: 1 1/8-16 UN-2B | HF6457  CASE 70203C2 Overall Height: 5.83 (148) Largest OD: 3.70 (94) Thread Size: 1-12 UNF-2B |
| HF6423  Various Hydraulic Applications Overall Height: 5.77 (147) Largest OD: 3.72 (95) Thread Size: .970-20 UNS-2B | HF6436  DONALDSON P167226 Gasket: 3839901 Overall Height: 8.96 (228) Largest OD: 5.08 (129) Thread Size: 1 1/2-16 UN-2B | HF6458  DONALDSON P162368 Overall Height: 8.00 (203) Overall OD: 4.08 (104) End 1 ID: 2.44 (62) End 2 ID: 0.74 (19) |
| HF6424  Various Hydraulic Applications Overall Height: 5.77 (147) Largest OD: 3.72 (94) BPV Setting: 30.17 (208) Thread Size: .970-20 UNS-2B | HF6439  VICKERS 736820 Overall Height: 6.71 (170) Largest OD: 5.08 (129) Thread Size: 1 1/2-16 UN-2B | HF6459  DONALDSON P160696 Overall Height: 8.00 (203) Overall OD: 4.38 (111) End 1 ID: 2.44 (62) |
| HF6426  VICKERS 737544 Overall Height: 4.20 (107) End 1 OD: 3.12 (79) End 2 OD: 3.11 (79) End 2 ID: 1.67 (42) | HF6440  CLARK 801851 Gasket: 317237, 322951, 329728, 3836102 Overall Height: 8.91 (226) Overall OD: 4.51 (115) End 1 ID: 1.44 (37) | HF6461  DONALDSON P165251 Overall Height: 8.00 (203) Overall OD: 4.38 (111) End 1 ID: 1.98 (50) |
| HF6428  VICKERS 737546 Overall Height: 4.20 (107) End 1 OD: 3.12 (79) End 2 OD: 3.11 (79) End 2 ID: 1.67 (42) | HF6446  JOHN DEERE AET10401 Upgrade of HF6164 Microglass Version Overall Height: 3.84 (98) Largest OD: 3.69 (94) Thread Size: 3/4-16 UNF-2B | HF6464  DONALDSON P163172 Overall Height: 8.00 (203) Overall OD: 4.38 (111) End 1 ID: 2.44 (62) |
| HF6429  VICKERS 737547 Overall Height: 8.16 (207) Overall OD: 3.11 (79) End 1 ID: 1.67 (42) | HF6447  DONALDSON P162955 Overall Height: 8.00 (203) Overall OD: 3.10 (79) End 1 ID: 1.74 (44) | HF6465  DONALDSON P161413 Overall Height: 8.00 (203) Overall OD: 4.38 (111) End 1 ID: 2.44 (62) |
| HF6430  VICKERS 737548 Overall Height: 4.20 (107) End 1 OD: 3.12 (79) End 2 OD: 3.11 (79) End 2 ID: 1.67 (42) | HF6451  DONALDSON P164351 Overall Height: 8.76 (223) Largest OD: 3.69 (94) Thread Size: 1 1/4-12 UNF-2B | HF6467  DONALDSON P161908 Overall Height: 10.10 (257) Overall OD: 4.38 (111) End 1 ID: 1.86 (47) |
| HF6431  VICKERS 737549 Overall Height: 8.20 (208) End 1 OD: 3.12 (79) End 2 OD: 3.11 (79) End 2 ID: 1.66 (42) | HF6456  DONALDSON P160555 Overall Height: 5.00 (127) Overall OD: 4.38 (111) End 1 ID: 2.44 (62) | HF6468  DONALDSON P162855 Overall Height: 12.25 (311) Overall OD: 4.38 (111) End 1 ID: 2.44 (62) |
| HF6434  JOHN DEERE AT147821 Gasket: 3913068S ¹⁰ Overall Height: 6.00 (152) Overall OD: 1.98 (50) End 1 ID: 0.92 (23) | | |

E. PRODUCT GUIDE

| | | |
|---|--|--|
| HF6470  DONALDSON P165507 Overall Height: 13.00 (330) Overall OD: 4.38 (111) End 1 ID: 2.44 (62) | HF6485  DONALDSON P165242, NEW HOLLAND 73125853 Overall Height: 9.00 (229) Overall OD: 5.07 (129) End 1 ID: 3.34 (85) | HF6502  ZINGA AE25 Overall Height: 5.82 (148) Largest OD: 3.72 (94) Thread Size: 1-12 UNF-2B |
| HF6473  DONALDSON P161969 Overall Height: 13.00 (330) Overall OD: 4.38 (111) End 1 ID: 1.86 (47) | HF6486  DONALDSON P165233 Overall Height: 7.83 (199) Overall OD: 5.51 (140) End 1 ID: 2.63 (67) | HF6504  PARKER 929323 Uses service part: 3313095S Overall Height: 5.81 (148) Largest OD: 3.72 (94) Thread Size: 1-12 UNF-2B |
| HF6476  DONALDSON P160807 Overall Height: 16.00 (406) Overall OD: 4.38 (111) End 1 ID: 1.86 (47) | HF6487  DONALDSON P163446 Overall Height: 11.92 (303) Overall OD: 6.00 (152) End 1 ID: 3.96 (101) | HF6505  FAIREY ARLON FA35CC10, STAUFF SF6505MG, STAUFF SF6505 Uses service part: 3313095S Overall Height: 5.82 (148) Largest OD: 3.72 (94) Thread Size: 1-12 UNF-2B |
| HF6479  DONALDSON P162471 Overall Height: 16.00 (406) Overall OD: 4.38 (111) End 1 ID: 2.44 (62) | HF6490  DONALDSON P161010 Overall Height: 18.00 (457) Overall OD: 7.44 (189) End 1 ID: 4.85 (123) | HF6510  General Usage Overall Height: 5.76 (146) Largest OD: 3.72 (94) Thread Size: 1-12 UNF-2B |
| HF6481  DONALDSON P165314 Overall Height: 9.72 (247) Overall OD: 4.48 (114) End 1 ID: 2.30 (58) | HF6491  DONALDSON P160225 Overall Height: 22.00 (559) Overall OD: 7.44 (189) End 1 ID: 4.84 (123) | HF6511  LHA SPE2510 Overall Height: 8.09 (205) Largest OD: 3.72 (94) Thread Size: 1-12 UNF-2B |
| HF6482  DONALDSON P165231 Overall Height: 5.47 (139) Overall OD: 4.61 (117) End 1 ID: 2.19 (56) | HF6492  DONALDSON P161205 Overall Height: 22.00 (559) Overall OD: 7.44 (189) End 1 ID: 4.85 (123) | HF6513  NEW HOLLAND 9846407 Overall Height: 5.77 (147) Largest OD: 3.72 (94) Thread Size: 1 1/8-16 UN-2B |
| HF6483  DONALDSON P164906 Overall Height: 7.97 (202) Overall OD: 4.61 (117) End 1 ID: 2.19 (56) | HF6493  DONALDSON P161015 Overall Height: 22.00 (559) Overall OD: 7.44 (189) End 1 ID: 4.85 (123) | HF6517  CASE A165029 Overall Height: 6.05 (154) Largest OD: 3.95 (100) Thread Size: 1 3/8-12 UNF-2B |
| HF6484  DONALDSON P160419 Overall Height: 10.49 (266) Largest OD: 5.00 (127) Thread Size: 3-16 UN-2B | HF6500  PARKER 926542B, PARKER 926543 Overall Height: 5.76 (146) Largest OD: 3.72 (94) Thread Size: 1-12 UNF-2B | HF6518  Upgrade of HF6518 Overall Height: 9.45 (240) Largest OD: 3.95 (100) Thread Size: 1 3/8-12 UNF-2B |

























E. PRODUCT GUIDE

| | | | | | |
|---|---|--|---|--|---|
| HF6520  | PARKER 925023B, PARKER 925947 Overall Height: 5.76 (146) Largest OD: 3.72 (94) Thread Size: 1-12 UNF-2B | HF6547  | NEW HOLLAND 85802793 Overall Height: 11.59 (294) Largest OD: 4.79 (122) Thread Size: 1 3/4-12 UN-2B | HF6556  | DONALDSON P165335 Overall Height: 6.05 (154) Largest OD: 3.95 (100) Thread Size: 1 3/8-12 UNF-2B |
| HF6521  | INGERSOLL-RAND 59026500 Overall Height: 8.09 (205) Largest OD: 3.72 (94) Thread Size: 1-12 UNF-2B | HF6549  | STAUFF SF6549MG, SCHROEDER PZ10, STAUFF SF6549 Overall Height: 5.82 (148) Largest OD: 3.72 (95) Thread Size: 1-12 UNF-2B | HF6557  | DONALDSON P165338 Overall Height: 9.45 (240) Largest OD: 3.95 (100) Thread Size: 1 3/8-12 UNF-2B |
| HF6522  | DONALDSON P550274, DONALDSON P168431 Stainless Steel Mesh Overall Height: 5.76 (146) Largest OD: 3.72 (94) Thread Size: 1-12 UNF-2B | HF6550  | DONALDSON P165354 Overall Height: 6.05 (154) Largest OD: 3.95 (100) Thread Size: 1 3/8-12 UNF-2B | HF6560  | DONALDSON P163405 Overall Height: 6.05 (154) Largest OD: 3.95 (100) Thread Size: 1 3/8-12 UNF-2B |
| HF6523  | DONALDSON P551233 Stainless Steel Mesh Overall Height: 8.09 (205) Largest OD: 3.72 (94) Thread Size: 1-12 UNF-2B | HF6551  | DONALDSON P165332 Overall Height: 9.45 (240) Largest OD: 3.95 (100) Thread Size: 1 3/8-12 UNF-2B | HF6561  | DONALDSON P163323 Overall Height: 9.45 (240) Largest OD: 3.95 (100) Thread Size: 1 3/8-12 UNF-2B |
| HF6527  | AP LOCKHEED APWC12239 Overall Height: 5.55 (141) Overall OD: 2.58 (66) End 1 ID: 1.34 (34) | HF6552  | DONALDSON P164375 Overall Height: 6.05 (154) Largest OD: 3.95 (100) Thread Size: 1 3/8-12 UNF-2B | HF6562  | DONALDSON P163412 Overall Height: 6.05 (154) Largest OD: 3.95 (100) Thread Size: 1 3/8-12 UNF-2B |
| HF6532  | NEW HOLLAND 86597474, JOHN DEERE RE17380, DONALDSON P551234 Overall Height: 5.73 (146) Largest OD: 3.72 (94) Thread Size: 1-12 UNF-2B | HF6553  | DONALDSON P164378 Overall Height: 9.45 (240) Largest OD: 3.95 (100) Thread Size: 1 3/8-12 UNF-2B | HF6563  | CASE D126922 Overall Height: 9.45 (240) Largest OD: 3.95 (100) Thread Size: 1 3/8-12 UNF-2B |
| HF6536  | MP FILTRI CS070P10A Overall Height: 8.09 (205) Largest OD: 3.72 (94) Thread Size: 3/4-14 BSP | HF6554  | DONALDSON P164381, VAPORMATIC CPK1528 Overall Height: 6.05 (154) Largest OD: 3.95 (100) Thread Size: 1 3/8-12 UNF-2B | HF6564  | DONALDSON P163419, MOREAU REAP10398 Overall Height: 6.05 (154) Largest OD: 3.95 (100) Thread Size: 1 3/8-12 UNF-2B |
| HF6546  | NEW HOLLAND 9706161 Overall Height: 7.70 (196) Largest OD: 4.79 (122) Thread Size: 1 3/4-12 UN-2B | HF6555  | CASE N9025 Overall Height: 9.45 (240) Largest OD: 3.95 (100) Thread Size: 1 3/8-12 UNF-2B | HF6565  | DONALDSON P163324 Overall Height: 9.45 (240) Largest OD: 3.95 (100) Thread Size: 1 3/8-12 UNF-2B |











E. PRODUCT GUIDE

| | | |
|---|--|--|
| <p>HF6566 DONALDSON P163496</p>  <p>Overall Height: 6.05 (154) Largest OD: 3.95 (100) Thread Size: 1 3/8-12 UNF-2B</p> | <p>HF6576 DONALDSON P163561</p>  <p>Overall Height: 9.45 (240) Largest OD: 3.95 (100) Thread Size: 1 3/8-12 UNF-2B</p> | <p>HF6586 CATERPILLAR 9T0973</p>  <p>Gasket: 3837402 Overall Height: 11.59 (294) Largest OD: 4.79 (122) Thread Size: 1 3/4-12 UN-2B</p> |
| <p>HF6567 DONALDSON P163322</p>  <p>Overall Height: 9.45 (240) Largest OD: 3.95 (100) Thread Size: 1 3/8-12 UNF-2B</p> | <p>HF6577 DONALDSON P163558</p>  <p>Overall Height: 9.45 (240) Largest OD: 3.95 (100) Thread Size: 1 3/8-12 UNF-2B</p> | <p>HF6587 CASE N9086, DONALDSON P165659</p>  <p>Gasket: 3837402 Overall Height: 11.59 (294) Largest OD: 4.79 (122) Thread Size: 1 3/4-12 UN-2B</p> |
| <p>HF6568 DONALDSON P163428</p>  <p>Overall Height: 6.05 (154) Largest OD: 3.95 (100) Thread Size: 1 3/8-12 UNF-2B</p> | <p>HF6578 DONALDSON P163546 For Upgrade, use HF6518 Synthetic media version of the HF6577</p>  <p>Overall Height: 9.45 (240) Largest OD: 3.95 (100) Thread Size: 1 3/8-12 UNF-2B</p> | <p>HF6588 DONALDSON P165675</p>  <p>Gasket: 3837402 Overall Height: 11.59 (294) Largest OD: 4.79 (122) Thread Size: 1 3/4-12 UN-2B</p> |
| <p>HF6569 DONALDSON P163425, CASE L36242</p>  <p>Overall Height: 9.45 (240) Largest OD: 3.95 (100) Thread Size: 1 3/8-12 UNF-2B</p> | <p>HF6579 JOHN DEERE AT147496 Filter used with HH6952</p>  <p>Overall Height: 9.50 (241) Largest OD: 3.95 (100) Thread Size: 1 1/2-16 UN-2B</p> | <p>HF6591 MP PRODUCTS CS50A25A</p>  <p>Overall Height: 5.77 (147) Largest OD: 3.72 (94) Thread Size: 3/4-14 BSP</p> |
| <p>HF6572 DONALDSON P163542</p>  <p>Overall Height: 6.05 (154) Largest OD: 3.95 (100) Thread Size: 1 3/8-12 UNF-2B</p> | <p>HF6580 CLARK 2791199</p>  <p>Gasket: 3837222, 3838105, 3841074 Overall Height: 3.95 (100) Largest OD: 3.95 (100) BPV Setting: 53.66 (370) Thread Size: 7/8-14 UNF-2B</p> | <p>HF6600 PALL HC7400SUK4H, CASE 137939C1 Uses service part: 3830110S</p>  <p>Gasket: 333269 Overall Height: 5.83 (148) Largest OD: 3.74 (95) Thread Size: 1 1/2-16 UN-2B</p> |
| <p>HF6573 DONALDSON P163555</p>  <p>Overall Height: 9.45 (240) Largest OD: 3.95 (100) Thread Size: 1 3/8-12 UNF-2B</p> | <p>HF6581 PICANOL B50274</p>  <p>Overall Height: 8.09 (205) Largest OD: 3.72 (94) Thread Size: 1-12 UNF-2B</p> | <p>HF6601 FUNK 4003058, CASE 561980C1</p>  <p>Gasket: 333269 Overall Height: 8.03 (204) Largest OD: 3.74 (95) Thread Size: 1 1/2-16 UN-2B</p> |
| <p>HF6574 DONALDSON P163315</p>  <p>Overall Height: 6.05 (154) Largest OD: 3.95 (100) Thread Size: 1 3/8-12 UNF-2B</p> | <p>HF6583 General Usage</p>  <p>Overall Height: 5.82 (148) Largest OD: 3.72 (94) Thread Size: 1-12 UNF-2B</p> | <p>HF6603 PALL HC7400SUP4H, INGERSOLL-RAND 575129311</p>  <p>Gasket: 333269 Overall Height: 5.82 (148) Largest OD: 3.72 (94) Thread Size: 1 1/2-16 UN-2B</p> |
| <p>HF6575 DONALDSON P163567</p>  <p>Overall Height: 9.45 (240) Largest OD: 3.95 (100) Thread Size: 1 3/8-12 UNF-2B</p> | <p>HF6585 INGERSOLL-RAND 36860336</p>  <p>Overall Height: 11.53 (293) Largest OD: 4.79 (122) Thread Size: 1 3/4-12 UN-2B</p> | <p>HF6604 PALL HC7400SDP8H</p>  <p>Gasket: 333269 Overall Height: 8.02 (204) Largest OD: 3.72 (94) Thread Size: 1 1/2-16 UN-2B</p> |






















E. PRODUCT GUIDE

| | | |
|--|--|---|
| HF6606  PALL HC7400SUN4H Gasket: 333269 Overall Height: 5.82 (148) Largest OD: 3.72 (94) Thread Size: 1 1/2-16 UN-2B | HF6625  PALL HC7400SUT4H, DONALDSON P167830 General Usage Gasket: 333269 Overall Height: 5.82 (148) Largest OD: 3.72 (94) Thread Size: 1 1/2-16 UN-2B | HF6636  JOHN DEERE AT133459 Filter used with HH6952 Microglass B10 = 5.0 min Gasket: 333269 Overall Height: 8.00 (203) Largest OD: 3.75 (95) Thread Size: 1 1/2-16 UN-2B |
| HF6607  PALL HC7400SDN8H Gasket: 333269 Overall Height: 8.02 (204) Largest OD: 3.72 (94) Thread Size: 1 1/2-16 UN-2B | HF6626  PALL HC7400SDT8H Gasket: 333269 Overall Height: 8.02 (204) Largest OD: 3.72 (94) Thread Size: 1 1/2-16 UN-2B | HF6641  FUNK 4003483, KOMATSU 149661 Gasket: 3312917 Overall Height: 8.03 (204) Largest OD: 3.72 (95) Thread Size: 1 1/2-16 UN-2B |
| HF6610  JOHN DEERE AE37594, PALL HC7400SUJ4H Gasket: 333269 Overall Height: 5.81 (148) Largest OD: 3.72 (94) Thread Size: 1 1/2-16 UN-2B | HF6630  DONALDSON P551236, EAGLE PICHER 63374 Gasket: 333269 Overall Height: 5.83 (148) Largest OD: 3.74 (95) Thread Size: 1 1/2-16 UN-2B | HF6684  CASE 1971728C1 Overall Height: 14.36 (365) Largest OD: 4.79 (122) Thread Size: 1 3/4-12 UN-2B |
| HF6611  CASE 1240900C1 Gasket: 331291 Overall Height: 8.03 (204) Largest OD: 3.74 (95) Thread Size: 1 1/2-16 UN-2B | HF6631  ZINGA ZHE10LP, EAGLE PICHER 63741, MUSTANG MFG. CO. 17035067, GEHL 17035067 Gasket: 333269 Overall Height: 8.00 (203) Largest OD: 3.72 (94) Thread Size: 1 1/2-16 UN-2B | HF6700  PALL HC7500SUK4H, CASE 123085C2 Uses service part: 3830114S Gasket: 3312097 ¹⁰ , 3314250 ¹²¹⁰ , 332418 Overall Height: 6.71 (170) Largest OD: 5.08 (129) Thread Size: 1 1/2-16 UN-2B |
| HF6612  PALL HC7400SUS4H Gasket: 333269 Overall Height: 5.82 (148) Largest OD: 3.72 (94) Thread Size: 1 1/2-16 UN-2B | HF6632  DONALDSON P551237 Gasket: 333269 Overall Height: 5.83 (148) Largest OD: 3.74 (95) Thread Size: 1 1/2-16 UN-2B | HF6701  ZINGA LE3, PALL HC7500SUK8H, UFI ESF22NCA Gasket: 3312097 ¹⁰ , 3314250 ¹²¹⁰ , 332418 Overall Height: 10.71 (272) Largest OD: 5.08 (129) Thread Size: 1 1/2-16 UN-2B |
| HF6613  PALL HC7400SDS8H Gasket: 333269 Overall Height: 8.02 (204) Largest OD: 3.72 (94) Thread Size: 1 1/2-16 UN-2B | HF6633  DONALDSON P551325 Gasket: 333269 Overall Height: 8.00 (203) Largest OD: 3.72 (94) Thread Size: 1 1/2-16 UN-2B | HF6703  PALL HC7500SUP4H Uses service part: 3830114S Gasket: 3314250 ¹²¹⁰ , 332418, 3929251 Overall Height: 6.71 (170) Largest OD: 5.08 (129) Thread Size: 1 1/2-16 UN-2B |
| HF6620  PALL HC7400SUJ4H Gasket: 333269 Overall Height: 5.83 (148) Largest OD: 3.74 (95) Thread Size: 1 1/2-16 UN-2B | HF6634  CASE 1282428C1 Gasket: 333269 Overall Height: 5.80 (147) Largest OD: 3.72 (95) Thread Size: 1 1/2-16 UN-2B | HF6704  PALL HC7500SUP8H, ZINGA ZLE03P Uses service part: 3312097S, 3826177S, 3830114S Gasket: 332418, 3929251 Overall Height: 10.71 (272) Largest OD: 5.08 (129) Thread Size: 1 1/2-16 UN-2B |
| HF6621  Pall HC7400FUJ8H Gasket: 333269 Overall Height: 8.00 (203) Largest OD: 3.72 (95) Thread Size: 1 1/2-16 UN-2B | HF6635  CASE 1272942C1 Gasket: 333269 Overall Height: 8.00 (203) Largest OD: 3.75 (95) Thread Size: 1 1/2-16 UN-2B | HF6706  PALL HC7500SUN4H Uses service part: 3830114S Gasket: 3314250 ¹²¹⁰ , 332418, 3929251 Overall Height: 6.71 (170) Largest OD: 5.08 (129) Thread Size: 1 1/2-16 UN-2B |

E. PRODUCT GUIDE

| | | | | | |
|---|---|---|---|---|---|
|  | <p>HF6707 CASE H439069 Uses service part: 3830114S</p> <p>Gasket: 3314250¹²¹⁰, 332418, 3929251 Overall Height: 10.71 (272) Largest OD: 5.08 (129) Thread Size: 1 1/2-16 UN-2B</p> |  | <p>HF6720 ZINGA SE10, ZINGA SE10P, STAUFF SF6710 Uses service part: 3314250S Pall HC7500FUJ4H</p> <p>Gasket: 3312097¹⁰, 3314250¹²¹⁰, 332418 Overall Height: 6.71 (170) Largest OD: 5.08 (129) Thread Size: 1 1/2-16 UN-2B</p> |  | <p>HF6731 PARKER 929223, CASE H433531, ZINGA ZLE10, VICKERS V0211B2R10</p> <p>Gasket: 3312097¹⁰, 3314250¹²¹⁰, 332418 Overall Height: 10.71 (272) Largest OD: 5.08 (129) Thread Size: 1 1/2-16 UN-2B</p> |
|  | <p>HF6708 PALL HC7500SUP4Z</p> <p>Gasket: 3833419, 3833420 Overall Height: 6.67 (169) Largest OD: 5.08 (129) Thread Size: 1 1/2-16 UN-2B</p> |  | <p>HF6721 PALL HC7500SUJ8H</p> <p>Gasket: 3312097¹⁰, 3314250¹⁰¹², 332418 Overall Height: 10.71 (272) Largest OD: 5.08 (129) Thread Size: 1 1/2-16 UN-2B</p> |  | <p>HF6732 CASE 1282387C2, FRAM P8020, JOHN DEERE AT135800</p> <p>Gasket: 3314250¹²¹⁰, 332418, 3929251 Overall Height: 6.71 (170) Largest OD: 5.08 (129) Thread Size: 1 1/2-16 UN-2B</p> |
|  | <p>HF6710 CATERPILLAR 9T5664</p> <p>Gasket: 3312097¹⁰, 3314250¹²¹⁰, 332418 Overall Height: 6.71 (170) Largest OD: 5.08 (129) Thread Size: 1 1/2-16 UN-2B</p> |  | <p>HF6722 DONALDSON P550275, ZINGA SE100, ZINGA SE100P Stainless Steel Mesh</p> <p>Gasket: 3312097¹⁰, 3314250¹²¹⁰, 332418 Overall Height: 6.71 (170) Largest OD: 5.08 (129) Thread Size: 1 1/2-16 UN-2B</p> |  | <p>HF6733 Uses service part: 3314250, 332418, 3929251, 3929251S General Usage</p> <p>Gasket: 3314250¹²¹⁰, 332418, 3929251 Overall Height: 10.71 (272) Largest OD: 5.08 (129) Thread Size: 1 1/2-16 UN-2B</p> |
|  | <p>HF6711 CASE A45625, CASE A143382, ZINGA LE25, VOLVO 12754597</p> <p>Gasket: 3312097¹⁰, 3314250¹²¹⁰, 332418 Overall Height: 10.71 (272) Largest OD: 5.08 (129) Thread Size: 1 1/2-16 UN-2B</p> |  | <p>HF6723 NEW HOLLAND 73133001, DONALDSON P550276, DONALDSON P168432, NORMAN EQUIPMENT 3536 Stainless Steel Mesh</p> <p>Gasket: 3312097¹⁰, 3314250¹²¹⁰, 332418 Overall Height: 10.71 (272) Largest OD: 5.08 (129) Thread Size: 1 1/2-16 UN-2B</p> |  | <p>HF6734 SCHROEDER M3</p> <p>Gasket: 3848303¹² Overall Height: 6.71 (170) Largest OD: 5.08 (129) Thread Size: 1 1/2-16 UN-2B</p> |
|  | <p>HF6712 NORMAN EQUIPMENT 512M, VAPORMATIC VPK1533, VICKERS V0211B1R10, BEHRINGER FLUID SYSTEMS, INC BS0128S12A38 Uses service part: 3830114S</p> <p>Gasket: 3314250¹²¹⁰, 332418, 3929251 Overall Height: 6.71 (170) Largest OD: 5.08 (129) Thread Size: 1 1/2-16 UN-2B</p> |  | <p>HF6725 PALL HC7500SUT4H, INGERSOLL-RAND 59873539 Uses service part: 3830114S</p> <p>Gasket: 3314250¹²¹⁰, 332418, 3929251 Overall Height: 6.71 (170) Largest OD: 5.08 (129) Thread Size: 1 1/2-16 UN-2B</p> |  | <p>HF6736 SCHROEDER M10</p> <p>Gasket: 3848303¹² Overall Height: 6.71 (170) Largest OD: 5.08 (129) Thread Size: 1 1/2-16 UN-2B</p> |
|  | <p>HF6713 PALL HC7500SUS8H, PUROLATOR H55136, NORMAN EQUIPMENT 612M, BEHRINGER FLUID SYSTEMS, INC BS012E12A38 Uses service part: 3830114S</p> <p>Gasket: 3314250¹²¹⁰, 332418, 3929251 Overall Height: 10.71 (272) Largest OD: 5.08 (129) Thread Size: 1 1/2-16 UN-2B</p> |  | <p>HF6726 NORMAN EQUIPMENT 64400071 Uses service part: 3830114S</p> <p>Gasket: 3314250¹²¹⁰, 332418, 3929251 Overall Height: 10.71 (272) Largest OD: 5.08 (129) Thread Size: 1 1/2-16 UN-2B</p> |  | <p>HF6737 SCHROEDER MS7</p> <p>Gasket: 3848303¹², 3929251 Overall Height: 6.71 (170) Largest OD: 5.08 (129) Thread Size: 1 1/2-16 UN-2B</p> |
|  | <p>HF6718 Uses service part: 3929251, 3929251S</p> <p>Gasket: 3929251 Overall Height: 6.71 (170) Largest OD: 5.08 (129) Thread Size: 1 1/2-16 UN-2B</p> |  | <p>HF6728 PARKER 929310</p> <p>Gasket: 332418 Overall Height: 6.71 (170) Largest OD: 5.08 (129) Thread Size: 1 1/2-16 UN-2B</p> |  | <p>HF6749 DONALDSON P551241 Uses service part: 3929251, 3929251S</p> <p>Gasket: 3929251 Overall Height: 10.71 (272) Largest OD: 5.08 (129) Thread Size: 1 1/2-16 UN-2B</p> |
|  | <p>HF6750 FORD 9826688</p> <p>Overall Height: 6.70 (170) Largest OD: 5.08 (129) Thread Size: 1 1/2-16 UN-2B</p> |  | <p>HF6730 ZINGA ZSE10</p> <p>Gasket: 3312097¹⁰, 3314250¹²¹⁰, 332418 Overall Height: 6.71 (170) Largest OD: 5.08 (129) Thread Size: 1 1/2-16 UN-2B</p> |  | |
























E. PRODUCT GUIDE

| | | |
|---|--|--|
| <p>HF6753 Various Hydraulic Applications</p>  <p>Overall Height: 6.95 (176) Largest OD: 4.71 (120) Thread Size: 1 1/2-16 UN-2B</p> | <p>HF6782 STAUFF SF6726MG</p>  <p>Gasket: 332418, 3929251 Overall Height: 10.71 (272) Largest OD: 5.08 (129) Thread Size: 1 1/2-16 UN-2B</p> | <p>HF6824 JOHN DEERE AT172912 Filter used with HH6952</p>  <p>Overall Height: 11.73 (298) Largest OD: 4.95 (126) Thread Size: 1 1/2-16 UN-2B</p> |
| <p>HF6775 BEHRINGER FLUID SYSTEMS, INC BS0128S03A38200</p>  <p>Gasket: 332418, 3929251 Overall Height: 6.71 (170) Largest OD: 5.08 (129) Thread Size: 1 1/2-16 UN-2B</p> | <p>HF6802 JOHN DEERE AT103193 Filter used with AT144995, HH6952</p>  <p>Overall Height: 8.22 (209) Largest OD: 5.00 (127) Thread Size: 1 1/2-16 UN-2B</p> | <p>HF6825 JOHN DEERE AT173244</p>  <p>Overall Height: 8.22 (209) Largest OD: 5.00 (127) Thread Size: 1 1/2-16 UN-2B</p> |
| <p>HF6776 BEHRINGER FLUID SYSTEMS, INC BS0128E03A38200</p>  <p>Gasket: 332418, 3929251 Overall Height: 10.71 (272) Largest OD: 5.08 (129) Thread Size: 1 1/2-16 UN-2B</p> | <p>HF6807 General Usage</p>  <p>Overall Height: 11.71 (297) Largest OD: 5.00 (127) Thread Size: 1 1/2-16 UN-2B</p> | <p>HF6828 JOHN DEERE AT180249</p>  <p>Overall Height: 11.84 (301) Largest OD: 4.82 (122) Thread Size: 1 1/2-16 UN-2B</p> |
| <p>HF6777 SCHROEDER SBF75004Z5B</p>  <p>Gasket: 332418, 3929251 Overall Height: 6.71 (170) Largest OD: 5.08 (129) Thread Size: 1 1/2-16 UN-2B</p> | <p>HF6808 JOHN DEERE AT144879, DONALDSON P551244 Filter used with HH6952</p>  <p>Overall Height: 8.22 (209) Largest OD: 5.00 (127) Thread Size: 1 1/2-16 UN-2B</p> | <p>HF6831 JOHN DEERE AT210148 Filter used with HH6952</p>  <p>Overall Height: 8.22 (209) Largest OD: 5.00 (127) Thread Size: 1 1/2-16 UN-2B</p> |
| <p>HF6778 SCHROEDER SBF75008S3B, STAUFF SF6707MG</p>  <p>Gasket: 332418, 3929251 Overall Height: 10.71 (272) Largest OD: 5.08 (129) Thread Size: 1 1/2-16 UN-2B</p> | <p>HF6809 JOHN DEERE AT140315 Filter used with HH6952</p>  <p>Overall Height: 11.71 (297) Largest OD: 5.00 (127) Thread Size: 1 1/2 - 16 UN-2B</p> | <p>HF6833 JOHN DEERE AT184206</p>  <p>Overall Height: 8.22 (209) Largest OD: 4.90 (124) Thread Size: 1 1/2-16 UN-2B</p> |
| <p>HF6779 PALL HC7500SUS4H, SCHROEDER SBF75004Z10B</p>  <p>Gasket: 332418, 3929251 Overall Height: 6.71 (170) Largest OD: 5.08 (129) Thread Size: 1 1/2-16 UN-2B</p> | <p>HF6813 JOHN DEERE AT209204</p>  <p>Overall Height: 11.71 (297) Largest OD: 5.00 (127) Thread Size: 1 1/2-16 UN-2B</p> | <p>HF6834 AG CHEM EQUIPMENT 610114, JOHN DEERE YZ104780</p>  <p>Overall Height: 11.71 (297) Largest OD: 5.00 (127) Thread Size: 1 1/2-16 UN-2B</p> |
| <p>HF6780 SCHROEDER SBF75008Z10B, STAUFF SF6731MG</p>  <p>Gasket: 332418, 3929251 Overall Height: 10.71 (272) Largest OD: 5.08 (129) Thread Size: 1 1/2-16 UN-2B</p> | <p>HF6820 General Usage</p>  <p>Overall Height: 11.31 (287) Largest OD: 4.74 (120) Thread Size: 1 1/2-16 UN-2B</p> | <p>HF6840 JOHN DEERE AT193883</p>  <p>Overall Height: 8.22 (209) Largest OD: 4.90 (124) Thread Size: 1 1/2-16 UN-2B</p> |
| <p>HF6781 EUCLID 12597989</p>  <p>Gasket: 332418, 3929251 Overall Height: 6.71 (170) Largest OD: 5.08 (129) Thread Size: 1 1/2-16 UN-2B</p> | <p>HF6822 General Usage</p>  <p>Overall Height: 11.29 (287) Largest OD: 4.74 (120) Thread Size: 1 1/4-11 BSPP-2</p> | <p>HF7000 PALL HC8300FUP8H For Upgrade, use HF35181</p>  <p>Overall Height: 8.16 (207) Overall OD: 5.98 (152) End 1 ID: 4.11 (104)</p> |

E. PRODUCT GUIDE

| | | |
|---|--|--|
| <p>HF7001 PALL HC8300FUN8H</p>  <p>Overall Height: 8.16 (207) Overall OD: 5.98 (152) End 1 ID: 4.11 (104)</p> | <p>HF7021 PALL HC8400FUN26H For Upgrade, use HF30123</p>  <p>Overall Height: 25.62 (651) Overall OD: 5.99 (152) End 1 ID: 3.26 (83)</p> | <p>HF7041 PALL HC9020FUN4H For Upgrade, use HF30028</p>  <p>Gasket: 3913044 (1) Overall Height: 4.47 (114) End 1 OD: 1.78 (45) End 2 OD: 1.75 (44) End 2 ID: 0.98 (25)</p> |
| <p>HF7005 PALL HC8300FUN16H For Upgrade, use HF30108</p>  <p>Overall Height: 16.84 (428) Overall OD: 5.98 (152) End 1 ID: 4.11 (104)</p> | <p>HF7024 PALL HC8400FUP39H For Upgrade, use HF30645</p>  <p>Overall Height: 38.67 (982) Overall OD: 5.99 (152) End 1 ID: 3.26 (83)</p> | <p>HF7042 For Upgrade, use HF30199</p>  <p>Gasket: 3913044 (1) Overall Height: 4.47 (114) End 1 OD: 1.78 (45) End 2 OD: 1.75 (44) End 2 ID: 0.98 (25)</p> |
| <p>HF7008 PALL HC8300FUP39H For Upgrade, use HF30634</p>  <p>Overall Height: 38.66 (982) Overall OD: 5.98 (152) End 1 ID: 4.11 (104)</p> | <p>HF7028 PALL HC8500FUP8H For Upgrade, use HF30451</p>  <p>Overall Height: 8.04 (204) Overall OD: 3.78 (96) End 1 ID: 1.69 (43)</p> | <p>HF7043 PALL HC9020FUT4H</p>  <p>Gasket: 3913044 (1) Overall Height: 4.47 (114) End 1 OD: 1.78 (45) End 2 OD: 1.75 (44) End 2 ID: 0.98 (25)</p> |
| <p>HF7010 PALL HC8300FUS39H For Upgrade, use HF30340</p>  <p>Overall Height: 38.66 (982) Overall OD: 5.98 (152) End 1 ID: 4.11 (104)</p> | <p>HF7032 PALL HC8500FUP13H For Upgrade, use HF30515</p>  <p>Overall Height: 12.78 (325) Overall OD: 3.78 (96) End 1 ID: 1.67 (42)</p> | <p>HF7044 PALL HC9020FUP8H For Upgrade, use HF30436</p>  <p>Gasket: 3913044 (1) Overall Height: 8.10 (206) End 1 OD: 1.78 (45) End 2 OD: 1.75 (44) End 2 ID: 0.98 (25)</p> |
| <p>HF7011 PALL HC8300FUT39H</p>  <p>Overall Height: 38.66 (982) Overall OD: 5.98 (152) End 1 ID: 4.11 (104)</p> | <p>HF7033 PALL HC8500FUN13H For Upgrade, use HF30154</p>  <p>Overall Height: 12.78 (325) Overall OD: 3.78 (96) End 1 ID: 1.67 (42)</p> | <p>HF7045 PALL HC9020FUN8H For Upgrade, use HF30062</p>  <p>Gasket: 3913044 (1) Overall Height: 8.10 (206) End 1 OD: 1.78 (45) End 2 OD: 1.75 (44) End 2 ID: 0.98 (25)</p> |
| <p>HF7012 PALL HC8400FUP8H</p>  <p>Overall Height: 8.17 (208) Overall OD: 5.99 (152) End 1 ID: 3.23 (82)</p> | <p>HF7035 PALL HC8500FUT13H</p>  <p>Overall Height: 12.78 (325) Overall OD: 3.78 (96) End 1 ID: 1.67 (42)</p> | <p>HF7046 PALL HC9020FUS8H For Upgrade, use HF30236</p>  <p>Gasket: 3913044 (1) Overall Height: 8.10 (206) End 1 OD: 1.78 (45) End 2 OD: 1.75 (44) End 2 ID: 0.98 (25)</p> |
| <p>HF7017 PALL HC8400FUN16H For Upgrade, use HF30181</p>  <p>Overall Height: 16.85 (428) Overall OD: 5.99 (152) End 1 ID: 3.26 (83)</p> | <p>HF7036 PALL HC8500FUP26H</p>  <p>Overall Height: 25.58 (650) Overall OD: 3.78 (96) End 1 ID: 1.67 (42)</p> | <p>HF7047 PALL HC9020FUT8H</p>  <p>Gasket: 3913044 (1) Overall Height: 8.10 (206) End 1 OD: 1.78 (45) End 2 OD: 1.75 (44) End 2 ID: 0.98 (25)</p> |
| <p>HF7018 PALL HC8400FUS16H For Upgrade, use HF30364</p>  <p>Overall Height: 16.85 (428) Overall OD: 5.99 (152) End 1 ID: 3.26 (83)</p> | <p>HF7040 PALL HC9020FUP4H For Upgrade, use HF30383</p>  <p>Gasket: 3913044 (1) Overall Height: 4.47 (114) End 1 OD: 1.78 (45) End 2 OD: 1.75 (44) End 2 ID: 0.98 (25)</p> | <p>HF7052 HYDAC H940013003BN</p>  <p>Overall Height: 13.12 (333) Overall OD: 3.79 (96) End 1 ID: 2.18 (55)</p> |

E. PRODUCT GUIDE

| | | |
|---|---|--|
| HF7053  PALL HC9400FUN13H For Upgrade, use HF30156 Overall Height: 13.12 (333) Overall OD: 3.79 (96) End 1 ID: 2.18 (55) | HF7065  PALL HC9600FUN4H For Upgrade, use HF30036 Overall Height: 4.63 (118) End 1 OD: 3.12 (79) End 2 OD: 3.11 (79) End 2 ID: 1.67 (42) | HF7073  PALL HC9600FUN13H Overall Height: 12.94 (329) End 1 OD: 3.12 (79) End 2 OD: 3.11 (79) End 2 ID: 1.67 (42) |
| HF7054  PALL HC9400FUS13H For Upgrade, use HF30288 Overall Height: 13.12 (333) Overall OD: 3.79 (96) End 1 ID: 2.18 (55) | HF7066  PALL HC9600FUS4H For Upgrade, use HF30210 Gasket: 3832316 (1) Overall Height: 4.63 (118) End 1 OD: 3.12 (79) End 2 OD: 3.11 (79) End 2 ID: 1.67 (42) | HF7074  PALL HC9600FUS13H Overall Height: 12.94 (329) End 1 OD: 3.12 (79) End 2 OD: 3.11 (79) End 2 ID: 1.67 (42) |
| HF7055  PALL HC9400FUT13H Overall Height: 13.12 (333) Overall OD: 3.79 (96) End 1 ID: 2.18 (55) | HF7067  PALL HC9600FUT4H For Upgrade, use HF30697 Overall Height: 4.63 (118) End 1 OD: 3.12 (79) End 2 OD: 3.11 (79) End 2 ID: 1.67 (42) | HF7075  PALL HC9600FUT13H Overall Height: 12.94 (329) End 1 OD: 3.12 (79) End 2 OD: 3.11 (79) End 2 ID: 1.67 (42) |
| HF7057  PALL HC9400FUN26H For Upgrade, use HF30131 Overall Height: 25.93 (659) Overall OD: 3.79 (96) End 1 ID: 2.18 (55) | HF7068  PALL HC9600FUP8H For Upgrade, use HF30453 Overall Height: 8.19 (208) End 1 OD: 3.12 (79) End 2 OD: 3.11 (79) End 2 ID: 1.67 (42) | HF7076  PALL HC9600FUP16H For Upgrade, use HF30584 Overall Height: 16.86 (428) End 1 OD: 3.12 (79) End 2 OD: 3.11 (79) End 2 ID: 1.67 (42) |
| HF7058  PALL HC9400FUS26H Overall Height: 25.93 (659) Overall OD: 3.79 (96) End 1 ID: 2.18 (55) | HF7069  PALL HC9600FUN8H For Upgrade, use HF30084 Overall Height: 8.19 (208) End 1 OD: 3.12 (79) End 2 OD: 3.11 (79) End 2 ID: 1.67 (42) | HF7077  PALL HC9600FUN16H Overall Height: 16.86 (428) End 1 OD: 3.12 (79) End 2 OD: 3.11 (79) End 2 ID: 1.67 (42) |
| HF7059  PALL HC9400FUT26H Overall Height: 25.93 (659) Overall OD: 3.79 (96) End 1 ID: 2.18 (55) | HF7070  PALL HC9600FUS8H For Upgrade, use HF30262 Overall Height: 8.19 (208) End 1 OD: 3.12 (79) End 2 OD: 3.11 (79) End 2 ID: 1.67 (42) | HF7078  PALL HC9600FUS16H Overall Height: 16.86 (428) End 1 OD: 3.12 (79) End 2 OD: 3.11 (79) End 2 ID: 1.67 (42) |
| HF7062  PALL HC9400FUS39H For Upgrade, use HF30346 Overall Height: 38.97 (990) Overall OD: 3.79 (96) End 1 ID: 2.18 (55) | HF7071  PALL HC9600FUT8H Overall Height: 8.19 (208) End 1 OD: 3.12 (79) End 2 OD: 3.11 (79) End 2 ID: 1.67 (42) | HF7079  PALL HC9600FUT16H Overall Height: 16.86 (428) End 1 OD: 3.12 (79) End 2 OD: 3.11 (79) End 2 ID: 1.67 (42) |
| HF7064  PALL HC9600FUP4H For Upgrade, use HF30402 Overall Height: 4.63 (118) End 1 OD: 3.12 (79) End 2 OD: 3.11 (79) End 2 ID: 1.67 (42) | HF7072  PALL HC9600FUP13H For Upgrade, use HF30524 Overall Height: 12.94 (329) End 1 OD: 3.12 (79) End 2 OD: 3.11 (79) End 2 ID: 1.67 (42) | HF7088  PALL HC9650FUP8H For Upgrade, use HF30455 Overall Height: 8.36 (212) Overall OD: 3.11 (79) End 1 ID: 1.67 (42) |

























E. PRODUCT GUIDE

| | | | | | |
|--|--|--|--|--|--|
| <p>HF7089</p>  | <p>PALL HC9650FUN8H For Upgrade, use HF30085</p> <p>Overall Height: 8.36 (212) Overall OD: 3.11 (79) End 1 ID: 1.67 (42)</p> | <p>HF7106</p>  | <p>PALL HC9800FUS8H For Upgrade, use HF30244</p> <p>Overall Height: 8.19 (208) Overall OD: 1.98 (50) End 1 ID: 0.92 (23)</p> | <p>HF7301</p>  | <p>SCHROEDER AS3</p> <p>Overall Height: 4.88 (124) Overall OD: 2.88 (73) End 1 ID: 1.07 (27)</p> |
| <p>HF7092</p>  | <p>PALL HC9650FUP16H</p> <p>Overall Height: 17.03 (432) Overall OD: 3.11 (79) End 1 ID: 1.67 (42)</p> | <p>HF7107</p>  | <p>PALL HC9800FUT8H</p> <p>Overall Height: 8.19 (208) Overall OD: 1.98 (50) End 1 ID: 0.92 (23)</p> | <p>HF7302</p>  | <p>SCHROEDER AS7</p> <p>Overall Height: 4.88 (124) Overall OD: 2.88 (73) End 1 ID: 1.07 (27)</p> |
| <p>HF7093</p>  | <p>PALL HC9650FUN16H For Upgrade, use HF30118</p> <p>Overall Height: 17.03 (432) Overall OD: 3.11 (79) End 1 ID: 1.67 (42)</p> | <p>HF7119</p>  | <p>PALL HC8900FUS16H</p> <p>Overall Height: 16.87 (429) Overall OD: 3.79 (96) End 1 ID: 2.18 (55)</p> | <p>HF7304</p>  | <p>SCHROEDER BB10</p> <p>Overall Height: 18.18 (462) Overall OD: 5.00 (127) End 1 ID: 3.26 (83)</p> |
| <p>HF7095</p>  | <p>PALL HC9650FUT16H</p> <p>Overall Height: 17.03 (432) Overall OD: 3.11 (79) End 1 ID: 1.67 (42)</p> | <p>HF7121</p>  | <p>PALL HC8800FUP8H For Upgrade, use HF30457</p> <p>Overall Height: 8.16 (207) Overall OD: 3.39 (86) End 1 ID: 1.93 (49)</p> | <p>HF7307</p>  | <p>SCHROEDER C3</p> <p>Overall Height: 4.69 (119) Overall OD: 2.88 (73) End 1 ID: 1.07 (27)</p> |
| <p>HF7101</p>  | <p>PALL HC9800FUN4H For Upgrade, use HF30022</p> <p>Overall Height: 4.43 (113) Overall OD: 1.98 (50) End 1 ID: 0.92 (23)</p> | <p>HF7124</p>  | <p>PALL HC8800FUT8H</p> <p>Overall Height: 8.16 (207) Overall OD: 3.39 (86) End 1 ID: 1.93 (49)</p> | <p>HF7308</p>  | <p>SCHROEDER C10</p> <p>Overall Height: 4.69 (119) Overall OD: 2.88 (73) End 1 ID: 1.07 (27)</p> |
| <p>HF7103</p>  | <p>PALL HC9800FUT4H</p> <p>Overall Height: 4.43 (113) Overall OD: 1.98 (50) End 1 ID: 0.92 (23)</p> | <p>HF7125</p>  | <p>PALL HC8800FUP13H</p> <p>Overall Height: 12.98 (330) Overall OD: 3.39 (86) End 1 ID: 1.93 (49)</p> | <p>HF7312</p>  | <p>SCHROEDER CS7</p> <p>Overall Height: 4.63 (117) Overall OD: 2.88 (73) End 1 ID: 1.06 (27)</p> |
| <p>HF7104</p>  | <p>PALL HC9800FUP8H For Upgrade, use HF30442</p> <p>Overall Height: 8.19 (208) Overall OD: 1.98 (50) End 1 ID: 0.92 (23)</p> | <p>HF7130</p>  | <p>PALL HC8800FUN16H For Upgrade, use HF30112</p> <p>Overall Height: 16.91 (430) Overall OD: 3.39 (86) End 1 ID: 1.93 (49)</p> | <p>HF7313</p>  | <p>SCHROEDER CC3 For Upgrade, use HF7317</p> <p>Overall Height: 9.56 (243) Overall OD: 2.88 (73) End 1 ID: 1.07 (27)</p> |
| <p>HF7105</p>  | <p>PALL HC9800FUN8H For Upgrade, use HF30071</p> <p>Overall Height: 8.19 (208) End 1 OD: 1.98 (50) End 2 OD: 1.98 (50) End 1 ID: 0.94 (24)</p> | <p>HF7131</p>  | <p>PALL HC8800FUS16H For Upgrade, use HF30310</p> <p>Overall Height: 16.91 (430) Overall OD: 3.39 (86) End 1 ID: 1.93 (49)</p> | <p>HF7314</p>  | <p>SCHROEDER CC10</p> <p>Overall Height: 9.56 (243) Overall OD: 2.88 (73) End 1 ID: 1.07 (27)</p> |

E. PRODUCT GUIDE

| | | |
|---|---|--|
| HF7315 SCHROEDER CC25  Overall Height: 9.62 (244) Overall OD: 2.90 (74) End 1 ID: 1.08 (27) | HF7336 SCHROEDER KW  Overall Height: 9.37 (238) Overall OD: 3.91 (99) End 1 ID: 1.81 (46) | HF7356 SCHROEDER NNS7  Overall Height: 8.03 (204) Overall OD: 1.76 (45) End 1 ID: 0.77 (19) |
| HF7317 SCHROEDER CCS3 Upgrade of HF7313  Overall Height: 9.56 (243) Overall OD: 2.88 (73) End 1 ID: 1.07 (27) | HF7338 SCHROEDER KK10  Overall Height: 18.20 (462) Overall OD: 3.90 (99) End 1 ID: 1.81 (46) | HF7360 VICKERS V0191B1R10  Overall Height: 5.73 (146) Largest OD: 3.72 (94) Thread Size: 1 1/8-16 UN-2B |
| HF7318 SCHROEDER CCS7  Overall Height: 9.56 (243) Overall OD: 2.88 (73) End 1 ID: 1.07 (27) | HF7339 SCHROEDER KK25  Overall Height: 18.20 (462) Overall OD: 3.90 (99) End 1 ID: 1.81 (46) | HF7376 VICKERS V0191B1R20  Overall Height: 5.73 (146) Largest OD: 3.72 (94) Thread Size: 1 1/8-16 UN-2B |
| HF7325 SCHROEDER J3  Overall Height: 9.09 (231) Overall OD: 3.51 (89) End 1 ID: 1.30 (33) | HF7347 SCHROEDER N3  Overall Height: 5.25 (133) Overall OD: 1.76 (45) End 1 ID: 0.77 (19) | HF7411 PALL HC8300FUT39Z  Overall Height: 38.66 (982) Overall OD: 5.98 (152) End 1 ID: 4.11 (104) |
| HF7326 SCHROEDER J10  Overall Height: 9.09 (231) Overall OD: 3.51 (89) End 1 ID: 1.30 (33) | HF7348 SCHROEDER N10  Overall Height: 5.25 (133) Overall OD: 1.76 (45) End 1 ID: 0.77 (19) | HF7442 UCC HYDRAULICS UCR122910  Overall Height: 1.28 (33) Overall OD: 1.18 (30) End 1 ID: 0.53 (14) |
| HF7327 SCHROEDER J25  Overall Height: 9.09 (231) Overall OD: 3.51 (89) End 1 ID: 1.30 (33) | HF7350 SCHROEDER NS3  Overall Height: 5.25 (133) Overall OD: 1.76 (45) End 1 ID: 0.77 (19) | HF7444 UCC HYDRAULICS UCSE1457  Overall Height: 5.51 (140) End 1 OD: 2.52 (64) End 2 OD: 2.34 (60) Thread Size: 1 BSP |
| HF7331 SCHROEDER KS1  Overall Height: 9.09 (231) Overall OD: 3.90 (99) End 1 ID: 1.81 (46) | HF7351 SCHROEDER NS7  Overall Height: 5.25 (133) Overall OD: 1.76 (45) End 1 ID: 0.77 (19) | HF7464 PALL HC9600FUP4Z  Overall Height: 4.63 (118) End 1 OD: 3.12 (79) End 2 OD: 3.11 (79) End 2 ID: 1.67 (42) |
| HF7332 SCHROEDER KS3, PARKER 925778 Upgrade of HF6109  Overall Height: 9.23 (234) Overall OD: 3.93 (100) End 1 ID: 1.61 (41) | HF7353 SCHROEDER NN10  Overall Height: 8.03 (204) Overall OD: 1.76 (45) End 1 ID: 0.77 (19) | HF7466 PALL HC9600FUS4Z  Overall Height: 4.63 (118) End 1 OD: 3.12 (79) End 2 OD: 3.11 (79) End 2 ID: 1.67 (42) |

E. PRODUCT GUIDE

| | | |
|--|--|--|
| <p>HF7467 PALL HC9600FUT4Z</p>  <p>Overall Height: 4.63 (118) End 1 OD: 3.12 (79) End 2 OD: 3.11 (79) End 2 ID: 1.67 (42)</p> | <p>HF7479 PALL HC9600FUT16Z, INGERSOLL-RAND 57394728</p>  <p>Overall Height: 16.86 (428) End 1 OD: 3.12 (79) End 2 OD: 3.11 (79) End 2 ID: 1.67 (42)</p> | <p>HF7518 PALL HC8900FUP16H For Upgrade, use HF30570</p>  <p>Overall Height: 16.87 (429) Overall OD: 3.79 (96) End 1 ID: 2.18 (55)</p> |
| <p>HF7468 PALL HC9600FUP8Z For Upgrade, use HF30454</p>  <p>Overall Height: 8.19 (208) End 1 OD: 3.12 (79) End 2 OD: 3.11 (79) End 2 ID: 1.67 (42)</p> | <p>HF7488 PALL HC9650FUP8Z</p>  <p>Overall Height: 8.36 (212) End 1 OD: 3.11 (79) End 2 OD: 3.02 (77) End 1 ID: 1.67 (42)</p> | <p>HF7519 PALL HC8900FUS16H</p>  <p>Gasket: 3832397 Overall Height: 16.87 (429) Overall OD: 3.79 (96) End 1 ID: 2.18 (55)</p> |
| <p>HF7470 PALL HC9600FUS8Z</p>  <p>Overall Height: 8.19 (208) End 1 OD: 3.12 (79) End 2 OD: 3.11 (79) End 2 ID: 1.67 (42)</p> | <p>HF7491 PALL HC9650FUT8Z</p>  <p>Overall Height: 8.36 (212) Overall OD: 3.11 (79) End 1 ID: 1.67 (42)</p> | <p>HF7520 PALL HC8900FUN16Z For Upgrade, use HF30114</p>  <p>Gasket: 3832397 (1) Overall Height: 16.87 (429) Overall OD: 3.79 (96) End 1 ID: 2.18 (55)</p> |
| <p>HF7471 PALL HC9600FUT8Z</p>  <p>Overall Height: 8.19 (208) End 1 OD: 3.12 (79) End 2 OD: 3.11 (79) End 2 ID: 1.67 (42)</p> | <p>HF7492 PALL HC9650FUP16Z For Upgrade, use HF30583</p>  <p>Overall Height: 17.03 (432) Overall OD: 3.11 (79) End 1 ID: 1.67 (42)</p> | <p>HF7524 PALL HC8800FDT8Z</p>  <p>Overall Height: 8.16 (207) Overall OD: 3.39 (86) End 1 ID: 1.93 (49)</p> |
| <p>HF7472 GMC 23018850</p>  <p>Overall Height: 12.94 (329) End 1 OD: 3.12 (79) End 2 OD: 3.11 (79) End 2 ID: 1.67 (42)</p> | <p>HF7493 PALL HC9650FUN16Z</p>  <p>Overall Height: 17.03 (432) Overall OD: 3.11 (79) End 1 ID: 1.67 (42)</p> | <p>HF7527 PALL HC8800FUS13Z For Upgrade, use HF30281</p>  <p>Overall Height: 12.98 (330) Overall OD: 3.39 (86) End 1 ID: 1.93 (49)</p> |
| <p>HF7473 PALL HC9600FUN13Z</p>  <p>Overall Height: 12.94 (329) End 1 OD: 3.10 (79) End 2 OD: 3.11 (79) End 2 ID: 1.67 (42)</p> | <p>HF7494 PALL HC9650FUS16Z</p>  <p>Overall Height: 17.03 (432) Overall OD: 3.11 (79) End 1 ID: 1.67 (42)</p> | <p>HF7528 PALL HC8800FUT13Z</p>  <p>Overall Height: 12.98 (330) Overall OD: 3.39 (86) End 1 ID: 1.93 (49)</p> |
| <p>HF7474 GMC 23018851</p>  <p>Overall Height: 12.94 (329) End 1 OD: 3.12 (79) End 2 OD: 3.11 (79) End 2 ID: 1.67 (42)</p> | <p>HF7495 PALL HC9650FUT16Z</p>  <p>Overall Height: 17.03 (432) Overall OD: 3.11 (79) End 1 ID: 1.67 (42)</p> | <p>HF7530 PALL HC8800FUN16Z</p>  <p>Overall Height: 16.91 (430) Overall OD: 3.39 (86) End 1 ID: 1.93 (49)</p> |
| <p>HF7475 PALL HC9600FUT13Z</p>  <p>Overall Height: 12.94 (329) End 1 OD: 3.12 (79) End 2 OD: 3.11 (79) End 2 ID: 1.67 (42)</p> | <p>HF7503 SCHROEDER UU25</p>  <p>Overall Height: 9.76 (248) Overall OD: 1.00 (25) End 1 ID: 0.47 (12)</p> | <p>HF7535 SCANIA 1301696</p>  <p>Overall Height: 4.45 (113) Largest OD: 3.86 (98) ADBV: Yes BPV Setting: 29.01 (200) Thread Size: M23 X 1.5-6H INT</p> |

E. PRODUCT GUIDE

| | | |
|---|--|---|
| HF7536  NEW HOLLAND 86000485 Overall Height: 3.79 (96) Largest OD: 3.72 (94) Thread Size: 1 1/8-16 UN-2B | HF7551  KUBOTA 3270137950 Overall Height: 5.56 (141) Largest OD: 3.82 (97) Thread Size: 1 1/8-16 UN-2B | HF7604  CASE 7033616 For Upgrade, use HF6005 Overall Height: 5.75 (146) Largest OD: 3.73 (95) Thread Size: 1 1/8-16 UN-2B |
| HF7538  KOEHRING 7086449 Overall Height: 15.12 (384) Overall OD: 6.50 (165) End 1 ID: 3.46 (88) | HF7552  SCANIA 684864 Overall Height: 5.51 (140) Overall OD: 2.76 (70) BPV Setting: 33.36 (230) End 1 ID: 1.14 (29) | HF7605  CASE 1266865C1 Overall Height: 6.12 (155) Overall OD: 5.10 (130) End 1 ID: 2.75 (70) |
| HF7540  CASE K929095 Overall Height: 4.59 (117) End 1 OD: 6.06 (154) End 2 OD: 1.65 (42) End 1 ID: 2.10 (53) | HF7553  HITACHI 4252563 Overall Height: 5.95 (151) Largest OD: 3.82 (97) Thread Size: 1 1/8-16 UN-2B | HF7607  SCANIA 274108 Overall Height: 3.39 (86) Overall OD: 4.65 (118) End 1 ID: 2.32 (59) |
| HF7541  MASSEY-FERGUSON 3581032M2 Overall Height: 7.13 (181) Largest OD: 5.39 (137) Thread Size: M42 X 2-6H INT | HF7554  SCANIA 387284 Overall Height: 4.61 (117) Largest OD: 3.05 (78) BPV Setting: 14.50 (100) Thread Size: M16 X 1.5-6H INT | HF7608  CASE 829528C1 Upgrade of HF6056 Overall Height: 5.83 (148) Largest OD: 3.69 (94) Thread Size: 1-12 UNF-2B |
| HF7542  VOLVO PENTA 902210 Gasket: 317237, 322951, 333639 Overall Height: 8.93 (227) Overall OD: 4.51 (115) End 1 ID: 1.44 (37) | HF7556  ZINGA ZAE10L Overall Height: 8.14 (207) Largest OD: 3.72 (94) Thread Size: 1-12 UNF-2B | HF7609  CASE 1282528C1 Overall Height: 6.94 (176) Largest OD: 3.68 (93) Thread Size: 1 1/8-16 UN-2B |
| HF7543  RENAULT V.I. 870229300, LAUTRETTE L1477 Overall Height: 2.22 (57) Overall OD: 3.33 (85) End 1 ID: 0.52 (13) | HF7560  ORENSTEIN & KOPPEL 1771469 Overall Height: 14.17 (360) End 1 OD: 5.91 (150) End 2 OD: 5.39 (137) End 1 ID: 3.15 (80) | HF7615  RENAULT V.I. 5000791145 Overall Height: 2.91 (74) Largest OD: 3.48 (89) ADBV: Yes BPV Setting: 14.50 (100) Thread Size: M20 X 1.5-6H INT |
| HF7544  JOHN DEERE AT167763 Filter used with HH6952 Overall Height: 11.71 (297) Largest OD: 5.00 (127) Thread Size: 1 1/2-16 UN-2B | HF7561  LEYLAND ABU6540 Overall Height: 3.47 (88) Overall OD: 2.82 (72) End 1 ID: 1.30 (33) | HF7622  VICKERS V0191B1R05 Overall Height: 5.73 (146) Largest OD: 3.72 (94) Thread Size: 1 1/8-16 UN-2B |
| HF7550  DANA-SPICER 504807, AVELING-BARFORD ABP3003018 Overall Height: 3.64 (93) Largest OD: 3.68 (94) ADBV: Yes BPV Setting: 17.40 (120) Thread Size: 13/16-16 UN-2B | HF7567  DONALDSON P174233 Overall Height: 8.78 (223) Largest OD: 3.73 (95) BPV Setting: 17.69 (122) Thread Size: 1 1/4-12 UNF-2B | HF7657  UCC HYDRAULICS UC2108 Overall Height: 5.55 (141) Overall OD: 2.17 (55) End 1 ID: 0.93 (24) |
| HF7569  FIAT-ALLIS 1909130, TECNOCAR R413, MANN & HUMMEL W11502 Overall Height: 7.34 (187) Largest OD: 4.33 (110) Thread Size: 1 1/8-16 UN-2B | HF7658  UCC HYDRAULICS UCR63013 Overall Height: 4.13 (105) Overall OD: 2.17 (55) End 1 ID: 0.93 (24) | |

E. PRODUCT GUIDE

| | | |
|---|--|---|
| <p>HF7701 PARKER G02058</p>  <p>Overall Height: 4.65 (118) Overall OD: 1.75 (44) End 1 ID: 1.00 (25)</p> | <p>HF7711 PARKER 901494</p>  <p>Overall Height: 2.29 (58) Overall OD: 2.73 (69) End 1 ID: 1.68 (43)</p> | <p>HF7724 PARKER 907233</p>  <p>Overall Height: 7.76 (197) Overall OD: 3.59 (91) End 1 ID: 1.90 (48)</p> |
| <p>HF7702 PARKER G02064</p>  <p>Overall Height: 8.35 (212) Overall OD: 1.75 (44) End 1 ID: 1.00 (25)</p> | <p>HF7714 PARKER 901619</p>  <p>Overall Height: 9.08 (231) Overall OD: 5.75 (146)</p> | <p>HF7725 PARKER 907234</p>  <p>Overall Height: 7.76 (197) Overall OD: 3.59 (91) End 1 ID: 1.90 (48)</p> |
| <p>HF7703 PARKER G02070</p>  <p>Overall Height: 5.27 (134) Overall OD: 2.44 (62) End 1 ID: 1.20 (30) End 2 ID: 1.15 (29)</p> | <p>HF7715 PARKER 901620</p>  <p>Overall Height: 9.08 (231) Overall OD: 5.75 (146) End 1 ID: 4.13 (105)</p> | <p>HF7726 PARKER 908642</p>  <p>Overall Height: 9.51 (242) Overall OD: 4.25 (108) End 1 ID: 3.12 (79)</p> |
| <p>HF7704 PARKER G02076</p>  <p>Overall Height: 9.54 (242) Overall OD: 2.44 (62) End 1 ID: 1.20 (30) End 2 ID: 1.15 (29)</p> | <p>HF7718 PARKER 901856</p>  <p>Overall Height: 3.54 (90) Overall OD: 2.73 (69) End 1 ID: 1.66 (42)</p> | <p>HF7727 PARKER 908643</p>  <p>Overall Height: 9.51 (242) Overall OD: 4.25 (108) End 1 ID: 3.12 (79)</p> |
| <p>HF7705 PARKER G02082</p>  <p>Overall Height: 8.13 (207) Overall OD: 3.68 (93) End 1 ID: 2.05 (52) End 2 ID: 1.88 (48)</p> | <p>HF7720 PARKER 906460</p>  <p>Overall Height: 13.88 (352) Overall OD: 3.94 (100) End 1 ID: 3.00 (76)</p> | <p>HF7728 PARKER 908648</p>  <p>Overall Height: 12.00 (305) Overall OD: 5.64 (143) End 1 ID: 4.00 (102)</p> |
| <p>HF7706 PARKER G02088</p>  <p>Overall Height: 12.70 (323) Overall OD: 3.68 (93) End 1 ID: 2.05 (52) End 2 ID: 1.88 (48)</p> | <p>HF7721 PARKER 906461</p>  <p>Overall Height: 13.70 (348) Overall OD: 3.95 (100) End 1 ID: 3.03 (77)</p> | <p>HF7729 PARKER 908649</p>  <p>Overall Height: 12.00 (305) Overall OD: 5.64 (143) End 1 ID: 4.00 (102)</p> |
| <p>HF7708 PARKER 901106</p>  <p>Overall Height: 2.47 (63) Overall OD: 2.25 (57) End 1 ID: 0.75 (19) End 2 ID: 0.62 (16)</p> | <p>HF7722 PARKER 907088</p>  <p>Overall Height: 15.13 (384) Overall OD: 3.59 (91) End 1 ID: 1.90 (48)</p> | <p>HF7730 PARKER 909293</p>  <p>Overall Height: 9.51 (242) Overall OD: 4.25 (108) End 1 ID: 3.12 (79)</p> |
| <p>HF7710 PARKER 901493</p>  <p>Overall Height: 2.89 (73) Overall OD: 2.73 (69) End 1 ID: 1.68 (43)</p> | <p>HF7723 PARKER 907090</p>  <p>Overall Height: 15.13 (384) Overall OD: 3.59 (91) End 1 ID: 1.90 (48)</p> | <p>HF7731 PARKER 909297</p>  <p>Overall Height: 9.51 (242) Overall OD: 4.25 (108) End 1 ID: 3.12 (79)</p> |

E. PRODUCT GUIDE

| | | |
|---|--|---|
| HF7732  PARKER 909299 Overall Height: 9.51 (242) Overall OD: 4.25 (108) End 1 ID: 3.12 (79) | HF7745  PARKER 922789 Overall Height: 2.29 (58) Overall OD: 2.73 (69) End 1 ID: 1.68 (43) | HF7763  PARKER 923047 Overall Height: 13.83 (351) Overall OD: 3.81 (97) End 1 ID: 3.01 (76) |
| HF7733  PARKER 920022 Overall Height: 9.51 (242) Overall OD: 2.50 (64) End 1 ID: 1.50 (38) | HF7747  PARKER 922932 Overall Height: 2.29 (58) Overall OD: 2.73 (69) End 1 ID: 2.27 (58) | HF7764  PARKER 924423 Overall Height: 4.95 (126) Overall OD: 2.44 (62) End 1 ID: 1.46 (37) |
| HF7736  PARKER 922622 Overall Height: 4.95 (126) Overall OD: 2.44 (62) End 1 ID: 1.46 (37) | HF7748  PARKER 922933 Overall Height: 2.29 (58) Overall OD: 2.73 (69) End 1 ID: 2.27 (58) | HF7765  PARKER 924448 Overall Height: 9.12 (232) Overall OD: 3.68 (93) End 1 ID: 1.75 (44) |
| HF7738  PARKER 922624 Overall Height: 5.38 (137) Overall OD: 2.44 (62) End 1 ID: 1.02 (26) | HF7751  PARKER 922972 Overall Height: 6.54 (166) Overall OD: 2.73 (69) End 1 ID: 2.65 (67) | HF7766  PARKER 924449 Overall Height: 9.05 (230) Overall OD: 3.72 (94) End 1 ID: 1.95 (50) |
| HF7739  PARKER 922625 Overall Height: 4.95 (126) Overall OD: 2.44 (62) End 1 ID: 1.46 (37) | HF7755  PARKER 922993 Overall Height: 3.54 (90) Overall OD: 2.73 (69) End 1 ID: 2.30 (58) | HF7767  PARKER 924450 Overall Height: 9.12 (232) Overall OD: 3.68 (93) End 1 ID: 1.75 (44) |
| HF7740  PARKER 922627 Overall Height: 4.95 (126) Overall OD: 2.44 (62) End 1 ID: 1.46 (37) | HF7757  PARKER 923008 Overall Height: 8.67 (220) Overall OD: 2.75 (70) End 1 ID: 2.25 (57) | HF7768  PARKER 924451 Overall Height: 9.05 (230) Overall OD: 3.72 (94) End 1 ID: 1.95 (50) |
| HF7743  PARKER 922785 Overall Height: 9.56 (243) Overall OD: 5.64 (143) End 1 ID: 3.12 (79) | HF7758  PARKER 923009 Overall Height: 8.67 (220) Overall OD: 2.75 (70) End 1 ID: 2.25 (57) | HF7769  PARKER 924453 Overall Height: 9.05 (230) Overall OD: 3.72 (94) End 1 ID: 1.95 (50) |
| HF7744  PARKER 922787 Overall Height: 12.00 (305) Overall OD: 5.64 (143) End 1 ID: 4.00 (102) | HF7759  PARKER 923012 Overall Height: 9.83 (250) Overall OD: 3.31 (84) End 1 ID: 2.00 (51) End 2 ID: 1.63 (41) | HF7770  PARKER 924455 Overall Height: 9.06 (230) Overall OD: 3.68 (93) End 1 ID: 1.78 (45) |

E. PRODUCT GUIDE

| | | |
|---|---|---|
| <p>HF7771 PARKER 924456</p>  <p>Overall Height: 9.06 (230) Overall OD: 3.68 (93) End 1 ID: 1.78 (45)</p> | <p>HF7780 PARKER 924791</p>  <p>Overall Height: 18.81 (478) Overall OD: 3.72 (94) End 1 ID: 1.95 (50)</p> | <p>HF7789 PARKER 925040</p>  <p>Overall Height: 9.05 (230) Overall OD: 3.72 (94) End 1 ID: 1.95 (50)</p> |
| <p>HF7773 PARKER 924730</p>  <p>Overall Height: 8.68 (220) Overall OD: 2.74 (70) End 1 ID: 1.69 (43)</p> | <p>HF7781 PARKER 924792</p>  <p>Overall Height: 18.43 (468) Overall OD: 3.68 (93) End 1 ID: 1.75 (44)</p> | <p>HF7790 PARKER 925052</p>  <p>Overall Height: 18.55 (471) Overall OD: 3.68 (93) End 1 ID: 1.72 (44)</p> |
| <p>HF7774 PARKER 924732</p>  <p>Overall Height: 8.68 (220) Overall OD: 2.74 (70) End 1 ID: 1.69 (43)</p> | <p>HF7782 PARKER 924793</p>  <p>Overall Height: 18.81 (478) Overall OD: 3.72 (94) End 1 ID: 1.95 (50)</p> | <p>HF7791 PARKER 925572</p>  <p>Overall Height: 4.47 (114) Overall OD: 1.75 (44) End 1 ID: 1.00 (25)</p> |
| <p>HF7775 PARKER 924734</p>  <p>Overall Height: 8.68 (220) Overall OD: 2.74 (70) End 1 ID: 1.69 (43)</p> | <p>HF7783 PARKER 924794</p>  <p>Overall Height: 18.81 (478) Overall OD: 3.72 (94) End 1 ID: 1.95 (50)</p> | <p>HF7792 PARKER 925576</p>  <p>Overall Height: 4.47 (114) Overall OD: 1.75 (44) End 1 ID: 1.00 (25)</p> |
| <p>HF7776 PARKER 924735</p>  <p>Overall Height: 8.68 (220) Overall OD: 2.74 (70) End 1 ID: 1.69 (43)</p> | <p>HF7784 PARKER 924795</p>  <p>Overall Height: 18.81 (478) Overall OD: 3.72 (94) End 1 ID: 1.95 (50)</p> | <p>HF7793 PARKER 925578</p>  <p>Overall Height: 4.47 (114) Overall OD: 1.75 (44) End 1 ID: 1.00 (25)</p> |
| <p>HF7777 PARKER 924738</p>  <p>Overall Height: 8.68 (220) Overall OD: 2.74 (70) End 1 ID: 1.69 (43)</p> | <p>HF7785 PARKER 924797</p>  <p>Overall Height: 18.55 (471) Overall OD: 3.68 (93) End 1 ID: 1.72 (44)</p> | <p>HF7795 PARKER 925835</p>  <p>Overall Height: 9.63 (245) Overall OD: 2.44 (62) End 1 ID: 1.02 (26)</p> |
| <p>HF7778 PARKER 924739</p>  <p>Overall Height: 8.68 (220) Overall OD: 2.74 (70) End 1 ID: 1.69 (43)</p> | <p>HF7786 PARKER 924798</p>  <p>Overall Height: 18.55 (471) Overall OD: 3.68 (93) End 1 ID: 1.72 (44)</p> | <p>HF7796 PARKER 925839</p>  <p>Overall Height: 9.25 (235) Overall OD: 2.44 (62) End 1 ID: 1.46 (37)</p> |
| <p>HF7779 PARKER 924790</p>  <p>Overall Height: 18.55 (471) Overall OD: 3.68 (93) End 1 ID: 1.78 (45)</p> | <p>HF7788 PARKER 925037</p>  <p>Overall Height: 9.05 (230) Overall OD: 3.72 (94) End 1 ID: 1.95 (50)</p> | <p>HF7797 PARKER 926326</p>  <p>Overall Height: 9.06 (230) Overall OD: 4.43 (113) End 1 ID: 1.67 (42)</p> |

E. PRODUCT GUIDE

| | | |
|--|--|---|
| HF7798 PARKER 926372  Overall Height: 9.06 (230) Overall OD: 4.41 (112) End 1 ID: 1.68 (43) | HF7811 PARKER G01068  Overall Height: 7.79 (198) Overall OD: 3.67 (93) End 1 ID: 1.88 (48) | HF7835 MP FILTRI CS100P25  Overall Height: 7.09 (180) Largest OD: 5.04 (128) Thread Size: 1 1/4 BSP |
| HF7799 PARKER 926856  Overall Height: 9.06 (230) Overall OD: 4.41 (112) End 1 ID: 1.68 (43) | HF7812 PARKER G01281  Overall Height: 5.41 (137) Overall OD: 2.38 (60) End 1 ID: 1.00 (25) | HF7836 KAWASAKI 4906070030  Overall Height: 9.42 (239) Overall OD: 3.98 (101) End 1 ID: 1.68 (43) |
| HF7800 PARKER 927092  Overall Height: 9.08 (231) Overall OD: 5.75 (146) End 1 ID: 3.52 (89) | HF7821 SEPARATION TECHNOLOGIES H330D74W Various Applications  Overall Height: 6.38 (162) Overall OD: 3.59 (91) End 1 ID: 1.89 (48) | HF7837 KAWASAKI 3098120080  Overall Height: 11.84 (301) Overall OD: 3.99 (101) End 1 ID: 2.53 (64) |
| HF7801 PARKER 927093  Overall Height: 9.08 (231) Overall OD: 5.75 (146) End 1 ID: 3.77 (96) | HF7826 CAMECO INDUSTRIES 61308228  Overall Height: 10.71 (272) Largest OD: 5.08 (129) Thread Size: 1 1/2-16 UN-2B | HF7838 KAWASAKI 4906070010  Overall Height: 8.93 (227) Overall OD: 4.33 (110) End 1 ID: 1.77 (45) |
| HF7804 PARKER 927269  Overall Height: 1.86 (47) Overall OD: 1.67 (42) End 1 ID: 0.69 (17) | HF7830 P & H HARNISCHFEGER 10462942  Overall Height: 12.86 (327) Overall OD: 4.00 (102) End 1 ID: 2.36 (60) | HF7839 KAWASAKI 4906020010  Overall Height: 8.93 (227) Overall OD: 4.33 (110) End 1 ID: 1.77 (45) |
| HF7805 PARKER 927584  Overall Height: 9.06 (230) Overall OD: 3.68 (93) End 1 ID: 1.78 (45) | HF7831 VOITH 90537311  Overall Height: 7.95 (202) Overall OD: 3.28 (83) BPV Setting: 29.01 (200) End 1 ID: 1.15 (29) | HF7840 KAWASAKI 3098120060  Overall Height: 17.72 (450) Overall OD: 5.91 (150) End 1 ID: 4.33 (110) |
| HF7809 PARKER 983061  Overall Height: 7.79 (198) Overall OD: 3.60 (91) End 1 ID: 1.75 (44) | HF7833 ORENSTEIN & KOPPEL 1717467  Overall Height: 25.51 (648) Overall OD: 5.98 (152) End 1 ID: 3.94 (100) | HF7841 KAWASAKI 4906070020  Overall Height: 14.92 (379) Overall OD: 4.48 (114) End 1 ID: 2.88 (73) |
| HF7810 PARKER 987141  Overall Height: 12.00 (305) Overall OD: 5.64 (143) End 1 ID: 4.00 (102) | HF7834 LIEBHERR 7362910  Overall Height: 3.74 (95) Overall OD: 1.38 (35) End 1 ID: 0.44 (11) | HF7842 KAWASAKI 4033820020  Overall Height: 11.81 (300) Overall OD: 5.91 (150) End 1 ID: 4.33 (110) |

E. PRODUCT GUIDE

| | | | | | |
|--|---|--|--|--|---|
| <p>HF7847</p>  | <p>KAWASAKI 3098160030</p> <p>Overall Height: 11.51 (292) Overall OD: 4.45 (113) End 1 ID: 2.76 (70)</p> | <p>HF7908</p>  | <p>FBO CR3303 The height includes a spring of 113mm</p> <p>Gasket: 3326040 Overall Height: 12.36 (314) Overall OD: 5.51 (140) BPV Setting: 37.71 (260) End 1 ID: 2.60 (66)</p> | <p>HF7921</p>  | <p>HITACHI 4159319, HITACHI 4508505</p> <p>Overall Height: 17.99 (457) Overall OD: 4.41 (112) End 1 ID: 2.60 (66)</p> |
| <p>HF7854</p>  | <p>DONALDSON P168669</p> <p>Overall Height: 5.42 (138) Largest OD: 3.69 (94) Thread Size: 1 1/4-12 UNF-2B</p> | <p>HF7909</p>  | <p>FBO CR5003 The height includes a spring of 113mm</p> <p>Gasket: 3326040 Overall Height: 12.36 (314) Overall OD: 5.51 (140) BPV Setting: 39.16 (270) End 1 ID: 2.60 (66)</p> | <p>HF7922</p>  | <p>HITACHI 3501404</p> |
| <p>HF7901</p>  | <p>UCC HYDRAULICS UC2408</p> <p>Overall Height: 5.61 (143) Largest OD: 3.68 (94) BPV Setting: 17.40 (120) Thread Size: 3/4-14 BSP</p> | <p>HF7910</p>  | <p>FBO CR2503 The height includes a spring of 113mm</p> <p>Gasket: 3326041 Overall Height: 10.00 (254) Overall OD: 5.51 (140) BPV Setting: 36.26 (250) End 1 ID: 2.01 (51)</p> | <p>HF7923</p>  | <p>HITACHI 4219713</p> <p>Overall Height: 17.75 (451) Overall OD: 5.91 (150) End 1 ID: 4.33 (110)</p> |
| <p>HF7902</p>  | <p>FINN FC1050N010BS16</p> <p>Overall Height: 9.09 (231) Largest OD: 5.20 (132) BPV Setting: 14.50 (100) Thread Size: 1 1/4 BSP</p> | <p>HF7911</p>  | <p>FBO CR3253 The height includes a spring of 113mm</p> <p>Gasket: 3326044 Overall Height: 7.87 (200) Overall OD: 5.51 (140) BPV Setting: 29.01 (200) End 1 ID: 2.00 (51)</p> | <p>HF7924</p>  | <p>NISSAN 3172811H00</p> <p>Overall Height: 4.06 (103) End 1 OD: 2.80 (71) End 2 OD: 1.45 (37) End 1 ID: 1.06 (27)</p> |
| <p>HF7904</p>  | <p>FBO CR1003 The height includes a spring of 65mm</p> <p>Gasket: 3326042 Overall Height: 7.72 (196) Overall OD: 2.76 (70) BPV Setting: 36.26 (250) End 1 ID: 1.18 (30)</p> | <p>HF7916</p>  | <p>LEYLAND RLK2709</p> <p>Overall Height: 8.29 (211) Largest OD: 3.68 (94) BPV Setting: 36.26 (250) Thread Size: 1-12 UNF-2B</p> | <p>HF7927</p>  | <p>TOYOTA 675022054071</p> <p>Overall Height: 7.93 (201) Overall OD: 4.25 (108) End 1 ID: 1.05 (27)</p> |
| <p>HF7905</p>  | <p>FBO CR1253 The height includes a spring of 81mm</p> <p>Gasket: 3326043 Overall Height: 6.69 (170) Overall OD: 3.74 (95) BPV Setting: 23.21 (160) End 1 ID: 161.00 (4089)</p> | <p>HF7918</p>  | <p>HITACHI 3021593</p> <p>Overall Height: 7.95 (202) Overall OD: 2.88 (73) End 1 ID: 1.33 (34)</p> | <p>HF7929</p>  | <p>YALE & TOWNE 910544400</p> <p>Overall Height: 7.30 (185) Overall OD: 3.47 (88) End 1 ID: 1.00 (25) Thread Size: 3/4 NPTF</p> |
| <p>HF7906</p>  | <p>FBO CR1803 The height includes a spring of 81mm</p> <p>Gasket: 3326043 Overall Height: 11.50 (292) Overall OD: 3.74 (95) BPV Setting: 34.81 (240) End 1 ID: 1.61 (41)</p> | <p>HF7919</p>  | <p>VOLVO 62135819</p> <p>Overall Height: 2.70 (69) Overall OD: 2.17 (55) End 1 ID: 1.04 (27)</p> | <p>HF7930</p>  | <p>YALE & TOWNE 910545401</p> <p>Overall Height: 3.87 (98) End 1 OD: 2.50 (64) End 2 OD: 2.40 (61) End 1 ID: 0.94 (24)</p> |
| <p>HF7907</p>  | <p>FBO CR2203 The height includes a spring of 113mm</p> <p>Gasket: 3326040 Overall Height: 10.00 (254) Overall OD: 5.51 (140) BPV Setting: 34.81 (240) End 1 ID: 2.60 (66)</p> | <p>HF7920</p>  | <p>HITACHI 315041</p> | <p>HF7932</p>  | <p>YALE & TOWNE 913395400</p> <p>Overall Height: 7.25 (184) Overall OD: 1.86 (47) End 1 ID: 0.83 (21)</p> |

E. PRODUCT GUIDE

HF7935 HITACHI 4205684




Overall Height: 6.89 (175)
Largest OD: 5.28 (134)
Thread Size: M48 x P2.0

HF7936 TOWMOTOR 917336



Overall Height: 7.18 (182)
Largest OD: 3.69 (94)
Thread Size: 1 1/8-16 UNS-2B

HF7939 YALE & TOWNE 900934302



Overall Height: 4.09 (104)
Overall OD: 1.85 (47)
End 1 ID: 0.79 (20)

HF7946 VOITH 9043311



Overall Height: 7.00 (178)
Largest OD: 5.50 (140)
BPV Setting: 22.02 (152)
Thread Size: 1 1/2-16 UN-2B

HF7947 HYDAC MF1601 Use HF6177 for the EMEA



Overall Height: 7.02 (178)
Largest OD: 4.70 (119)
Thread Size: 1 1/4-11 BSP-2B

HF7948 PARKER 10188102



Overall Height: 5.87 (149)
Largest OD: 3.69 (94)
Thread Size: M24 X 2-6H INT

HF7949 PARKER E01034, DONALDSON P551246



Gasket: 3836569, 3845054
Overall Height: 9.59 (244)
Largest OD: 5.39 (137)
Thread Size: M42 X 2-6H INT

HF7950 PARKER E01034



Gasket: 3836569, 3845105
Overall Height: 9.59 (244)
Largest OD: 5.39 (137)
BPV Setting: 4.06 (28)
Thread Size: M42 X 2-6H INT

HF7951 PARKER E00971



Gasket: 3836569, 3845054
Overall Height: 6.54 (166)
Largest OD: 5.39 (137)
Thread Size: M42 X 2-6H INT

HF7952 PARKER E01035



Gasket: 3836569, 3845054
Overall Height: 3.96 (100)
Largest OD: 5.39 (137)
Thread Size: M42 X 2-6H INT

HF7953 HITACHI 4206705



Overall Height: 17.75 (451)
Overall OD: 5.91 (150)
End 1 ID: 4.33 (110)

HF7954 HITACHI 4207841




Overall Height: 5.90 (150)
Overall OD: 2.06 (52)
End 1 ID: 0.83 (21)

HF7955 KOBELCO 2446U141S2



Overall Height: 5.24 (133)
Largest OD: 3.82 (97)
Thread Size: 1 1/8-16 UNF-2B

HF7956 KOBELCO R36P0019




Overall Height: 3.44 (87)
Overall OD: 1.67 (42)
End 1 ID: 0.90 (23)

HF7957 FAIREY ARLON TXW10CC10 Synthetic Media Version of HF6272




Overall Height: 12.99 (330)
Overall OD: 7.99 (203)
End 1 ID: 0.51 (13)
End 2 ID: 6.18 (157)

HF7958 FAIREY ARLON TXW8BCC10 Synthetic Media Version of HF6310




Overall Height: 15.35 (390)
Overall OD: 4.96 (126)
End 1 ID: 0.35 (9)
End 2 ID: 3.62 (92)

HF7959 FAIREY ARLON TXW4CC10 Synthetic Media Version of HF6308




Overall Height: 7.48 (190)
Overall OD: 4.17 (106)
End 1 ID: 0.35 (9)
End 2 ID: 2.84 (72)

HF7960 FAIREY ARLON TXW5CC10 Synthetic Media



Overall Height: 10.24 (260)
Overall OD: 4.17 (106)
End 1 ID: 0.35 (9)
End 2 ID: 2.84 (72)

HF7961 FAIREY ARLON TXW5ACC10 Upgrade of HF6309 Synthetic Media Version of HF6309




Overall Height: 18.31 (465)
Overall OD: 4.17 (106)
End 1 ID: 0.35 (9)
End 2 ID: 2.84 (72)

HF7962 FAIREY ARLON TXW6ACC10 Synthetic Media Version of HF6181




Overall Height: 8.27 (210)
Overall OD: 4.96 (126)
End 1 ID: 0.35 (9)
End 2 ID: 3.62 (92)

HF7964 FAIREY ARLON TXW8CC10 Synthetic Media Version of HF6311



Overall Height: 18.90 (480)
Overall OD: 4.96 (126)
End 1 ID: 0.35 (9)
End 2 ID: 3.62 (92)

HF7965 FAIREY ARLON TXW11CC10 Synthetic Media Version of HF6312




Overall Height: 17.32 (440)
Overall OD: 7.99 (203)
End 1 ID: 0.51 (13)
End 2 ID: 6.18 (157)

HF7966 FAIREY ARLON TXW12CC10 Synthetic Media Version of HF6313



Overall Height: 21.46 (545)
Overall OD: 7.99 (203)
End 1 ID: 0.51 (13)
End 2 ID: 6.18 (157)

HF7967 FAIREY ARLON TXW13CC10 Synthetic Media Version of HF6314



Overall Height: 32.48 (825)
Overall OD: 7.99 (203)
End 1 ID: 0.51 (13)
End 2 ID: 6.18 (157)

HF7968 MANN & HUMMEL WD950




Overall Height: 6.87 (175)
Largest OD: 3.68 (94)
BPV Setting: 36.26 (250)
Thread Size: 1-12 UNF-2B

E. PRODUCT GUIDE

| | | |
|---|--|---|
| HF7971  SEPARATION TECHNOLOGIES ST5811 Overall Height: 11.29 (287) Largest OD: 4.70 (119) Thread Size: 1 1/4-11 BSP-2B | HF7988  WABCO VS7413, DONALDSON P163448 Overall Height: 9.00 (229) Overall OD: 5.07 (129) End 1 ID: 3.34 (85) | HF8023  SCHROEDER KM60 Overall Height: 9.23 (234) Overall OD: 3.91 (99) End 1 ID: 1.61 (41) |
| HF7973  MP FILTRI CS150P25A Overall Height: 11.29 (287) Largest OD: 4.70 (119) Thread Size: 1 1/4-11 BSP-2B | HF7989  JOHN DEERE AT162766 Overall Height: 17.88 (454) Overall OD: 5.91 (150) End 1 ID: 4.33 (110) | HF8024  SEPARATION TECHNOLOGIES 818BMS99CB Overall Height: 9.23 (234) Overall OD: 3.91 (99) End 1 ID: 1.61 (41) |
| HF7980  UCC HYDRAULICS MXR9550 Filter used with 3904380 Upgrade of HF6177 Microglass version Overall Height: 7.09 (180) Largest OD: 5.04 (128) Thread Size: 1 1/4 BSP | HF7990  KUBOTA 6813162130, HITACHI 4294128 Overall Height: 5.95 (151) Largest OD: 3.82 (97) Thread Size: 1 1/8-16 UN-2B | HF8081  HYDAC 110D025W Overall Height: 6.02 (153) Overall OD: 1.86 (47) End 1 ID: 0.87 (22) |
| HF7981  NOREMAT 121706, MANITOU 21967, SOFRALUB 50715 Overall Height: 10.04 (255) Overall OD: 2.76 (70) BPV Setting: 36.26 (250) End 1 ID: 1.61 (41) | HF7991  FAIREY ARLON TXW8CCC25 Overall Height: 18.90 (480) Overall OD: 4.96 (126) End 1 ID: 0.35 (9) End 2 ID: 3.62 (92) | HF8084  MASSEY-FERGUSON 3386701M1 Overall Height: 10.20 (259) Largest OD: 5.39 (137) BPV Setting: 4.06 (28) Thread Size: M42 X 2-6H INT |
| HF7983  UCC HYDRAULICS MXR8550 Upgrade of HF6173 Synthetic Media Version Overall Height: 5.84 (148) Largest OD: 3.86 (98) Thread Size: 3/4 BSP | HF7992  J.C.B. 58106301 Overall Height: 11.81 (300) Overall OD: 2.84 (72) End 1 ID: 0.28 (7) End 2 ID: 1.75 (45) | HF8123  SEPARATION TECHNOLOGIES 818BMS98CB Overall Height: 9.22 (234) Overall OD: 3.91 (99) End 1 ID: 1.61 (41) End 2 ID: 1.61 (41) |
| HF7984  MANITOU 23091, SOFRALUB 50709 Overall Height: 6.10 (155) Overall OD: 2.76 (70) BPV Setting: 36.26 (250) End 1 ID: 1.61 (41) | HF7996  GRESEN K23018 Gasket: 3314250 ¹⁰ , 3929251 Overall Height: 6.71 (170) Largest OD: 5.08 (129) Thread Size: 1 1/2-16 UN-2B | HF8140  MOHAWK MFG. 5322412002 Overall Height: 5.06 (129) Overall OD: 3.99 (101) End 1 ID: 1.31 (33) End 2 ID: 1.10 (28) |
| HF7985  HYDRECO 918X2K, HYDRECO PG918X2K Overall Height: 10.59 (269) Overall OD: 4.03 (102) End 1 ID: 1.56 (40) Thread Size: 1 7/8-12 UN-2A | HF7997  CASE K920522 Overall Height: 3.50 (89) Overall OD: 6.04 (153) End 1 ID: 1.65 (42) End 2 ID: 2.11 (54) | HF8144  Case 265;1120;1130; 1140 Tractors Overall Height: 5.67 (144) Largest OD: 3.69 (94) Thread Size: 1 1/8-16 UN-2B |
| HF7987  CASE 93413C1 Overall Height: 3.00 (76) Overall OD: 5.10 (130) End 1 ID: 2.75 (70) | HF7999  ZF 750131003, VOLVO 11932811, RENAULT 5000807213 Uses service part: 3916708S Gasket: 3328501, 3328502 Overall Height: 4.13 (105) Overall OD: 2.76 (70) End 1 ID: 1.30 (33) | HF8179  Various applications Overall Height: 11.43 (290) Overall OD: 2.58 (66) End 1 ID: 1.42 (36) |
| | | HF28202  SEPARATION TECHNOLOGIES ST6641489BC Overall Height: 9.73 (247) Largest OD: 3.80 (97) Thread Size: 1 1/2-16 UN-2B |

E. PRODUCT GUIDE

HF28658 PARKER PR3309



Overall Height: 7.60 (193)
Overall OD: 3.72 (94)
End 1 ID: 1.91 (49)


HF28660 PARKER PR3324

Overall Height: 12.97 (330)
Overall OD: 4.49 (114)
End 1 ID: 2.69 (68)

HF28662 HYDAC 950R025W

Overall Height: 14.27 (362)
Overall OD: 4.90 (124)
End 1 ID: 3.78 (96)

HF28667 PARKER PR3327




Overall Height: 12.99 (330)
Overall OD: 4.49 (114)
End 1 ID: 2.69 (68)

HF28683 Various applications


Largest OD: 3.20 (81)

HF28690 UCC HYDRAULICS UCSE1319



Overall Height: 4.06 (103)
Overall OD: 1.73 (44)
Thread Size: 1/2 BSP

HF28691 SEPARATION TECHNOLOGIES STH708215



Overall Height: 4.33 (110)
Overall OD: 1.98 (50)
End 1 ID: 0.92 (23)

HF28721 HYDAC 950R010BNHC

Overall Height: 14.30 (363)
Overall OD: 5.63 (143)
End 1 ID: 3.78 (96)

HF28731 ZINGA ZAE25LP, JOHN DEERE AT182209, JOHN DEERE AT193114, TIMBERJACK AT193114 Filter used with HH33000



Overall Height: 8.14 (207)
Largest OD: 3.72 (94)
Thread Size: 1-12 UNF-2B

HF28751 VICKERS V0191B1R03




Overall Height: 5.75 (146)
Largest OD: 3.72 (94)
Thread Size: 1 1/8-16 UN-2B

HF28752 PALL HC7500SKZ8H



Gasket: 3929251
Overall Height: 10.71 (272)
Largest OD: 5.08 (129)
Thread Size: 1 1/2-16 UN-2B

HF28753 VICKERS V0191B2R05 Upgrade of HF28766



Overall Height: 8.07 (205)
Largest OD: 3.72 (94)
Thread Size: 1 1/8-16 UN-2B

HF28755 MP FILTRI F008



HF28756 CASE 1992395C1



Overall Height: 5.07 (129)
Largest OD: 3.69 (94)
Thread Size: 1 1/8-16 UN-2B

HF28761 PARKER 932630Q

Overall Height: 9.25 (235)
Overall OD: 2.44 (62)
End 1 ID: 1.46 (37)

HF28762 PARKER 924464

Overall Height: 9.50 (241)
Overall OD: 4.25 (108)
End 1 ID: 3.13 (79)

HF28764 PARKER 932629Q


Overall Height: 9.25 (235)
Overall OD: 2.44 (62)
End 1 ID: 1.46 (37)

HF28766 PURO TEC V0191B2R03, VICKERS V0191B2R03 For Upgrade, use HF28753




Overall Height: 8.07 (205)
Largest OD: 3.72 (94)
Thread Size: 1 1/8-16 UN-2B

HF28767 VICKERS V0191B2R10, PURO TEC V0191B2R10, SEPARATION TECHNOLOGIES 8S62BGKB08



Overall Height: 8.07 (205)
Largest OD: 3.72 (94)
Thread Size: 1 1/8-16 UN-2B

HF28778 FACET 1746925




HF28783 DENSO 3267012620




Overall Height: 3.50 (89)
Largest OD: 3.05 (77)
BPV Setting: 29.00 (200)
Thread Size: 3/4-16 UNF-2B

HF28793 CASE C2950511



Overall Height: 15.08 (383)
Overall OD: 2.87 (73)
BPV Setting: 87.02 (600)
End 1 ID: 1.31 (33)

HF28794 ARGO P2092301




Overall Height: 8.98 (228)
Overall OD: 3.27 (83)
End 1 ID: 1.97 (50)

HF28795 ARGO P2113321



Overall Height: 12.91 (328)
Overall OD: 4.33 (110)
End 1 ID: 2.84 (72)

HF28796 ARGO P3062051




Overall Height: 7.84 (199)
Overall OD: 2.32 (59)
BPV Setting: 25.38 (175)
End 1 ID: 1.06 (27)

HF28802 ARGO P3071301






Overall Height: 5.28 (134)
Overall OD: 2.76 (70)
End 1 ID: 1.02 (26)

HF28803 VOLVO CONSTRUCTION EQUIPMENT 11026932




Overall Height: 11.42 (290)
Overall OD: 4.96 (126)
End 1 ID: 0.35 (9)
End 2 ID: 3.62 (92)

E. PRODUCT GUIDE

| | | |
|--|---|--|
| HF28804  VOLVO CONSTRUCTION EQUIPMENT 11026934 Overall Height: 11.42 (290) Overall OD: 4.96 (126) End 1 ID: 0.35 (9) End 2 ID: 3.62 (92) | HF28813  RENAULT D.M.A. 6005003243 Overall Height: 8.19 (208) Overall OD: 1.99 (51) End 1 ID: 0.92 (23) | HF28850  HYUNDAI 31E90126 Overall Height: 5.19 (132) Largest OD: 3.73 (95) Thread Size: 1 1/8-16 UN-2B |
| HF28805  VOLVO CONSTRUCTION EQUIPMENT 11026936 Overall Height: 15.35 (390) Overall OD: 4.96 (126) End 1 ID: 0.35 (9) End 2 ID: 3.62 (92) | HF28816  ZETTELMEYER 2289977 Replaces ST1205 Overall Height: 8.90 (226) Overall OD: 2.76 (70) BPV Setting: 36.26 (250) End 1 ID: 1.63 (42) | HF28853  MANITOU 189195 Overall Height: 4.92 (125) Largest OD: 3.05 (78) BPV Setting: 23.21 (160) Thread Size: 13/16-16 UN-2B |
| HF28806  RENAULT V.I. 5010197266 Overall Height: 8.31 (211) Largest OD: 3.68 (94) ADBV: Yes BPV Setting: 36.26 (250) Thread Size: 1-12 UNF-2B | HF28818  MANN & HUMMEL WD9505 Overall Height: 6.87 (175) Largest OD: 3.68 (94) BPV Setting: 36.26 (250) Thread Size: 1-12 UNF-2B | HF28856  CASE 502689791 Overall Height: 7.00 (178) Overall OD: 4.52 (115) End 1 ID: 1.80 (46) |
| HF28808  JOHN DEERE RT6005003244 Overall Height: 4.57 (116) Overall OD: 1.99 (51) End 1 ID: 0.92 (23) | HF28833  FIATAGRI 1930986 Overall Height: 7.15 (182) Largest OD: 4.33 (110) BPV Setting: 10.15 (70) Thread Size: M40 X 2-6H INT | HF28857  CLARK 247052 Overall Height: 6.87 (175) Largest OD: 3.68 (94) BPV Setting: 36.26 (250) Thread Size: 2-16 UN-2B |
| HF28809  ARGO V3093308 Overall Height: 13.11 (333) Overall OD: 3.54 (90) End 1 ID: 1.54 (39) | HF28834  VME (VOLVO BM/MICH./EUCLID) 14268262 Overall Height: 10.04 (255) Overall OD: 3.60 (92) End 1 ID: 1.97 (50) | HF28858  ARGO P2093301 Overall Height: 12.95 (329) Overall OD: 3.50 (89) End 1 ID: 1.97 (50) |
| HF28810  NEW HOLLAND 86539970 Overall Height: 6.72 (171) Largest OD: 5.08 (129) Thread Size: 1 1/2-16 UN-2B | HF28835  HITACHI 4294130 Gasket: 3905774 Overall Height: 1.99 (51) Overall OD: 1.65 (42) End 1 ID: 0.83 (21) | HF28859  KHD(KLOCKNER-HUMBOLDT-DEUTZ) 4411051 Overall Height: 5.61 (143) Largest OD: 3.68 (94) BPV Setting: 36.26 (250) Thread Size: 3/4-16 UNF-2B |
| HF28811  MASSEY-FERGUSON 3619594M1 Overall Height: 6.30 (160) Overall OD: 1.99 (51) End 1 ID: 0.92 (23) | HF28836  FIAT HITACHI 4294135 Gasket: 3905774 Overall Height: 3.45 (88) Overall OD: 1.65 (42) End 1 ID: 0.83 (21) | HF28860  HSW-HUTA STALOWA WOLA-POLAND 25G90160 Overall Height: 6.22 (158) Overall OD: 3.54 (90) End 1 ID: 1.40 (36) |
| HF28812  MASSEY-FERGUSON 3595175M1 Overall Height: 5.75 (146) Largest OD: 3.98 (101) Thread Size: M24 X 2-6H INT | HF28848  LIEBHERR 7366869 Overall Height: 32.91 (836) Overall OD: 5.98 (152) End 1 ID: 3.47 (88) End 2 ID: 1.87 (48) | HF28864  KHD(KLOCKNER-HUMBOLDT-DEUTZ) 4417454 Overall Height: 8.98 (228) Overall OD: 3.94 (100) End 1 ID: 2.32 (59) |


E. PRODUCT GUIDE

HF28866 FBO CR506 The height includes a spring of 65mm



Gasket: 3326042
 Overall Height: 5.59 (142)
 Overall OD: 2.76 (70)
 BPV Setting: 33.36 (230)
 End 1 ID: 1.14 (29)

HF28868 FBO CR1256 The height includes a spring of 81mm




Gasket: 3326043
 Overall Height: 9.92 (252)
 Overall OD: 3.74 (95)
 BPV Setting: 30.46 (210)
 End 1 ID: 1.61 (41)

HF28869 FBO CR1806 The height includes a spring of 81mm




Gasket: 3326043
 Overall Height: 11.50 (292)
 Overall OD: 3.74 (95)
 BPV Setting: 34.81 (240)
 End 1 ID: 1.61 (41)

HF28870 FBO CR2206 The height includes a spring of 115 mm




Gasket: 3326040
 Overall Height: 10.00 (254)
 Overall OD: 5.51 (140)
 BPV Setting: 34.81 (240)
 End 1 ID: 2.58 (66)

HF28871 FBO CR2506 The height includes a spring of 110 mm



Gasket: 3326044
 Overall Height: 10.00 (254)
 Overall OD: 5.51 (140)
 BPV Setting: 36.26 (250)
 End 1 ID: 2.01 (51)

HF28872 FBO CR3256 The height includes a spring of 110 mm




Gasket: 3326044
 Overall Height: 12.36 (314)
 Overall OD: 5.51 (140)
 BPV Setting: 34.81 (240)
 End 1 ID: 2.01 (51)

HF28873 FBO CR3306 The height includes a spring of 110 mm



Gasket: 3326040
 Overall Height: 12.36 (314)
 Overall OD: 5.51 (140)
 BPV Setting: 37.71 (260)
 End 1 ID: 2.58 (66)

HF28874 FBO CR5006 The height includes a spring of 110 mm




Gasket: 3326040
 Overall Height: 12.36 (314)
 Overall OD: 5.51 (140)
 BPV Setting: 39.16 (270)
 End 1 ID: 2.58 (66)

HF28879 HITACHI 4185299




Overall Height: 12.01 (305)
 Overall OD: 5.51 (140)
 End 1 ID: 1.16 (29)
 End 2 ID: 0.79 (20)

HF28880 KOMATSU 2093812470



Overall Height: 3.46 (88)
 Overall OD: 1.65 (42)
 End 1 ID: 0.91 (23)

HF28881 NEW HOLLAND 81869132



Overall Height: 8.32 (211)
 Largest OD: 3.82 (97)
 BPV Setting: 14.50 (100)
 Thread Size: 1 1/8-16UNF-2B

HF28885 NEW HOLLAND 82005016
 NEW HOLLAND 81865736



Overall Height: 9.35 (238)
 Largest OD: 5.39 (137)
 BPV Setting: 15.95 (110)
 Thread Size: 1 3/4-16

HF28891 CASE A167726, CASE A176593



Overall Height: 7.18 (182)
 End 1 OD: 4.55 (116)
 End 2 OD: 4.53 (115)
 End 1 ID: 0.52 (13)

HF28892 GEHL L99440



Overall Height: 6.05 (154)
 Largest OD: 3.95 (100)
 Thread Size: 1 3/8-12 UNF-2B

HF28893 KOMATSU 1136023160



Overall Height: 8.50 (216)
 Largest OD: 4.33 (110)

HF28894 KOMATSU 21N6012210




Overall Height: 11.50 (292)
 Overall OD: 5.00 (127)
 End 1 ID: 1.75 (44)

HF28895 FIAT HITACHI 4034435



Overall Height: 4.88 (124)
 End 1 OD: 5.75 (146)
 End 2 OD: 5.63 (143)
 End 1 ID: 1.50 (38)

HF28900 CATERPILLAR 1R0746



Overall Height: 5.62 (143)
 Overall OD: 2.88 (73)
 End 1 ID: 1.06 (27)

HF28904 LEACH 100057



Overall Height: 11.94 (303)
 Overall OD: 3.94 (100)
 End 1 ID: 1.38 (35)

HF28905 LEACH 101348




Overall Height: 3.88 (98)
 Overall OD: 3.50 (89)
 End 1 ID: 1.50 (38)

HF28906 LEACH 100696



Length: 7.00 (178)
 Width: 4.00 (102)

HF28907 LEACH 107408




Overall Height: 9.06 (230)
 Overall OD: 3.63 (92)
 End 1 ID: 1.75 (44)

HF28909 HITACHI 4325820



Overall Height: 17.68 (449)
 Overall OD: 5.91 (150)
 End 1 ID: 4.33 (110)

HF28910 HITACHI 4333469















Overall Height: 17.68 (449)
 Overall OD: 7.01 (178)
 End 1 ID: 4.23 (107)

HF28911 MUSTANG MFG. CO. 17034895



Overall Height: 9.50 (241)
 Largest OD: 3.95 (100)
 Thread Size: 1 1/2-16 UN-2B

E. PRODUCT GUIDE

| | | |
|---|--|--|
| HF28912  FIATAGRI 1909143 Overall Height: 3.96 (101) End 1 OD: 1.87 (48) End 2 OD: 1.77 (45) End 2 ID: 0.98 (25) | HF28922  GMC 6436232, AC PF16, CASE 1276810C1 Overall Height: 5.85 (149) Largest OD: 3.69 (94) Thread Size: 1-12 UNF-2B | HF28932  JOHN DEERE AT186554 Gasket: 3913068S ¹⁰ Overall Height: 6.00 (152) Overall OD: 1.98 (50) End 1 ID: 0.92 (23) |
| HF28913  YANMAR 17214173760 Overall Height: 7.05 (179) Overall OD: 3.50 (89) End 1 ID: 2.36 (60) | HF28925  HITACHI 4210224 Overall Height: 5.19 (132) Overall OD: 5.88 (149) End 1 ID: 3.50 (89) Thread Size: M10 X 1.5-6H INT | HF28934  SAME 244193200 Overall Height: 10.26 (261) Largest OD: 4.25 (108) Thread Size: M40 X 2-6H INT |
| HF28914  FIATAGRI 1930882 Overall Height: 8.74 (222) Overall OD: 4.02 (102) End 1 ID: 1.63 (42) | HF28926  KOMATSU 20Y6021470 Overall Height: 0.89 (23) Overall OD: 1.87 (48) End 1 ID: 1.36 (35) | HF28935  SAME 244193500 Overall Height: 7.34 (187) Largest OD: 4.25 (108) Thread Size: M40 X 2-6H INT |
| HF28915  FIAT HITACHI 76028203 Overall Height: 3.37 (86) Overall OD: 2.13 (54) End 1 ID: 1.04 (27) | HF28927  HITACHI 3035092 Overall Height: 8.50 (216) Overall OD: 7.88 (200) End 1 ID: 4.88 (124) End 2 ID: 4.50 (114) | HF28937  ALLISON 29509723 (HF28943 Kit contains 2-HF28937 plus gasket kit to service Allison Transmission) Overall Height: 5.94 (151) Overall OD: 3.00 (76) End 1 ID: 1.53 (39) |
| HF28916  CASE 150794A1 Overall Height: 5.07 (129) Largest OD: 3.69 (94) Thread Size: 1 1/8-16 UN-2B | HF28928  KOMATSU 2856217320 Overall Height: 2.00 (51) Overall OD: 2.00 (51) End 1 ID: 1.50 (38) | HF28938  CATERPILLAR 4I3948 Overall Height: 5.52 (140) Largest OD: 3.13 (80) Thread Size: 2-12 UN-2B |
| HF28917  SCANIA 1381235 Overall Height: 4.20 (107) Overall OD: 3.31 (84) End 1 ID: 0.79 (20) | HF28929  CASE 1329214C1 Gasket: 332418 Overall Height: 10.71 (272) Largest OD: 5.08 (129) Thread Size: 1 1/2-16 UN-2B | HF28939  CASE K210049 Overall Height: 4.63 (118) End 1 OD: 3.12 (79) End 2 OD: 3.11 (79) End 2 ID: 1.67 (42) |
| HF28918  ZETOR 53420903 Overall Height: 8.98 (228) Largest OD: 5.04 (128) BPV Setting: 5.80 (40) Thread Size: 1 1/4 BSP | HF28930  HITACHI 4317008 Overall Height: 6.25 (159) Overall OD: 7.88 (200) End 1 ID: 4.88 (124) End 2 ID: 4.50 (114) | HF28943  ALLISON 29526898 Kit contains two elements and gasket package to service transmission. (Filter element part number sold separately: HF28937 and gasket package 99274K) Overall Height: 5.94 (151) Overall OD: 3.00 (76) End 1 ID: 1.53 (39) End 2 ID: 1.65 (42) |
| HF28919  MASSEY-FERGUSON 3619712M1 Overall Height: 6.79 (173) Largest OD: 5.35 (136) Thread Size: M45 X 2-6H INT | HF28931  HITACHI 4190987 Overall Height: 3.50 (89) Overall OD: 5.94 (151) End 1 ID: 2.94 (75) | HF28945  YANMAR 17263873730 Overall Height: 3.92 (100) Largest OD: 3.15 (80) Thread Size: 3/4-16 UNF-2B |
| HF28921  JOHN DEERE AT38431 Overall Height: 5.85 (149) Largest OD: 3.75 (95) Thread Size: 1-12 UNF-2B | | |

E. PRODUCT GUIDE

HF28946 KUBOTA 68651-62120



Overall Height: 7.80 (198)
Overall OD: 3.54 (90)
BPV Setting: 29.01 (200)
Thread Size: 1

HF28976 VICKERS V0191B2R20, PURO TEC V0191B2R20



Overall Height: 8.07 (205)
Largest OD: 3.72 (94)
Thread Size: 1 1/8-16 UN-2B

HF28992 DONALDSON P171298, KAWASAKI 3098170080




Overall Height: 9.44 (240)
Largest OD: 3.81 (97)
Thread Size: 13/8-12 UNF-2B

HF28948 J.C.B. 32913500




Overall Height: 8.96 (228)
Overall OD: 2.36 (60)
BPV Setting: 43.51 (300)
End 1 ID: 1.29 (33)
End 2 ID: 0.77 (20)

HF28977 KOMATSU 706351100
Upgrade of HF6101



Overall Height: 11.50 (292)
Overall OD: 5.10 (130)
End 1 ID: 3.35 (85)

HF28993 CATERPILLAR 4I3950




Overall Height: 9.52 (242)
Largest OD: 3.13 (80)
Thread Size: 2-12UN-2B

HF28949 CASE R51643




Overall Height: 9.00 (229)
Overall OD: 4.52 (115)
End 1 ID: 0.53 (13)
End 2 ID: 2.25 (57)

HF28978 KOMATSU 706351210
Upgrade of HF6319



Overall Height: 17.87 (454)
Overall OD: 5.91 (150)
End 1 ID: 4.33 (110)

HF28994 DONALDSON P173521, BALDWIN BT8871MPG




Overall Height: 11.63 (295)
Largest OD: 4.77 (121)
Thread Size: 1 3/4-12 UN-2B

HF28951 TOYOTA 675023288171



Overall Height: 7.45 (189)
Largest OD: 3.91 (99)
Thread Size: 1 X 11 BSP

HF28979 KOMATSU 706351054
Upgrade of HF6354




Overall Height: 8.26 (210)
Overall OD: 3.94 (100)
End 1 ID: 2.33 (59)

HF28996 CLARK 4202525




Overall Height: 5.97 (152)
Largest OD: 3.82 (97)
Thread Size: 2-16 UN 2B

HF28952 RYCO R14




Overall Height: 5.19 (132)
Largest OD: 3.80 (97)
Thread Size: 1 X 11 BSP

HF28980 KOMATSU 706351017
Upgrade of HF6090



Overall Height: 5.65 (144)
Overall OD: 2.52 (64)
End 1 ID: 1.00 (25)

HF28997 SCHROEDER KKS7




Overall Height: 18.19 (462)
Overall OD: 3.89 (99)
End 1 ID: 1.81 (46)

HF28961 CASE 1976934C3, CASE 1976934C5, CASE 1976934C4 Uses service part: 3916150S




Overall Height: 7.87 (200)
Largest OD: 5.08 (129)
Thread Size: 1 1/2-16 UN-2B

HF28982 DOMANGE FD45P10




Overall Height: 8.86 (225)
Overall OD: 3.62 (92)
End 1 ID: 0.45 (12)
End 2 ID: 2.52 (64)

HF28999 NELSON A70919A



Overall Height: 9.62 (244)
Overall OD: 3.00 (76)
End 1 ID: 1.53 (39)
End 2 ID: 1.65 (42)

HF28974 SEPARATION TECHNOLOGIES 8SV1BGPB14



Overall Height: 14.49 (368)
Overall OD: 6.00 (152)
End 1 ID: 3.50 (89)

HF28988 TOYOTA 675012332071




Overall Height: 3.90 (99)
Largest OD: 3.21 (81)
Thread Size: 34MM 2.5 THRD. PITCH

HF29000 NEW HOLLAND 86016760



Overall Height: 7.66 (195)
Largest OD: 5.24 (133)
Thread Size: M90 X 2-7H INT

HF28975 KOMATSU 706351142
Upgrade of HF6356




Overall Height: 11.81 (300)
Overall OD: 5.91 (150)
End 1 ID: 4.33 (110)

HF28989 BOMAG 5821213LINDE 9830615 BOMAG 05821213




Overall Height: 6.87 (175)
Largest OD: 3.68 (94)
BPV Setting: 50.76 (350)
Thread Size: 1-12 UNF-2B

HF29031 JOHN DEERE AT189924



























Overall Height: 8.92 (227)
Largest OD: 5.24 (133)
Thread Size: M90 X 2-7H INT

HF28991 PECO PP6185




Overall Height: 18.00 (457)
Overall OD: 6.01 (153)
End 1 ID: 3.46 (88)

E. PRODUCT GUIDE

| | | |
|---|--|--|
| <p>HF29033 JOHN DEERE AT308274</p>  <p>Overall Height: 11.90 (302) Largest OD: 4.72 (120) Thread Size: M90 X 2-7H INT</p> | <p>HF30008 PALL HC7400SKN4H, SCHROEDER SBF74004Z5B, SEPARATION TECHNOLOGIES ES66CGEB06</p>  <p>Overall Height: 5.82 (148) Largest OD: 3.72 (94) Thread Size: 1 1/2-16 UN-2B</p> | <p>HF30027 PALL AC9999FKN12Z, PALL HC9020FKN4Z, PALL HC9020FDN4Z</p>  <p>Overall Height: 4.47 (114) End 1 OD: 1.78 (45) End 2 OD: 1.75 (44) End 2 ID: 0.98 (25)</p> |
| <p>HF29034 JOHN DEERE AT228474</p>  <p>Overall Height: 11.90 (302) Largest OD: 5.24 (133) Thread Size: M90 X 2-7H INT</p> | <p>HF30009 PALL HC7400SKN8H, SCHROEDER SBF74008Z5B, SEPARATION TECHNOLOGIES ES66CGEB08</p>  <p>Gasket: 3830110¹⁰ Overall Height: 8.02 (204) Largest OD: 3.72 (94) Thread Size: 1 1/2-16 UN-2B</p> | <p>HF30028 PALL HC9020FDN4H, PALL HC9020FKN4H Upgrade of HF7041</p>  <p>Gasket: 3913044 (1) Overall Height: 4.47 (114) End 1 OD: 1.78 (45) End 2 OD: 1.75 (44) End 2 ID: 0.98 (25)</p> |
| <p>HF29035 JOHN DEERE AT305049</p>  <p>Overall Height: 8.92 (227) Largest OD: 4.72 (120) Thread Size: M90 X 2-7H INT</p> | <p>HF30013 PUROLATOR 3849302</p>  <p>Overall Height: 3.46 (88) Overall OD: 1.62 (41) End 1 ID: 0.86 (22)</p> | <p>HF30033 PALL HC2216FKN4H</p>  <p>Overall Height: 4.53 (115) Overall OD: 2.74 (70) End 1 ID: 1.34 (34)</p> |
| <p>HF30000 SEPARATION TECHNOLOGIES 3960SGCB04</p>  <p>Overall Height: 4.61 (117) Overall OD: 3.15 (80) End 1 ID: 1.66 (42)</p> | <p>HF30014 PALL HC7400SKS4H, SCHROEDER SBF74004Z10B</p>  <p>Overall Height: 5.82 (148) Largest OD: 3.72 (94) Thread Size: 1 1/2-16 UN-2B</p> | <p>HF30036 PALL HC9600FDN4H, PALL HC9600FKN4H Upgrade of HF7065</p>  <p>Overall Height: 4.60 (117) End 1 OD: 3.12 (79) End 2 OD: 3.11 (79) End 2 ID: 1.67 (42)</p> |
| <p>HF30002 SEPARATION TECHNOLOGIES 3960SGCB08</p>  <p>Overall Height: 8.21 (209) Overall OD: 3.15 (80) End 1 ID: 1.66 (42)</p> | <p>HF30016 PARKER PR3032</p>  <p>Overall Height: 3.71 (94) Overall OD: 1.36 (35) End 1 ID: 0.49 (12)</p> | <p>HF30042 PALL HC2206FKN6H</p>  <p>Overall Height: 6.02 (153) End 1 OD: 1.86 (47) End 2 OD: 1.88 (48) End 1 ID: 0.87 (22)</p> |
| <p>HF30003 MP FILTRI 6011022</p>  <p>Overall Height: 8.21 (209) Overall OD: 3.15 (80) End 1 ID: 1.66 (42)</p> | <p>HF30021 PALL HC9800FKN4Z</p>  <p>Overall Height: 4.44 (113) Overall OD: 1.98 (50) End 1 ID: 0.92 (23)</p> | <p>HF30047 HYDAC 240D005BHHC</p>  <p>Overall Height: 6.81 (173) End 1 OD: 2.74 (70) End 2 OD: 2.73 (69) End 2 ID: 1.34 (34)</p> |
| <p>HF30004 SEPARATION TECHNOLOGIES 3960SGCB13</p>  <p>Overall Height: 12.99 (330) Overall OD: 3.15 (80) End 1 ID: 1.66 (42)</p> | <p>HF30022 PALL HC9800FDN4H, PALL HC9800FKN4H Upgrade of HF7101</p>  <p>Overall Height: 4.44 (113) Overall OD: 1.98 (50) End 1 ID: 0.92 (23)</p> | <p>HF30054 HYDAC 330D010BNHC</p>  <p>Overall Height: 6.47 (164) End 1 OD: 3.59 (91) End 2 OD: 3.58 (91) End 1 ID: 1.89 (48)</p> |
| <p>HF30006 SEPARATION TECHNOLOGIES 3960SGCB16</p>  <p>Overall Height: 16.93 (430) Overall OD: 3.15 (80) End 1 ID: 1.66 (42)</p> | <p>HF30024 PALL HC7400SKS8H, SCHROEDER SBF74008Z10B</p>  <p>Overall Height: 8.02 (204) Largest OD: 3.72 (94) Thread Size: 1 1/2-16 UN-2B</p> | <p>HF30062 PALL HC9020FDN8H, PALL HC9020FKN8H, HY-PRO HP20L812M Upgrade of HF7045</p>  <p>Gasket: 3913044 (1) Overall Height: 8.08 (205) End 1 OD: 1.78 (45) End 2 OD: 1.75 (44) End 2 ID: 0.98 (25)</p> |


E. PRODUCT GUIDE

HF30063 PALL HC9020FKN8Z




Overall Height: 8.08 (205)
 End 1 OD: 1.75 (44)
 End 2 OD: 1.78 (45)
 End 2 ID: 0.98 (25)

HF30077 PALL MC8200FKN8H




Overall Height: 8.13 (207)
 End 1 OD: 3.25 (83)
 End 2 OD: 3.19 (81)
 End 1 ID: 1.49 (38)

HF30100 PALL HC2233FKN13H



Overall Height: 13.01 (330)
 Overall OD: 3.59 (91)
 End 1 ID: 1.89 (48)

HF30065 FAIREY ARLON 170L122A



Overall Height: 2.60 (66)
 Overall OD: 2.17 (55)
 End 1 ID: 0.72 (18)

HF30078 PALL HC8200FKN8Z, ALLISON 29510918



Overall Height: 8.13 (207)
 End 1 OD: 3.25 (83)
 End 2 OD: 3.19 (81)
 End 1 ID: 1.49 (38)

HF30103 PALL HC8200FKN16H


HF30067 PALL HC8800FDN8H, PALL HC8800FKN8H

Overall Height: 8.16 (207)
 Overall OD: 3.39 (86)
 End 1 ID: 1.93 (49)

HF30079 PALL HC6400FKN8H

Overall Height: 8.25 (210)
 End 1 OD: 3.41 (87)
 End 2 OD: 3.39 (86)
 End 1 ID: 1.95 (50)

HF30106 PALL HC6500FKN16H



Overall Height: 16.81 (427)
 End 1 OD: 3.80 (97)
 End 2 OD: 3.79 (96)
 End 1 ID: 2.21 (56)

HF30068 PALL HC8800FDN8Z

Overall Height: 8.16 (207)
 Overall OD: 3.39 (86)
 End 1 ID: 1.93 (49)


HF30081 PALL HC6300FKN8H

Overall Height: 8.25 (210)
 End 1 OD: 3.14 (80)
 End 2 OD: 3.12 (79)
 End 1 ID: 1.61 (41)

HF30107 PALL HC8300FKN16Z, PALL HC8300FDN16Z


Overall Height: 16.55 (420)
 Overall OD: 5.94 (151)
 End 1 ID: 4.11 (104)

HF30069 PALL HC8900FUN8Z



Overall Height: 8.22 (209)
 Overall OD: 3.79 (96)
 End 1 ID: 2.18 (55)

HF30083 PALL HC9600FKN8Z



Overall Height: 8.21 (209)
 End 1 OD: 3.12 (79)
 End 2 OD: 3.11 (79)
 End 2 ID: 1.67 (42)

HF30108 PALL HC8300FDN16H, PALL HC8300FKN16H, INTERNORMEN 583006VG10PB16 Upgrade of HF7005



Overall Height: 16.55 (420)
 Overall OD: 5.94 (151)
 End 1 ID: 4.11 (104)

HF30071 PALL HC9800FDN8H, PALL HC9800FKN8H Upgrade of HF7105




Overall Height: 8.21 (209)
 Overall OD: 1.98 (50)
 End 1 ID: 0.92 (23)

HF30084 SEPARATION TECHNOLOGIES 3960GGEB08 Upgrade of HF7069



Overall Height: 8.21 (209)
 End 1 OD: 3.12 (79)
 End 2 OD: 3.11 (79)
 End 2 ID: 1.67 (42)

HF30110 PALL HC6300FKN16H




Overall Height: 16.81 (427)
 End 1 OD: 3.14 (80)
 End 2 OD: 3.12 (79)
 End 1 ID: 1.61 (41)

HF30072 PALL HC9800FUN8Z


Overall Height: 8.21 (209)
 Overall OD: 1.98 (50)
 End 1 ID: 0.92 (23)

HF30085 PALL HC9650FKN8H Upgrade of HF7089



Overall Height: 8.36 (212)
 Overall OD: 3.10 (79)
 End 1 ID: 1.67 (42)

HF30112 PALL HC8800FKN16H, PALL MC8800FDN16H, PALL MC8800FKN16H Upgrade of HF7130



Overall Height: 16.89 (429)
 Overall OD: 3.39 (86)
 End 1 ID: 1.93 (49)

HF30073 PALL HC8500FKN8H




Overall Height: 8.06 (205)
 Overall OD: 3.78 (96)
 End 1 ID: 1.70 (43)

HF30089 PALL HC9700FKN9H

Overall Height: 9.22 (234)
 Overall OD: 3.91 (99)
 End 1 ID: 1.61 (41)

HF30114 PALL HC8900FKN16Z Upgrade of HF7520 Beta 200 at 6 microns



Overall Height: 16.84 (428)
 Overall OD: 3.79 (96)
 End 1 ID: 2.18 (55)


HF30074 PALL HC8500FKN8Z

Overall Height: 8.06 (205)
 Overall OD: 3.78 (96)
 End 1 ID: 1.70 (43)

HF30095 FAIREY ARLON 270Z221A, FAIREY ARLON 270L221A


Overall Height: 9.29 (236)
 Overall OD: 2.90 (74)
 End 1 ID: 1.27 (32)

HF30115 PALL HC8900FDN16H, PALL HC8900FKN16H



Overall Height: 16.84 (428)
 Overall OD: 3.79 (96)
 End 1 ID: 2.18 (55)

HF30075 PALL HC8700FKN8H



HF30098 FAIREY ARLON 370Z321A, FAIREY ARLON 370L321A


Overall Height: 12.66 (322)
 Overall OD: 3.70 (94)
 End 1 ID: 1.86 (47)

E. PRODUCT GUIDE

| | | |
|--|---|---|
| <p>HF30116 PALL HC9600FKN16H</p>  <p>Overall Height: 16.86 (428) End 1 OD: 3.12 (79) End 2 OD: 3.11 (79) End 2 ID: 1.67 (42)</p> | <p>HF30131 PALL HC9400FKN26H Upgrade of HF7057</p>  <p>Overall Height: 25.92 (658) Overall OD: 3.79 (96) End 1 ID: 2.18 (55)</p> | <p>HF30148 PALL HC8400FKN39Z</p> <p>Overall Height: 38.67 (982) Overall OD: 5.99 (152) End 1 ID: 3.23 (82)</p> |
| <p>HF30118 PALL HC9650FKN16H Upgrade of HF7093</p>  <p>Overall Height: 17.01 (432) Overall OD: 3.10 (79) End 1 ID: 1.67 (42)</p> | <p>HF30132 PALL HC9400FKN26Z</p> <p>Overall Height: 25.92 (658) Overall OD: 3.79 (96) End 1 ID: 2.18 (55)</p> | <p>HF30149 STAUFF SP250E05B</p> <p>Overall Height: 38.67 (982) Overall OD: 5.99 (152) End 1 ID: 3.23 (82)</p> |
| <p>HF30119 PALL HC9650FKN16Z</p> <p>Overall Height: 17.01 (432) Overall OD: 3.10 (79) End 1 ID: 1.67 (42)</p> | <p>HF30133 PALL HC8500FKN26Z</p> <p>Overall Height: 25.62 (651) Overall OD: 3.78 (96) End 1 ID: 1.67 (42)</p> | <p>HF30151 PALL HC8800FDN13Z, PALL HC8800FKN13Z</p>  <p>Overall Height: 12.97 (329) Overall OD: 3.39 (86) End 1 ID: 1.93 (49)</p> |
| <p>HF30121 SEPARATION TECHNOLOGIES 3970GGEB18</p>  <p>Overall Height: 18.43 (468) Overall OD: 3.91 (99) End 1 ID: 1.61 (41)</p> | <p>HF30134 PALL HC8500FDN26H, PALL HC8500FKN26H</p>  <p>Overall Height: 25.62 (651) Overall OD: 3.78 (96) End 1 ID: 1.67 (42)</p> | <p>HF30153 PALL HC8900FDN13H, PALL HC8900FKN13H</p>  <p>Overall Height: 12.96 (329) Overall OD: 3.79 (96) End 1 ID: 2.18 (55)</p> |
| <p>HF30123 PALL HC8400FKN26H Upgrade of HF7021</p>  <p>Overall Height: 25.62 (651) Overall OD: 5.98 (152) End 1 ID: 3.23 (82)</p> | <p>HF30135 PALL HC8900FKN26H</p> <p>Overall Height: 25.76 (654) Overall OD: 3.79 (96) End 1 ID: 2.18 (55)</p> | <p>HF30154 PALL HC8500FDN13H, PALL HC8500FKN13H Upgrade of HF7033</p>  <p>Overall Height: 12.80 (325) Overall OD: 3.78 (96) End 1 ID: 1.67 (42)</p> |
| <p>HF30124 PALL HC8400FKN26Z</p> <p>Overall Height: 25.62 (651) Overall OD: 5.98 (152) End 1 ID: 3.23 (82)</p> | <p>HF30136 PALL HC8400FKN26Z</p> <p>Overall Height: 25.76 (654) Overall OD: 3.79 (96) End 1 ID: 2.18 (55)</p> | <p>HF30156 Upgrade of HF7053</p>  <p>Overall Height: 12.12 (308) Overall OD: 3.79 (96) End 1 ID: 2.18 (55)</p> |
| <p>HF30125 PALL HC6500FKN26H</p>  <p>Overall Height: 25.81 (656) End 1 OD: 3.80 (97) End 2 OD: 3.79 (96) End 1 ID: 2.21 (56)</p> | <p>HF30137 PALL HC9700FKN27H</p> <p>Overall Height: 27.77 (705) Overall OD: 3.91 (99) End 1 ID: 1.61 (41)</p> | <p>HF30157 PALL HC9400FKN13Z</p> <p>Overall Height: 13.12 (333) Overall OD: 3.79 (96) End 1 ID: 2.18 (55)</p> |
| <p>HF30127 PALL HC6400FKN26H</p>  <p>Overall Height: 25.81 (656) End 1 OD: 3.41 (87) End 2 OD: 3.39 (86) End 1 ID: 1.95 (50)</p> | <p>HF30142 PALL HC8300FKN39Z</p> <p>Overall Height: 38.37 (975) Overall OD: 5.94 (151) End 1 ID: 4.11 (104)</p> | <p>HF30158 PALL HC9600FKN13H, NELSON 87798N</p>  <p>Overall Height: 12.94 (329) End 1 OD: 3.12 (79) End 2 OD: 3.11 (79) End 2 ID: 1.67 (42)</p> |
| <p>HF30129 PALL HC6300FKN26H</p> <p>Overall Height: 25.81 (656) End 1 OD: 3.14 (80) End 2 OD: 3.12 (79) End 1 ID: 1.61 (41)</p> | <p>HF30143 PALL HC8300FDN39H, PALL HC8300FKN39H, INTERNORMEN 583006VG10PB39</p>  <p>Overall Height: 38.37 (975) Overall OD: 5.94 (151) End 1 ID: 4.11 (104)</p> | <p>HF30159 PALL HC9600FKN13Z</p>  <p>Overall Height: 12.94 (329) End 1 OD: 3.12 (79) End 2 OD: 3.11 (79) End 2 ID: 1.67 (42)</p> |
| | <p>HF30146 PALL HC9400FKN39H</p> <p>Overall Height: 38.93 (989) Overall OD: 3.79 (96) End 1 ID: 2.18 (55)</p> | <p>HF30161 PALL HC8200FKN13H</p> |
| | <p>HF30147 FLUITEK PO383902U71</p> <p>Overall Height: 38.93 (989) Overall OD: 3.79 (96) End 1 ID: 2.18 (55)</p> | |


E. PRODUCT GUIDE

HF30162 PALL HC9800FKN13H




Overall Height: 12.99 (330)
Overall OD: 1.98 (50)
End 1 ID: 0.92 (23)

HF30174 PALL HC6300FKN13H, PALL HC6300FDN13H



Overall Height: 12.93 (328)
End 1 OD: 3.14 (80)
End 2 OD: 3.12 (79)
End 1 ID: 1.61 (41)

HF30177 PALL HC6400FKN13H



Overall Height: 12.93 (328)
End 1 OD: 3.41 (87)
End 2 OD: 3.39 (86)
End 1 ID: 1.95 (50)

HF30179 PALL HC6500FKN13H

Overall Height: 12.93 (328)
End 1 OD: 3.80 (97)
End 2 OD: 3.79 (96)
End 1 ID: 2.21 (56)

HF30181 PALL HC8400FDN16H, PALL HC8400FKN16H, INTERNORMEN 584006VG10PB16 Upgrade of HF7017




Overall Height: 16.85 (428)
Overall OD: 5.99 (152)
End 1 ID: 3.23 (82)

HF30182 MP PRODUCTS 6004024

Overall Height: 16.85 (428)
Overall OD: 5.99 (152)
End 1 ID: 3.23 (82)

HF30184 MP PRODUCTS 6004003




Overall Height: 8.17 (208)
Overall OD: 5.98 (152)
End 1 ID: 3.23 (82)

HF30185 MP PRODUCTS 6004004


Overall Height: 8.17 (208)
Overall OD: 5.98 (152)
End 1 ID: 3.23 (82)

HF30187 PALL HC2206FKS3H




Overall Height: 3.31 (84)
End 1 OD: 1.88 (48)
End 2 OD: 1.86 (47)
End 2 ID: 0.87 (22)

HF30188 SEPARATION TECHNOLOGIES STG1599



Overall Height: 3.15 (80)
Overall OD: 2.40 (61)
End 1 ID: 1.37 (35)

HF30192 FAIREY ARLON 270L122A



Overall Height: 4.06 (103)
Overall OD: 2.87 (73)
End 1 ID: 1.24 (32)

HF30195 PALL HC7400SKP4H, SCHROEDER SBF74004Z3B



Overall Height: 5.82 (148)
Largest OD: 3.72 (94)
Thread Size: 1 1/2-16 UN-2B

HF30196 PALL HC9800FDS4H, PALL HC9800FKS4H



Overall Height: 4.44 (113)
Overall OD: 1.98 (50)
End 1 ID: 0.92 (23)

HF30197 PALL HC9800FKS4Z

Overall Height: 4.44 (113)
Overall OD: 1.98 (50)
End 1 ID: 0.92 (23)

HF30199 NORMAN EQUIPMENT 535FB10A, PALL HC9020FKS4H, NELSON 87829N Upgrade of HF7042



Gasket: 3913044 (1)
Overall Height: 4.47 (114)
End 1 OD: 1.78 (45)
End 2 OD: 1.75 (44)
End 2 ID: 0.98 (25)


HF30204 PALL HC9021FUT4Z



Overall Height: 4.47 (114)
Overall OD: 1.79 (45)
End 1 ID: 0.99 (25)


HF30209 PALL HC8700FKS4H

HF30210 PALL HC9600FDS4H Upgrade of HF7066



Overall Height: 4.60 (117)
End 1 OD: 3.12 (79)
End 2 OD: 3.11 (79)
End 2 ID: 1.67 (42)

HF30211 PALL HC9600FKS8Z



Overall Height: 4.60 (117)
End 1 OD: 3.12 (79)
End 2 OD: 3.11 (79)
End 2 ID: 1.67 (42)


HF30212 MP PRODUCTS 6012001

Overall Height: 4.62 (117)
End 1 OD: 3.12 (79)
End 2 OD: 3.11 (79)
End 2 ID: 1.67 (42)

HF30216 FAIREY ARLON 170Z222A, FAIREY ARLON 170L222A


Overall Height: 4.80 (122)
Overall OD: 2.17 (55)
End 1 ID: 0.74 (19)

HF30217 HYDAC 110D010BHHC




Overall Height: 6.02 (153)
Overall OD: 1.86 (47)
End 1 ID: 0.87 (22)

HF30218 PALL HC2206FKS6H



Overall Height: 6.02 (153)
End 1 OD: 1.88 (48)
End 2 OD: 1.86 (47)
End 2 ID: 0.87 (22)

HF30219 PALL HC2237FDT6H




Overall Height: 6.38 (162)
Overall OD: 3.59 (91)
End 1 ID: 1.89 (48)

HF30220 FAIREY ARLON 270Z222A


Overall Height: 9.29 (236)
Overall OD: 2.90 (74)
End 1 ID: 1.24 (32)

HF30221 PALL HC2217FDT6H




Overall Height: 6.81 (173)
End 1 OD: 2.74 (70)
End 2 OD: 2.73 (69)
End 2 ID: 1.34 (34)

HF30222 PALL HC2216FKS6H


















Overall Height: 6.81 (173)
Overall OD: 2.74 (70)
End 1 ID: 1.34 (34)

HF30233 FAIREY ARLON 370L222A




Overall Height: 7.87 (200)
Overall OD: 3.70 (94)
End 1 ID: 1.88 (48)

E. PRODUCT GUIDE

| | | |
|---|--|--|
| HF30236  PALL HC9020FKS8H, PALL HC9020FDS8H Upgrade of HF7046 Gasket: 3913044 (1) Overall Height: 8.08 (205) End 1 OD: 1.78 (45) End 2 OD: 1.75 (44) End 2 ID: 0.98 (25) | HF30251 PALL HC8800FKS8H Overall Height: 8.16 (207) Overall OD: 3.39 (86) End 1 ID: 1.93 (49) | HF30278  PALL HC2237FDT13H Overall Height: 12.92 (328) Overall OD: 3.59 (91) End 1 ID: 1.89 (48) |
| HF30237  PARKER 932618Q Overall Height: 8.08 (205) End 1 OD: 1.78 (45) End 2 OD: 1.75 (44) End 2 ID: 0.98 (25) | HF30253 PALL HC8200FKS8H | HF30279  PALL HC2233FKS13H Overall Height: 13.01 (330) Overall OD: 3.59 (91) End 1 ID: 1.89 (48) |
| HF30238  PALL HC7400SKP8H, SCHROEDER SBF74008Z3B Overall Height: 8.02 (204) Largest OD: 3.72 (94) Thread Size: 1 1/2-16 UN-2B | HF30254 PALL HC6400FKS8H Overall Height: 8.25 (210) End 1 OD: 3.41 (87) End 2 OD: 3.39 (86) End 1 ID: 1.95 (50) | HF30281  PALL HC8800FKS13Z Upgrade of HF7527 Overall Height: 12.97 (329) Overall OD: 3.39 (86) End 1 ID: 1.93 (49) |
| HF30240 PALL HC8900FKS8Z Overall Height: 8.22 (209) Overall OD: 3.79 (96) End 1 ID: 2.18 (55) | HF30256 PALL HC6300FKS8H Overall Height: 8.25 (210) End 1 OD: 3.14 (80) End 2 OD: 3.12 (79) End 1 ID: 1.61 (41) | HF30282  PALL HC8900FKS13H Overall Height: 12.96 (329) Overall OD: 3.79 (96) End 1 ID: 2.18 (55) |
| HF30241 PALL HC8900FKS8H Overall Height: 8.22 (209) Overall OD: 3.79 (96) End 1 ID: 2.18 (55) | HF30259 PALL HC9606FKS8H | HF30285 PALL HC8900FKS13Z Overall Height: 12.96 (329) Overall OD: 3.79 (96) End 1 ID: 2.18 (55) |
| HF30244  PALL HC9800FDS8H, PALL HC9800FKS8H Upgrade of HF7106 Overall Height: 8.21 (209) Overall OD: 1.98 (50) End 1 ID: 0.92 (23) | HF30262  PALL HC9600FKS8H, VAPORMATIC VPK1580 Upgrade of HF7070 Overall Height: 8.21 (209) End 1 OD: 3.12 (79) End 2 OD: 3.11 (79) End 2 ID: 1.67 (42) | HF30287  PALL HC8500FDS13H, PALL HC8500FKS13H Overall Height: 12.80 (325) Overall OD: 3.78 (96) End 1 ID: 1.67 (42) |
| HF30245 PALL HC9800FKS8Z Overall Height: 8.21 (209) Overall OD: 1.98 (50) End 1 ID: 0.92 (23) | HF30263 PALL HC9600FKS8Z Overall Height: 8.21 (209) End 1 OD: 3.12 (79) End 2 OD: 3.11 (79) End 2 ID: 1.67 (42) | HF30288  PALL HC9400FDS13H, PALL HC9400FKS13H Upgrade of HF7054 Overall Height: 13.12 (333) Overall OD: 3.79 (96) End 1 ID: 2.18 (55) |
| HF30246 PALL HC8700FKS8H | HF30265 PALL HC9650FKS8Z Overall Height: 8.36 (212) Overall OD: 3.10 (79) End 1 ID: 1.67 (42) | HF30289  PALL HC9400FKS13Z Overall Height: 13.12 (333) Overall OD: 3.79 (96) End 1 ID: 2.18 (55) |
| HF30248  PALL HC8500FDS8H, PALL HC8500FKS8H Overall Height: 8.06 (205) Overall OD: 3.78 (96) End 1 ID: 1.70 (43) | HF30267 SCHROEDER KSX7V Overall Height: 9.18 (233) Overall OD: 3.15 (80) End 1 ID: 1.59 (40) | HF30290  PALL HC9800FKS13H Overall Height: 12.99 (330) Overall OD: 1.98 (50) End 1 ID: 0.92 (23) |
| HF30249 PALL HC8500FKS8Z Overall Height: 25.63 (651) Overall OD: 3.78 (96) End 1 ID: 1.70 (43) | HF30268 PALL HC9700FKS9H Overall Height: 9.22 (234) Overall OD: 3.91 (99) End 1 ID: 1.61 (41) | HF30292 PALL HC8200FKS13H |
| HF30250 PALL HC8800FKS8Z Overall Height: 8.16 (207) Overall OD: 3.39 (86) End 1 ID: 1.93 (49) | HF30269 FAIREY ARLON 170Z120A, FAIREY ARLON 170L120A Overall Height: 2.66 (68) Overall OD: 2.17 (55) End 1 ID: 0.70 (18) | HF30294  PALL HC9600FKS13H Overall Height: 12.95 (329) End 1 OD: 3.12 (79) End 2 OD: 3.11 (79) End 2 ID: 1.67 (42) |
| | HF30277 FAIREY ARLON 370L322A, FAIREY ARLON 370Z322A Overall Height: 12.66 (322) Overall OD: 3.70 (94) End 1 ID: 1.86 (47) | |

E. PRODUCT GUIDE


| | |
|--|--|
| HF30295 | PALL HC9600FKS13Z |
|  | Overall Height: 12.95 (329) End 1 OD: 3.12 (79) End 2 OD: 3.11 (79) End 2 ID: 1.67 (42) |

| | |
|----------------|-------------------|
| HF30296 | PALL HC9606FKS13Z |
|----------------|-------------------|


| | |
|----------------|-------------------|
| HF30300 | PALL HC8200FKS16H |
|----------------|-------------------|

| | |
|----------------|--|
| HF30303 | PALL HC6400FKS16H |
| | Overall Height: 16.81 (427) End 1 OD: 3.41 (87) End 2 OD: 3.39 (86) End 1 ID: 1.95 (50) |


| | |
|----------------|--|
| HF30304 | PALL HC6300FKS16H |
| | Overall Height: 16.81 (427) End 1 OD: 3.14 (80) End 2 OD: 3.11 (79) End 1 ID: 1.61 (41) |


| | |
|--|--|
| HF30306 | PALL HC6500FKS16H |
|  | Overall Height: 16.81 (427) End 1 OD: 3.80 (97) End 2 OD: 3.79 (96) End 1 ID: 2.21 (56) |


| | |
|---|---|
| HF30309 | PALL HC8300FKS16H |
|  | Overall Height: 16.55 (420) Overall OD: 5.94 (151) End 1 ID: 4.11 (104) |


| | |
|--|---|
| HF30310 | Upgrade of HF7131 |
|  | Overall Height: 16.89 (429) Overall OD: 3.39 (86) End 1 ID: 1.93 (49) |

| | |
|----------------|---|
| HF30311 | HYDAC H880016010BNV |
| | Overall Height: 16.89 (429) Overall OD: 3.39 (86) End 1 ID: 1.93 (49) |

| | |
|--|--|
| HF30312 | PALL HC9600FKS16H |
|  | Overall Height: 16.86 (428) End 1 OD: 3.12 (79) End 2 OD: 3.11 (79) End 2 ID: 1.67 (42) |


| | |
|--|---|
| HF30314 | PALL HC9650FKS16H |
|  | Overall Height: 17.01 (432) Overall OD: 3.10 (79) End 1 ID: 1.67 (42) |


| | |
|---|---|
| HF30315 | PALL HC9650FKS16Z |
|  | Overall Height: 17.01 (432) Overall OD: 3.10 (79) End 1 ID: 1.67 (42) |

| | |
|---|---|
| HF30316 | PALL HC8900FKS16H |
|  | Overall Height: 16.84 (428) Overall OD: 3.79 (96) End 1 ID: 2.18 (55) |

| | |
|---|---|
| HF30317 | PALL HC8900FKS16Z |
|  | Overall Height: 16.84 (428) Overall OD: 3.79 (96) End 1 ID: 2.18 (55) |


| | |
|----------------|---|
| HF30318 | PALL HC9700FKS18H |
| | Overall Height: 18.43 (468) Overall OD: 3.91 (99) End 1 ID: 1.61 (41) |

| | |
|--|---|
| HF30319 | |
|  | Overall Height: 3.31 (84) Overall OD: 1.86 (47) End 1 ID: 0.87 (22) |

| | |
|---|--|
| HF30321 | PALL HC8400FKS26H |
|  | Overall Height: 25.62 (651) Overall OD: 5.98 (152) End 1 ID: 3.23 (82) |

| | |
|----------------|--|
| HF30322 | PALL HC8400FKS26Z |
| | Overall Height: 25.62 (651) Overall OD: 5.98 (152) End 1 ID: 3.23 (82) |

| | |
|----------------|--|
| HF30324 | PALL HC6500FKS26H |
| | Overall Height: 25.81 (656) End 1 OD: 3.80 (97) End 2 OD: 3.79 (96) End 1 ID: 2.21 (56) |


| | |
|---|--|
| HF30325 | PALL HC6400FKS26H |
|  | Overall Height: 25.81 (656) End 1 OD: 3.41 (87) End 2 OD: 3.39 (86) End 1 ID: 1.95 (50) |

| | |
|----------------|--|
| HF30328 | PALL HC6300FKS26H |
| | Overall Height: 25.81 (656) End 1 OD: 3.14 (80) End 2 OD: 3.12 (79) End 1 ID: 1.61 (41) |

| | |
|----------------|---|
| HF30329 | PALL HC8500FDS26H, PALL HC8500FKS26H |
| | Overall Height: 25.62 (651) Overall OD: 3.78 (96) End 1 ID: 1.67 (42) |


| | |
|----------------|---|
| HF30330 | PALL HC8500FKS26Z |
| | Overall Height: 25.62 (651) Overall OD: 3.78 (96) End 1 ID: 1.67 (42) |

| | |
|----------------|---|
| HF30332 | PALL HC9400FKS26Z |
| | Overall Height: 25.92 (658) Overall OD: 3.79 (96) End 1 ID: 2.18 (55) |

| | |
|---|---|
| HF30333 | PALL HC8900FKS26H |
|  | Overall Height: 25.76 (654) Overall OD: 3.79 (96) End 1 ID: 2.18 (55) |


| | |
|----------------|---|
| HF30334 | PALL HC8900FKS26Z |
| | Overall Height: 25.76 (654) Overall OD: 3.79 (96) End 1 ID: 2.18 (55) |

| | |
|----------------|---|
| HF30335 | |
| | Overall Height: 27.77 (705) Overall OD: 3.91 (99) End 1 ID: 1.61 (41) |

| | |
|---|---|
| HF30340 | PALL HC8300FKS39H Upgrade of HF7010 |
|  | Overall Height: 38.37 (975) Overall OD: 5.94 (151) End 1 ID: 4.11 (104) |


| | |
|----------------|---|
| HF30341 | PALL HC8300FKS39Z |
| | Overall Height: 38.37 (975) Overall OD: 5.94 (151) End 1 ID: 4.11 (104) |

| | |
|----------------|--|
| HF30342 | PALL HC8400FKS39H |
| | Overall Height: 38.67 (982) Overall OD: 5.99 (152) End 1 ID: 3.23 (82) |

| | |
|---|--|
| HF30343 | PALL HC8400FKS39Z |
|  | Overall Height: 38.67 (982) Overall OD: 5.99 (152) End 1 ID: 3.23 (82) |

| | |
|----------------|---|
| HF30344 | PALL HC8900FKS39H |
| | Overall Height: 38.78 (985) Overall OD: 3.79 (96) End 1 ID: 2.18 (55) |


E. PRODUCT GUIDE


| | | |
|---|--|--|
| HF30345 PALL HC8900FKS39Z Overall Height: 38.78 (985) Overall OD: 3.79 (96) End 1 ID: 2.18 (55) | HF30369  PALL HC8400FDS8H, PALL HC8400FKS8H, INTERNORMEN 5840010VG10PB8 Overall Height: 8.17 (208) Overall OD: 5.98 (152) End 1 ID: 3.23 (82) | HF30399  PALL HC7400SKT4H, SCHROEDER SBF74004Z25B Overall Height: 5.82 (148) Largest OD: 3.72 (94) Thread Size: 1 1/2-16 UN-2B |
| HF30346  PALL HC9400FKS39H Upgrade of HF7062 Overall Height: 38.93 (989) Overall OD: 3.79 (96) End 1 ID: 2.18 (55) | HF30370 PALL HC8400FKS8Z Overall Height: 8.17 (208) Overall OD: 5.98 (152) End 1 ID: 3.23 (82) | HF30400  PALL HC7400SKT8H, SCHROEDER SBF74008Z25B, SCHROEDER SBFV74008Z25B Overall Height: 8.02 (204) Largest OD: 3.72 (94) Thread Size: 1 1/2-16 UN-2B |
| HF30347 PALL HC9400FKS39Z Overall Height: 38.93 (989) Overall OD: 3.79 (96) End 1 ID: 2.18 (55) | HF30373  HYDAC 30D003BNHC Overall Height: 3.71 (94) Overall OD: 1.36 (35) End 1 ID: 0.49 (12) | HF30402  PALL HC9600FKP4H Upgrade of HF7064 Overall Height: 4.60 (117) End 1 OD: 3.12 (79) End 2 OD: 3.11 (79) End 2 ID: 1.67 (42) |
| HF30348  HYDAC 30D010BN Overall Height: 3.71 (94) Overall OD: 1.36 (35) End 1 ID: 0.49 (12) | HF30379 PALL HC2217FDP4H Overall Height: 4.53 (115) End 1 OD: 2.74 (70) End 2 OD: 2.73 (69) End 2 ID: 1.34 (34) | HF30406  HYDAC 110D003BHHC Overall Height: 6.02 (153) Overall OD: 1.86 (47) End 1 ID: 0.87 (22) |
| HF30357  VME (VOLVO BM/MICH/EUCLID) 4099538 Overall Height: 12.93 (328) End 1 OD: 3.14 (80) End 2 OD: 3.12 (79) End 1 ID: 1.61 (41) | HF30381 PALL HC2216FKP4H Overall Height: 4.53 (115) Overall OD: 2.74 (70) End 1 ID: 1.34 (34) | HF30426  SEPARATION TECHNOLOGIES 3902SGCV04 Overall Height: 4.47 (114) Overall OD: 1.79 (45) End 1 ID: 0.99 (25) |
| HF30358 PALL HC6400FKS13H Overall Height: 12.93 (328) End 1 OD: 3.41 (87) End 2 OD: 3.39 (86) End 1 ID: 1.95 (50) | HF30383 Upgrade of HF7040 Gasket: 3913044 (1) Overall Height: 4.47 (114) End 1 OD: 1.78 (45) End 2 OD: 1.75 (44) End 2 ID: 0.98 (25) | HF30429  FAIREY ARLON 370Z220A Overall Height: 7.89 (200) Overall OD: 3.70 (94) End 1 ID: 1.85 (47) |
| HF30363 PALL HC8400FKS16Z Overall Height: 16.85 (428) Overall OD: 5.99 (152) End 1 ID: 3.23 (82) | HF30389  PALL HC9800FKP4H Overall Height: 4.44 (113) Overall OD: 1.98 (50) End 1 ID: 0.92 (23) | HF30434 PALL HC8700FKP4H HF30435 PALL HC8700FKP8H |
| HF30364  Upgrade of HF7018 Overall Height: 16.85 (428) Overall OD: 5.99 (152) End 1 ID: 3.23 (82) | HF30390 PALL HC9800FKP4Z Overall Height: 4.44 (113) Overall OD: 1.98 (50) End 1 ID: 0.92 (23) | HF30436  Upgrade of HF7044 Gasket: 3913044 (1) Overall Height: 8.08 (205) End 1 OD: 1.78 (45) End 2 OD: 1.75 (44) End 2 ID: 0.98 (25) |
| HF30367  FAIREY ARLON 370L122A Overall Height: 3.98 (101) Overall OD: 3.70 (94) End 1 ID: 1.88 (48) | HF30395  PALL HC9601FDT4Z Overall Height: 4.61 (117) Overall OD: 3.15 (80) End 1 ID: 1.66 (42) | HF30442  Upgrade of HF7104 Overall Height: 8.21 (209) Overall OD: 1.98 (50) End 1 ID: 0.92 (23) |
| | HF30396  PALL HC9601FDT8Z Overall Height: 8.21 (209) Overall OD: 3.15 (80) End 1 ID: 1.66 (42) | HF30443 PALL HC9800FKP8Z Overall Height: 8.21 (209) Overall OD: 1.98 (50) End 1 ID: 0.92 (23) |

E. PRODUCT GUIDE


| | |
|----------------|---|
| HF30448 | PALL HC8200FKP8H |
| | Overall Height: 8.13 (207) End 1 OD: 3.25 (83) End 2 OD: 3.19 (81) End 1 ID: 1.49 (38) |

| | |
|--|--|
| HF30451 | PALL HC8500FDP8H, PALL HC8500FKP8H Upgrade of HF7028 |
|  | Overall Height: 8.06 (205) Overall OD: 3.78 (96) End 1 ID: 1.70 (43) |

| | |
|--|--|
| HF30452 | PALL HC8500FKP8Z |
|  | Overall Height: 8.06 (205) Overall OD: 3.78 (96) End 1 ID: 1.70 (43) |


| | |
|--|---|
| HF30453 | PALL HC9600FKP8H Upgrade of HF7068 |
|  | Overall Height: 8.21 (209) End 1 OD: 3.12 (79) End 2 OD: 3.11 (79) End 2 ID: 1.67 (42) |

| | |
|---|---|
| HF30454 | PALL HC9600FKP8Z Upgrade of HF7468 |
|  | Overall Height: 8.21 (209) End 1 OD: 3.12 (79) End 2 OD: 3.11 (79) End 2 ID: 1.67 (42) |

| | |
|--|--|
| HF30455 | PALL HC9650FKP8H Upgrade of HF7088 |
|  | Overall Height: 8.36 (212) Overall OD: 3.10 (79) End 1 ID: 1.67 (42) |


| | |
|----------------|--|
| HF30457 | SEPARATION TECHNOLOGIES 3880DGCB08 Upgrade of HF7121 |
| | Overall Height: 8.16 (207) Overall OD: 3.39 (86) End 1 ID: 1.93 (49) |


| | |
|----------------|--|
| HF30458 | PALL HC8800FKP8Z |
| | Overall Height: 8.16 (207) Overall OD: 3.39 (86) End 1 ID: 1.93 (49) |

| | |
|--|--|
| HF30462 | PALL HC9801FDT8H |
|  | Overall Height: 8.18 (208) Overall OD: 1.98 (50) End 1 ID: 0.93 (24) |

| | |
|----------------|--|
| HF30466 | PALL HC8900FKP8H |
| | Overall Height: 8.22 (209) Overall OD: 3.79 (96) End 1 ID: 2.18 (55) |

| | |
|----------------|--|
| HF30467 | PALL HC8900FKP8Z |
| | Overall Height: 8.22 (209) Overall OD: 3.79 (96) End 1 ID: 2.18 (55) |

| | |
|---|--|
| HF30473 | PALL HC9801FUP8H |
|  | Overall Height: 8.18 (208) Overall OD: 1.98 (50) End 1 ID: 0.93 (24) |


| | |
|---|--|
| HF30478 | PALL HC9401FUP13Z |
|  | Overall Height: 13.18 (335) End 1 OD: 3.78 (96) End 2 OD: 3.75 (95) End 1 ID: 2.18 (55) |

| | |
|---|--|
| HF30479 | SEPARATION TECHNOLOGIES 3960SGHB04 |
|  | Overall Height: 4.61 (117) Overall OD: 3.15 (80) End 1 ID: 1.66 (42) |


| | |
|---|--|
| HF30480 | STAUFF SP070F10B |
|  | Overall Height: 8.21 (209) Overall OD: 3.15 (80) End 1 ID: 1.66 (42) |

| | |
|----------------|---|
| HF30481 | PALL HC6400FKP8H |
| | Overall Height: 8.25 (210) End 1 OD: 3.41 (87) End 2 OD: 3.39 (86) End 1 ID: 1.95 (50) |


| | |
|----------------|---|
| HF30483 | PALL HC6300FKP8H |
| | Overall Height: 8.25 (210) End 1 OD: 3.14 (80) End 2 OD: 3.12 (79) End 1 ID: 1.61 (41) |

| | |
|---|--|
| HF30490 | PALL HCS630KUP9H |
|  | Overall Height: 9.23 (234) Overall OD: 3.91 (99) End 1 ID: 1.61 (41) |

| | |
|----------------|--|
| HF30491 | PALL HC9700FKP9H |
| | Overall Height: 9.22 (234) Overall OD: 3.91 (99) End 1 ID: 1.61 (41) |

| | |
|---|---|
| HF30504 | PALL HC2237FDP13H |
|  | Overall Height: 12.92 (328) Overall OD: 3.59 (91) End 1 ID: 1.89 (48) |

| | |
|----------------|---|
| HF30505 | PALL HC2233FKP13H |
| | Overall Height: 13.01 (330) Overall OD: 3.59 (91) End 1 ID: 1.89 (48) |

| | |
|---|---|
| HF30508 | SEPARATION TECHNOLOGIES 3960SGHB13 |
|  | Overall Height: 12.99 (330) Overall OD: 3.15 (80) End 1 ID: 1.66 (42) |


| | |
|----------------|---|
| HF30511 | PALL HC8800FUP13Z |
| | Overall Height: 12.97 (329) Overall OD: 3.39 (86) End 1 ID: 1.93 (49) |

| | |
|----------------|--|
| HF30513 | PALL HC8200FKP13H |
| | Overall Height: 12.88 (327) End 1 OD: 3.25 (83) End 2 OD: 3.19 (81) End 1 ID: 1.49 (38) |

| | |
|----------------|---|
| HF30514 | PALL HC8500FKP13Z |
| | Overall Height: 12.80 (325) Overall OD: 3.78 (96) End 1 ID: 1.67 (42) |


| | |
|---|---|
| HF30515 | PALL HC8500FDP13H, PALL HC8500FKP13H Upgrade of HF7032 |
|  | Overall Height: 12.80 (325) Overall OD: 3.78 (96) End 1 ID: 1.67 (42) |


| | |
|----------------|---|
| HF30516 | PALL HC9400FKP13Z |
| | Overall Height: 13.12 (333) Overall OD: 3.79 (96) End 1 ID: 2.18 (55) |

| | |
|---|---|
| HF30518 | PALL HC8900FKP13H |
|  | Overall Height: 12.96 (329) Overall OD: 3.79 (96) End 1 ID: 2.18 (55) |

| | |
|----------------|---|
| HF30519 | PALL HC8900FKP13Z |
| | Overall Height: 12.96 (329) Overall OD: 3.79 (96) End 1 ID: 2.18 (55) |

| | |
|----------------|---|
| HF30522 | PALL HC9800FKP13H |
| | Overall Height: 12.99 (330) Overall OD: 1.98 (50) End 1 ID: 0.92 (23) |

| | |
|---|--|
| HF30524 | PALL HC9600FKP13H Upgrade of HF7072 |
|  | Overall Height: 12.94 (329) End 1 OD: 3.12 (79) End 2 OD: 3.11 (79) End 2 ID: 1.67 (42) |


| | |
|---|--|
| HF30529 | SEPARATION TECHNOLOGIES 3980SGHV04, PALL HC9801FUT4H |
|  | Overall Height: 4.47 (114) Overall OD: 1.98 (50) End 1 ID: 0.93 (24) |


E. PRODUCT GUIDE


| | | |
|--|--|--|
| HF30542  PALL HC9651FKP8H Overall Height: 8.18 (208) Overall OD: 3.15 (80) End 1 ID: 1.67 (42) | HF30570  PALL HC8900FKP16Z Upgrade of HF7518 GMC Applications Overall Height: 16.84 (428) Overall OD: 3.79 (96) End 1 ID: 2.18 (55) | HF30605  PALL HC8900FKP26Z Overall Height: 25.76 (654) Overall OD: 3.79 (96) End 1 ID: 2.18 (55) |
| HF30543  PALL HC9651FKP16H Overall Height: 16.91 (430) Overall OD: 3.15 (80) End 1 ID: 1.67 (42) | HF30572  PALL HC8800FKP16H Overall Height: 16.89 (429) Overall OD: 3.39 (86) End 1 ID: 1.93 (49) | HF30606  PALL HC8400FKP26H Overall Height: 25.62 (651) Overall OD: 5.98 (152) End 1 ID: 3.23 (82) |
| HF30544  PALL HC9651FUP8Z Overall Height: 8.18 (208) Overall OD: 3.15 (80) End 1 ID: 1.67 (42) | HF30573  PALL HC8800FKP16Z Overall Height: 16.89 (429) Overall OD: 3.39 (86) End 1 ID: 1.93 (49) | HF30607  PALL HC8400FKP26Z Overall Height: 25.62 (651) Overall OD: 5.98 (152) End 1 ID: 3.23 (82) |
| HF30551  STAUFF SP110F10V Overall Height: 12.94 (329) Overall OD: 3.78 (96) End 1 ID: 2.18 (55) | HF30576  SEPARATION TECHNOLOGIES 3980SGHV08 Overall Height: 8.18 (208) Overall OD: 1.98 (50) End 1 ID: 0.93 (24) | HF30613  PALL HC9801FUP4H Overall Height: 4.47 (114) Overall OD: 1.98 (50) End 1 ID: 0.93 (24) |
| HF30552  PALL HC8200FKP16H Overall Height: 16.59 (421) End 1 OD: 3.25 (83) End 2 OD: 3.19 (81) End 1 ID: 1.49 (38) | HF30583  PALL HC9650FKP16Z Upgrade of HF7492 Overall Height: 17.01 (432) Overall OD: 3.10 (79) End 1 ID: 1.67 (42) | HF30614  PALL HC9801FKP8Z Overall Height: 8.18 (208) Overall OD: 1.98 (50) End 1 ID: 0.93 (24) |
| HF30559  PALL HC6400FKP16H Overall Height: 16.81 (427) End 1 OD: 3.41 (87) End 2 OD: 3.39 (86) End 1 ID: 1.95 (50) | HF30584  PALL HC9600FKP16H Upgrade of HF7076 Overall Height: 16.86 (428) End 1 OD: 3.12 (79) End 2 OD: 3.11 (79) End 2 ID: 1.67 (42) | HF30616  PALL HC6500FKP26H Overall Height: 25.81 (656) End 1 OD: 3.80 (97) End 2 OD: 3.79 (96) End 1 ID: 2.21 (56) |
| HF30560  PALL HC6300FKP16H Overall Height: 16.81 (427) End 1 OD: 3.14 (80) End 2 OD: 3.12 (79) End 1 ID: 1.61 (41) | HF30595  PALL HC9700FDP18H Overall Height: 18.43 (468) Overall OD: 3.91 (99) End 1 ID: 1.61 (41) | HF30618  PALL HC6400FKP26H Overall Height: 25.81 (656) End 1 OD: 3.41 (87) End 2 OD: 3.39 (86) End 1 ID: 1.95 (50) |
| HF30566  PALL HC9021FUT8Z Overall Height: 8.21 (209) Overall OD: 1.79 (45) End 1 ID: 0.99 (25) | HF30599  PALL HC9901FUP39Z Overall Height: 39.07 (992) Overall OD: 3.78 (96) End 1 ID: 2.18 (55) | HF30620  PALL HC6300FKP26H Overall Height: 25.81 (656) End 1 OD: 3.14 (80) End 2 OD: 3.12 (79) End 1 ID: 1.61 (41) |
| HF30568  PALL HC8300FDP16H Overall Height: 16.55 (420) Overall OD: 5.94 (151) End 1 ID: 4.11 (104) | HF30601  PALL HC9400FKP26Z Overall Height: 25.92 (658) Overall OD: 3.79 (96) End 1 ID: 2.18 (55) | HF30624  PALL HC9901FUT13H Overall Height: 12.94 (329) Overall OD: 3.78 (96) End 1 ID: 2.18 (55) |
| HF30569  PALL HC8300FDP16Z Overall Height: 16.55 (420) Overall OD: 5.94 (151) End 1 ID: 4.11 (104) | HF30603  PALL HC8500FKP26Z Overall Height: 25.62 (651) Overall OD: 3.78 (96) End 1 ID: 1.67 (42) | HF30626  PALL HC9700FKP27H Overall Height: 27.77 (705) Overall OD: 3.91 (99) End 1 ID: 1.61 (41) |
| HF30604  PALL HC8900FKP26H Overall Height: 25.76 (654) Overall OD: 3.79 (96) End 1 ID: 2.18 (55) | HF30604  PALL HC8900FKP26H Overall Height: 25.76 (654) Overall OD: 3.79 (96) End 1 ID: 2.18 (55) | HF30630  PALL HC9901FUT26Z Overall Height: 26.01 (661) Overall OD: 3.78 (96) End 1 ID: 2.18 (55) |

E. PRODUCT GUIDE


| | |
|--|---|
| HF30631 | PALL HC9901FDT39Z |
|  | Overall Height: 39.07 (992) Overall OD: 3.78 (96) End 1 ID: 2.18 (55) |


| | |
|---|--|
| HF30632 | PALL HC8310FKP39H |
|  | Overall Height: 37.90 (963) Overall OD: 6.17 (157) End 1 ID: 3.18 (81) |


| | |
|--|---|
| HF30634 | PALL HC8300FKP39H Upgrade of HF7008 |
|  | Overall Height: 38.37 (975) Overall OD: 5.94 (151) End 1 ID: 4.11 (104) |


| | |
|--|---|
| HF30635 | PALL HC8300FKP39Z |
|  | Overall Height: 38.37 (975) Overall OD: 5.94 (151) End 1 ID: 4.11 (104) |


| | |
|---|--|
| HF30638 | PALL HC9021FKP8Z |
|  | Overall Height: 8.21 (209) Overall OD: 1.79 (45) End 1 ID: 0.99 (25) |


| | |
|--|---|
| HF30641 | PALL HC9400FKP39Z |
|  | Overall Height: 38.93 (989) Overall OD: 3.79 (96) End 1 ID: 2.18 (55) |


| | |
|--|---|
| HF30642 | PALL HC8900FKP39H |
|  | Overall Height: 38.78 (985) Overall OD: 3.79 (96) End 1 ID: 2.18 (55) |


| | |
|--|---|
| HF30643 | PALL HC8900FKP39Z |
|  | Overall Height: 38.78 (985) Overall OD: 3.79 (96) End 1 ID: 2.18 (55) |


| | |
|--|--|
| HF30644 | PALL HC8400FKP39Z |
|  | Overall Height: 38.67 (982) Overall OD: 5.99 (152) End 1 ID: 3.23 (82) |

| | |
|--|--|
| HF30645 | PALL HC8400FKP39H Upgrade of HF7024 |
|  | Overall Height: 38.67 (982) Overall OD: 5.99 (152) End 1 ID: 3.23 (82) |


| | |
|--|--|
| HF30650 | PALL HC9651FUT8H |
|  | Overall Height: 8.18 (208) Overall OD: 3.15 (80) End 1 ID: 1.67 (42) |


| | |
|---|---|
| HF30651 | SEPARATION TECHNOLOGIES 3965SGHB16 |
|  | Overall Height: 16.91 (430) Overall OD: 3.15 (80) End 1 ID: 1.67 (42) |


| | |
|---|--|
| HF30654 | PALL HC6500FKP13H |
|  | Overall Height: 12.93 (328) End 1 OD: 3.80 (97) End 2 OD: 3.79 (96) End 1 ID: 2.21 (56) |


| | |
|---|--|
| HF30657 | PALL HC6400FKP13H |
|  | Overall Height: 12.93 (328) End 1 OD: 3.41 (87) End 2 OD: 3.39 (86) End 1 ID: 1.95 (50) |


| | |
|---|---|
| HF30668 | FAIREY ARLON 170L123A |
|  | Overall Height: 2.60 (66) Overall OD: 2.17 (55) End 1 ID: 0.72 (18) |


| | |
|--|---|
| HF30679 | NORDBERG 3894081, SEPARATION TECHNOLOGIES 3NB1AGHB31, VULCAN 3894081 |
|  | Overall Height: 31.20 (792) Overall OD: 6.31 (160) End 1 ID: 1.60 (41) |


| | |
|---|--|
| HF30685 | PALL HC8400FKP16Z |
|  | Overall Height: 16.85 (428) Overall OD: 5.99 (152) End 1 ID: 3.23 (82) |


| | |
|---|--|
| HF30686 | PALL HC8400FKP16H |
|  | Overall Height: 16.85 (428) Overall OD: 5.99 (152) End 1 ID: 3.23 (82) |


| | |
|---|---|
| HF30687 | HYDAC 30D003BHHC |
|  | Overall Height: 3.71 (94) Overall OD: 1.36 (35) End 1 ID: 0.49 (12) |


| | |
|---|--|
| HF30688 | SEPARATION TECHNOLOGIES MILST24666 |
|  | Overall Height: 18.00 (457) Overall OD: 6.06 (154) End 1 ID: 2.63 (67) |


| | |
|---|---|
| HF30689 | PALL HC9400FUP39Z |
|  | Overall Height: 34.32 (872) Overall OD: 3.79 (96) End 1 ID: 2.18 (55) |

| | |
|---|---|
| HF30692 | PALL HC8400FKP8Z, PALL HC8400FDP8Z |
|  | Overall Height: 8.17 (208) Overall OD: 5.98 (152) End 1 ID: 3.23 (82) |

| | |
|---|--|
| HF30693 | HYDAC 60D020BNHC |
|  | Overall Height: 3.31 (84) End 1 OD: 1.88 (48) End 2 OD: 1.86 (47) End 2 ID: 0.87 (22) |


| | |
|---|---|
| HF30694 | PUROLATOR 7511150, PTI 7511150 |
|  | Overall Height: 3.47 (88) Overall OD: 1.63 (41) End 1 ID: 0.86 (22) |


| | |
|---|---|
| HF30696 | PALL HC9600FKT4Z |
|  | Overall Height: 4.60 (117) End 1 OD: 3.12 (79) End 2 OD: 3.11 (79) End 2 ID: 1.67 (42) |

| | |
|--|---|
| HF30697 | PALL HC9600FKT4H Upgrade of HF7067 |
|  | Overall Height: 4.60 (117) End 1 OD: 3.12 (79) End 2 OD: 3.11 (79) End 2 ID: 1.67 (42) |

| | |
|---|--|
| HF30700 | FAIREY ARLON 370L123A |
|  | Overall Height: 3.98 (101) Overall OD: 3.70 (94) End 1 ID: 1.88 (48) |

| | |
|---|--|
| HF30702 | HYDAC 160D020BNHC |
|  | Overall Height: 4.53 (115) Overall OD: 2.74 (70) End 1 ID: 1.34 (34) |


| | |
|---|--|
| HF30707 | PALL HC9020FDT4H |
|  | Gasket: 3913044 (1) Overall Height: 4.47 (114) End 1 OD: 1.78 (45) End 2 OD: 1.75 (44) End 2 ID: 0.98 (25) |


| | |
|---|--|
| HF30710 | PALL HC9800FDT4H |
|  | Overall Height: 4.44 (113) Overall OD: 1.98 (50) End 1 ID: 0.92 (23) |


E. PRODUCT GUIDE


| | | |
|--|---|--|
| HF30711 PALL HC9800FUT4Z  Overall Height: 4.44 (113) Overall OD: 1.98 (50) End 1 ID: 0.92 (23) | HF30747 PALL HC6300FKT8H  Overall Height: 8.21 (209) End 1 OD: 3.12 (79) End 2 OD: 3.11 (79) End 2 ID: 1.67 (42) | HF30771 PALL HC8900FKT13H, PARKER 929923Q, PALL HC8900FDT13H  Overall Height: 12.96 (329) Overall OD: 3.79 (96) End 1 ID: 2.18 (55) |
| HF30712 PALL HC8700FKT4H | HF30748 PALL HC9600FKT8Z  Overall Height: 8.21 (209) End 1 OD: 3.12 (79) End 2 OD: 3.11 (79) End 2 ID: 1.67 (42) | HF30774 PALL HC8500FDT13H, PALL HC8500FKT13H  Overall Height: 12.80 (325) Overall OD: 3.78 (96) End 1 ID: 1.67 (42) |
| HF30714 FAIREY ARLON 270L123A  Overall Height: 4.06 (103) Overall OD: 2.87 (73) End 1 ID: 1.24 (32) | HF30750 PALL HC9650FKT8Z  Overall Height: 8.36 (212) Overall OD: 3.10 (79) End 1 ID: 1.67 (42) | HF30776 PALL HC9800FKT13H  Overall Height: 12.99 (330) Overall OD: 1.98 (50) End 1 ID: 0.92 (23) |
| HF30724 FAIREY ARLON 370L223A  Overall Height: 7.87 (200) Overall OD: 3.70 (94) End 1 ID: 1.88 (48) | HF30754 PALL HC9700FDT9H, PALL HC9700FKT9H  Overall Height: 9.22 (234) Overall OD: 3.91 (99) End 1 ID: 1.61 (41) | HF30779 PALL HC9600FKT13H, PALL HC9600FDT13H  Overall Height: 12.95 (329) End 1 OD: 3.12 (79) End 2 OD: 3.11 (79) End 2 ID: 1.67 (42) |
| HF30728 PALL HC9020FDT8H  Gasket: 3913044 (1) Overall Height: 8.08 (205) End 1 OD: 1.78 (45) End 2 OD: 1.75 (44) End 2 ID: 0.98 (25) | HF30758 FAIREY ARLON 270L223A  Overall Height: 9.29 (236) Overall OD: 2.89 (74) End 1 ID: 1.24 (32) | HF30786 PALL HC6500FKT16H  Overall Height: 16.81 (427) End 1 OD: 3.80 (97) End 2 OD: 3.79 (96) End 1 ID: 2.21 (56) |
| HF30730 PALL HC9800FDT8H  Overall Height: 8.21 (209) Overall OD: 1.98 (50) End 1 ID: 0.92 (23) | HF30760 FAIREY ARLON 370L323A  Overall Height: 12.68 (322) Overall OD: 3.70 (94) End 1 ID: 1.88 (48) | HF30787 PALL HC6300FKT16H  Overall Height: 16.81 (427) End 1 OD: 3.14 (80) End 2 OD: 3.12 (79) End 1 ID: 1.61 (41) |
| HF30731 PALL HC8500FDT8H  Overall Height: 8.06 (205) Overall OD: 3.78 (96) End 1 ID: 1.70 (43) | HF30761 HYDAC 660D020BHHC  Overall Height: 12.92 (328) Overall OD: 3.59 (91) End 1 ID: 1.89 (48) | HF30790 PALL HC6400FKT16H  Overall Height: 16.81 (427) End 1 OD: 3.41 (87) End 2 OD: 3.39 (86) End 1 ID: 1.95 (50) |
| HF30733 PALL HC8700FKT8H | HF30762 PALL HC2233FKT13H  Overall Height: 13.01 (330) Overall OD: 3.59 (91) End 1 ID: 1.89 (48) | HF30791 PALL HC8300FKT16H, PALL HC8300FDT16H  Overall Height: 16.86 (428) Overall OD: 5.98 (152) End 1 ID: 4.11 (104) |
| HF30738 PALL HC8900FDT8H, PALL HC8900FKT8H  Overall Height: 8.22 (209) Overall OD: 3.79 (96) End 1 ID: 2.18 (55) | HF30764 PALL HC8200FKT13H  Overall Height: 13.12 (333) Overall OD: 3.79 (96) End 1 ID: 2.18 (55) | HF30793 PALL HC8900FDT16H  Overall Height: 16.84 (428) Overall OD: 3.79 (96) End 1 ID: 2.18 (55) |
| HF30742 PALL HC8200FKT8H | HF30768 PALL HC9400FDT13H  Overall Height: 13.12 (333) Overall OD: 3.79 (96) End 1 ID: 2.18 (55) | HF30795 PALL HC8800FKT16H  Overall Height: 16.89 (429) Overall OD: 3.39 (86) End 1 ID: 1.93 (49) |


E. PRODUCT GUIDE


| | |
|--|--|
| HF30797 | PALL HC9600FKT16H |
|  | Overall Height: 16.86 (428) End 1 OD: 3.12 (79) End 2 OD: 3.11 (79) End 2 ID: 1.67 (42) |


| | |
|--|--|
| HF30798 | PALL HC9600FKT16Z |
|  | Overall Height: 16.86 (428) End 1 OD: 3.12 (79) End 2 OD: 3.11 (79) End 2 ID: 1.67 (42) |


| | |
|--|---|
| HF30800 | PALL HC9650FKT16Z |
|  | Overall Height: 17.01 (432) Overall OD: 3.10 (79) End 1 ID: 1.67 (42) |


| | |
|--|---|
| HF30805 | PALL HC9700FKS27H, PALL HC9700FKT18H |
|  | Overall Height: 18.43 (468) Overall OD: 3.91 (99) End 1 ID: 1.61 (41) |


| | |
|---|--|
| HF30808 | PALL HC6500FKT26H |
|  | Overall Height: 25.81 (656) End 1 OD: 3.80 (97) End 2 OD: 3.79 (96) End 1 ID: 2.21 (56) |


| | |
|--|---|
| HF30813 | PALL HC8900FDT26H |
|  | Overall Height: 25.76 (654) Overall OD: 3.79 (96) End 1 ID: 2.18 (55) |


| | |
|--|--|
| HF30815 | PALL HC8400FDT26H |
|  | Overall Height: 25.62 (651) Overall OD: 5.98 (152) End 1 ID: 3.23 (82) |


| | |
|--|--|
| HF30817 | PALL HC6300FKT26H |
|  | Overall Height: 25.81 (656) End 1 OD: 3.14 (80) End 2 OD: 3.12 (79) End 1 ID: 1.61 (41) |


| | |
|--|--|
| HF30819 | PALL HC6400FKT26H |
|  | Overall Height: 25.81 (656) End 1 OD: 3.41 (87) End 2 OD: 3.39 (86) End 1 ID: 1.95 (50) |


| | |
|--|---|
| HF30821 | PALL HC9700FKT27H |
|  | Overall Height: 27.77 (705) Overall OD: 3.91 (99) End 1 ID: 1.61 (41) |


| | |
|---|---|
| HF30829 | PALL HC8300FKT39H |
|  | Overall Height: 38.67 (982) Overall OD: 5.98 (152) End 1 ID: 4.11 (104) |


| | |
|---|---|
| HF30832 | PALL HC8900FDT39H |
|  | Overall Height: 38.78 (985) Overall OD: 3.79 (96) End 1 ID: 2.18 (55) |


| | |
|---|---|
| HF30833 | PALL HC9400FDT39H |
|  | Overall Height: 38.93 (989) Overall OD: 3.79 (96) End 1 ID: 2.18 (55) |


| | |
|---|--|
| HF30835 | PALL HC8400FDT39H |
|  | Overall Height: 38.67 (982) Overall OD: 5.99 (152) End 1 ID: 3.23 (82) |


| | |
|---|--|
| HF30837 | FAIREY ARLON 170L223A |
|  | Overall Height: 4.80 (122) Overall OD: 2.17 (55) End 1 ID: 0.72 (18) |


| | |
|--|--|
| HF30843 | PALL HC6400FKT13H |
|  | Overall Height: 12.93 (328) End 1 OD: 3.41 (87) End 2 OD: 3.39 (86) End 1 ID: 1.95 (50) |


| | |
|---|--|
| HF30845 | PALL HC6300FKT13H |
|  | Overall Height: 12.93 (328) End 1 OD: 3.14 (80) End 2 OD: 3.12 (79) End 1 ID: 1.61 (41) |


| | |
|---|--|
| HF30847 | PALL HC6500FKT13H |
|  | Overall Height: 12.93 (328) End 1 OD: 3.80 (97) End 2 OD: 3.79 (96) End 1 ID: 2.21 (56) |


| | |
|---|---|
| HF30850 | PALL HC8400FDT8H |
|  | Overall Height: 8.17 (208) Overall OD: 5.98 (152) End 1 ID: 3.23 (82) |


| | |
|---|---|
| HF30866 | PALL HC8304FKP16Z |
|  | Overall Height: 17.80 (452) End 1 OD: 5.73 (146) End 2 OD: 5.36 (136) End 1 ID: 3.77 (96) End 2 ID: 3.80 (97) |


| | |
|---|--|
| HF30867 | PALL HC8304FKP39Z |
|  | Overall Height: 39.60 (1006) End 1 OD: 5.73 (146) End 2 OD: 5.36 (136) End 1 ID: 3.77 (96) End 2 ID: 3.80 (97) |


| | |
|---|---|
| HF30870 | PALL HC8304FKN16Z |
|  | Overall Height: 17.80 (452) End 1 OD: 5.73 (146) End 2 OD: 5.36 (136) End 1 ID: 3.77 (96) End 2 ID: 3.80 (97) |


| | |
|---|--|
| HF30871 | PALL HC8304FKN39Z |
|  | Overall Height: 39.60 (1006) End 1 OD: 5.73 (146) End 2 OD: 5.36 (136) End 1 ID: 3.77 (96) End 2 ID: 3.80 (97) |


| | |
|---|---|
| HF30874 | PALL HC8304FKS16Z |
|  | Overall Height: 17.80 (452) End 1 OD: 5.73 (146) End 2 OD: 5.36 (136) End 1 ID: 3.77 (96) End 2 ID: 3.80 (97) |


| | |
|---|--|
| HF30875 | PALL HC8304FKS39Z |
|  | Overall Height: 39.60 (1006) End 1 OD: 5.73 (146) End 2 OD: 5.36 (136) End 1 ID: 3.77 (96) End 2 ID: 3.80 (97) |


| | |
|---|---|
| HF30878 | PALL HC8304FKT16Z |
|  | Overall Height: 17.80 (452) End 1 OD: 5.73 (146) End 2 OD: 5.36 (136) End 1 ID: 3.77 (96) End 2 ID: 3.80 (97) |


| | |
|--|--|
| HF30879 | PALL HC8304FKT39Z |
|  | Overall Height: 39.60 (1006) End 1 OD: 5.73 (146) End 2 OD: 5.36 (136) End 1 ID: 3.77 (96) End 2 ID: 3.80 (97) |

| | |
|---|--|
| HF30889 | PALL HC8314FKN39H |
|  | Overall Height: 39.60 (1006) End 1 OD: 6.27 (159) End 2 OD: 5.91 (150) End 1 ID: 3.77 (96) End 2 ID: 3.80 (97) |


















| | |
|---|--|
| HF30897 | PARKER 934124Q, PALL HC9604FKT13H, PALL HC8904FKT16H |
|  | Overall Height: 39.60 (1006) End 1 OD: 6.27 (159) End 2 OD: 5.91 (150) End 1 ID: 3.77 (96) End 2 ID: 3.80 (97) |

| | |
|---|---|
| HF30904 | PALL HC9604FKP13Z |
|  | Overall Height: 12.66 (321) Overall OD: 3.13 (80) End 1 ID: 1.94 (49) |

| | |
|---|--|
| HF30907 | PALL HC9604FKN8Z |
|  | Overall Height: 7.92 (201) Overall OD: 3.13 (80) End 1 ID: 1.94 (49) |


| | |
|---|---|
| HF30908 | PALL HC9604FKN13Z |
|  | Overall Height: 12.66 (322) Overall OD: 3.13 (80) End 1 ID: 1.94 (49) |

E. PRODUCT GUIDE

| | | |
|---|---|--|
| HF30911 PALL HC9604FKS8Z Overall Height: 7.92 (201) Overall OD: 3.13 (80) End 1 ID: 1.94 (49) | HF30952 PALL HC8904FKS16Z Overall Height: 16.30 (414) End 1 OD: 4.11 (104) End 2 OD: 3.83 (97) End 2 ID: 2.53 (64) | HF35007 MARVEL M2801, REX MIXERS 2980013353 Overall Height: 7.75 (197) Overall OD: 6.50 (165) End 1 ID: 1.66 (42)  |
| HF30912 PALL HC9604FKS13Z Overall Height: 12.66 (322) Overall OD: 3.13 (80) End 1 ID: 1.94 (49) | HF30957 SEPARATION TECHNOLOGIES 3890ZGMB16 Overall Height: 16.30 (414) End 1 OD: 4.11 (104) End 2 OD: 3.83 (97) End 2 ID: 2.53 (64)  | HF35008 BALDWIN BT611MPG Overall Height: 6.27 (159) Largest OD: 4.63 (118) Thread Size: 11/4-11 BSP  |
| HF30914 SEPARATION TECHNOLOGIES 3960ZGMB13 Overall Height: 12.66 (322) Overall OD: 3.13 (80) End 1 ID: 1.94 (49) | HF33003 NORDBERG 3894082 Overall Height: 19.46 (494) Overall OD: 6.30 (160) End 1 ID: 1.60 (41)  | HF35009 BALDWIN BT606MPG Overall Height: 5.62 (143) Largest OD: 3.66 (93) Thread Size: 31/32-20 UNS-2B  |
| HF30915 PALL HC9604FKT8Z Overall Height: 7.92 (201) Overall OD: 3.13 (80) End 1 ID: 1.94 (49) | HF35000 DONALDSON P174914 Overall Height: 18.78 (477) Overall OD: 3.68 (93) End 1 ID: 1.75 (44)  | HF35010 CATERPILLAR 1328875 Overall Height: 9.32 (237) Overall OD: 3.94 (100) End 1 ID: 2.27 (58)  |
| HF30916 PALL HC9604FKT13Z Overall Height: 12.66 (322) Overall OD: 3.13 (80) End 1 ID: 1.94 (49) | HF35002 DONALDSON P163435 Overall Height: 12.25 (311) Largest OD: 5.00 (127) Thread Size: 3" - 8  | HF35012 CLARK 943559 Overall Height: 14.50 (368) Overall OD: 6.01 (153) End 1 ID: 3.50 (89)  |
| HF30918 PALL HC9604FKP16Z Overall Height: 16.54 (420) Overall OD: 3.13 (80) End 1 ID: 1.94 (49) | HF35003 DONALDSON P162205 Overall Height: 8.81 (224) Largest OD: 5.00 (127) Thread Size: 3" - 8  | HF35013 DONALDSON P163439, INGERSOLL-RAND 35252154 Overall Height: 7.63 (194) Overall OD: 6.02 (153) End 1 ID: 1.72 (44)  |
| HF30920 PALL HC9604FKN16Z Overall Height: 16.54 (420) Overall OD: 3.13 (80) End 1 ID: 1.94 (49) | HF35004 DONALDSON P176208, BALDWIN BT8875MPG Overall Height: 7.60 (193) Largest OD: 4.77 (121) Thread Size: 1 3/4-12 UN-2B  | HF35014 CLARK 943559 Overall Height: 14.50 (368) Overall OD: 6.01 (153) End 1 ID: 3.50 (89)  |
| HF30921 KOMATSU AK3572 Overall Height: 16.54 (420) Overall OD: 3.13 (80) End 1 ID: 1.94 (49)  | HF35005 DONALDSON P550083 Overall Height: 11.50 (292) Overall OD: 4.41 (112) End 1 ID: 2.76 (70)  | HF35015 KOMATSU AK3570 Overall Height: 12.31 (313) End 1 OD: 4.12 (105) End 2 OD: 3.83 (97) End 1 ID: 2.53 (64) End 2 ID: 2.42 (61)  |
| HF30922 PALL HC9604FKS16Z Overall Height: 16.54 (420) Overall OD: 3.13 (80) End 1 ID: 1.94 (49) | HF35006 DONALDSON P169078, BALDWIN BT8416 Overall Height: 4.47 (114) Largest OD: 3.82 (97) Thread Size: 1 3/8  | |
| HF30924 PALL HC9604FKT16Z Overall Height: 16.54 (420) Overall OD: 3.13 (80) End 1 ID: 1.94 (49) | | |
| HF30947 PALL HC8904FKS16H Overall Height: 16.30 (414) End 1 OD: 4.11 (104) End 2 OD: 3.83 (97) End 2 ID: 2.53 (64) | | |
| HF30948 PALL HC8904FKS26H Overall Height: 25.16 (639) End 1 OD: 4.11 (104) End 2 OD: 3.83 (97) End 2 ID: 2.53 (64) | | |
| HF30949 PALL HC8904FKS39H Overall Height: 38.16 (969) End 1 OD: 4.11 (104) End 2 OD: 3.83 (97) End 2 ID: 2.53 (64) | | |


E. PRODUCT GUIDE

HF35016 SEPARATION TECHNOLOGIES 3940ZGEB12




Overall Height: 12.31 (313)
End 1 OD: 4.12 (105)
End 2 OD: 3.83 (97)
End 1 ID: 2.53 (64)
End 2 ID: 2.42 (61)

HF35018 CATERPILLAR 937520, CATERPILLAR 937521, CATERPILLAR 937521X




Overall Height: 6.99 (178)
Largest OD: 3.69 (94)
Thread Size: 1 1/8-16

HF35019 WAUKESHA 153238, WAUKESHA 153290, WAUKESHA 161899




Overall Height: 16.38 (416)
Overall OD: 4.25 (108)

HF35020 WHITE 303343111, WHITE 303343111B




Overall Height: 5.98 (152)
Overall OD: 4.53 (115)
End 1 ID: 1.84 (47)

HF35021 Various Hydraulic Applications




Overall Height: 16.05 (408)
End 1 OD: 4.38 (111)
End 2 OD: 4.37 (111)
End 1 ID: 0.73 (18)
End 2 ID: 2.13 (54)

HF35022 JOHN DEERE AT78046




Overall Height: 16.05 (408)
Overall OD: 4.38 (111)
End 1 ID: 2.43 (62)
End 2 ID: 0.73 (18)

HF35035 KAYDON KM60188



Overall Height: 18.00 (457)
Overall OD: 6.06 (154)
End 1 ID: 2.63 (67)

HF35038 PALL HC0101FKN36H




Overall Height: 36.00 (914)
Overall OD: 6.06 (154)
End 1 ID: 2.63 (67)

HF35042 COOPERS LSF5170, TERBERG 28040481 Replaced by HF35323 For Allison applications, Heavy Duty Version of LF3342.




HF35052 LENZ 815




Overall Height: 7.75 (197)
Overall OD: 4.00 (102)
End 1 ID: 2.03 (52)

HF35074 VOLVO 15215270 Gear box applications



Overall Height: 5.83 (148)
Overall OD: 2.56 (65)
End 1 ID: 1.22 (31)

HF35076 MANN & HUMMEL WD13145



Overall Height: 11.89 (302)
Largest OD: 5.51 (140)
BPV Setting: 36.26 (250)
Thread Size: 1 1/2-16UNF-2B

HF35077 LINDE 9830613



Overall Height: 5.51 (140)
Largest OD: 3.15 (80)
BPV Setting: 50.76 (350)
Thread Size: 3/4-16 UNF-1B

HF35081 JOY 15626732




Overall Height: 6.72 (171)
Largest OD: 5.08 (129)
Thread Size: 1 1/2-16 UN-2B

HF35082 MP FILTRI CS150P10A



Overall Height: 8.92 (227)
Largest OD: 5.04 (128)
Thread Size: 1 1/4 BSP

HF35098 DYNAPAC 903247




Overall Height: 9.09 (231)
Overall OD: 2.52 (64)
End 1 ID: 1.06 (27)

HF35099 ZINGA BE1018



Overall Height: 3.49 (89)
Largest OD: 3.05 (77)
ADBV: Yes
BPV Setting: 17.50 (121)
Thread Size: 3/4-16 UNF-2B

HF35101 CATERPILLAR 1328876



Overall Height: 9.12 (232)
Overall OD: 5.10 (130)
End 1 ID: 3.35 (85)

HF35102 MP FILTRI CS50P25A




Overall Height: 5.60 (142)
Largest OD: 3.68 (94)
Thread Size: 3/4-14 BSP

HF35108 NEW HOLLAND 86900135




Overall Height: 3.84 (98)
Largest OD: 3.73 (95)
Thread Size: 1-12 UNF-2B

HF35109




Overall Height: 20.47 (520)
End 1 OD: 6.12 (156)
End 2 OD: 5.98 (152)
End 1 ID: 3.94 (100)
End 2 ID: 3.16 (80)

HF35110 FAIREY ARLON TXX10




Overall Height: 2.24 (57)
Overall OD: 2.84 (72)
End 1 ID: 0.28 (7)
End 2 ID: 1.77 (45)

HF35111 FAIREY ARLON TXX210




Overall Height: 4.17 (106)
Overall OD: 2.84 (72)
End 1 ID: 0.28 (7)
End 2 ID: 1.77 (45)

HF35112 FAIREY ARLON TXX3B10




Overall Height: 5.51 (140)
Overall OD: 4.17 (106)
End 1 ID: 0.35 (9)
End 2 ID: 2.84 (72)

HF35113 FAIREY ARLON TXX3ER10



Overall Height: 11.81 (300)
Overall OD: 2.84 (72)
End 1 ID: 0.28 (7)
End 2 ID: 1.77 (45)

HF35114 FAIREY ARLON TXX7A10



Overall Height: 9.84 (250)
Overall OD: 4.96 (126)
End 1 ID: 0.35 (9)
End 2 ID: 3.62 (92)

HF35115 FAIREY ARLON TXWGDL10



Overall Height: 2.24 (57)
Overall OD: 2.84 (72)
End 1 ID: 0.28 (7)
End 2 ID: 1.77 (45)

E. PRODUCT GUIDE

HF35116 FAIREY ARLON TXW2GDL10



Overall Height: 4.17 (106)
Overall OD: 2.84 (72)
End 1 ID: 0.28 (7)
End 2 ID: 1.77 (45)

HF35117 FAIREY ARLON TXW3GDL20



Overall Height: 5.91 (150)
Overall OD: 2.84 (72)
End 1 ID: 0.28 (7)
End 2 ID: 1.77 (45)

HF35118 FAIREY ARLON TXW3BGDL10



Overall Height: 5.51 (140)
Overall OD: 4.17 (106)
End 1 ID: 0.35 (9)
End 2 ID: 2.84 (72)

HF35119 FAIREY ARLON TXW3DGDL10



Overall Height: 7.87 (200)
Overall OD: 2.84 (72)
End 1 ID: 0.28 (7)
End 2 ID: 1.77 (45)

HF35120 FAIREY ARLON TXW3DGDL20



Overall Height: 7.87 (200)
Overall OD: 2.84 (72)
End 1 ID: 0.28 (7)
End 2 ID: 1.77 (45)

HF35121 FAIREY ARLON TXW3ERGD10



Overall Height: 11.81 (300)
Overall OD: 2.84 (72)
End 1 ID: 0.28 (7)
End 2 ID: 1.77 (45)

HF35122 FAIREY ARLON TXW3ERGD20



Overall Height: 11.81 (300)
Overall OD: 2.84 (72)
End 1 ID: 0.28 (7)
End 2 ID: 1.77 (45)

HF35123 FAIREY ARLON TXW5GDL3



Overall Height: 10.24 (260)
Overall OD: 4.17 (106)
End 1 ID: 0.35 (9)
End 2 ID: 2.84 (72)

HF35124 FAIREY ARLON TXW5GDL6



Overall Height: 10.24 (260)
Overall OD: 4.17 (106)
End 1 ID: 0.35 (9)
End 2 ID: 2.84 (72)

HF35125 FAIREY ARLON TXW5GDL20



Overall Height: 10.24 (260)
Overall OD: 4.17 (106)
End 1 ID: 0.35 (9)
End 2 ID: 2.84 (72)

HF35126 FAIREY ARLON TXW5AGDL6



Overall Height: 18.31 (465)
Overall OD: 4.17 (106)
End 1 ID: 0.35 (9)
End 2 ID: 2.84 (72)

HF35127 FAIREY ARLON TXW5ARGDL20

Overall Height: 18.31 (465)
Overall OD: 4.17 (106)
End 1 ID: 0.35 (9)
End 2 ID: 2.84 (72)

HF35128 FAIREY ARLON TXW8AGDL6



Overall Height: 11.42 (290)
Overall OD: 4.96 (126)
End 1 ID: 0.35 (9)
End 2 ID: 3.62 (92)

HF35129 FAIREY ARLON TXW8DGDL20



Overall Height: 22.84 (580)
Overall OD: 4.96 (126)
End 1 ID: 0.35 (9)
End 2 ID: 3.62 (92)

HF35130 FAIREY ARLON TXW8DGDL10



Overall Height: 22.84 (580)
Overall OD: 4.96 (126)
End 1 ID: 0.35 (9)
End 2 ID: 3.62 (92)

HF35131 FAIREY ARLON TXW8EGDL20



Overall Height: 34.25 (870)
Overall OD: 4.96 (126)
End 1 ID: 0.35 (9)
End 2 ID: 3.62 (92)

HF35132 FAIREY ARLON TXW13RGDL3



Overall Height: 32.48 (825)
Overall OD: 7.99 (203)
End 1 ID: 0.51 (13)
End 2 ID: 6.18 (157)

HF35133 FAIREY ARLON TXW13RGDL20



Overall Height: 32.48 (825)
Overall OD: 7.99 (203)
End 1 ID: 0.51 (13)
End 2 ID: 6.18 (157)

HF35134 FAIREY ARLON TXW14GDL10



Overall Height: 42.91 (1090)
Overall OD: 7.99 (203)
End 1 ID: 0.51 (13)
End 2 ID: 6.18 (157)

HF35135 FAIREY ARLON CXX310



Overall Height: 7.60 (193)
Largest OD: 3.94 (100)
Thread Size: M60X1.5

HF35136 FAIREY ARLON MXW1GDL20



Overall Height: 4.84 (123)
End 1 OD: 2.64 (67)
End 2 OD: 2.36 (60)
End 1 ID: 1.06 (27)
End 2 ID: 1.08 (28)

HF35137 FAIREY ARLON MXW2GDL10



Overall Height: 9.76 (248)
End 1 OD: 2.64 (67)
End 2 OD: 2.36 (60)
End 1 ID: 1.06 (27)
End 2 ID: 1.08 (28)

HF35138 CASE 87404834 Case 8830, 8840, 8850 SP Windrivers



Overall Height: 5.45 (138)
Largest OD: 3.69 (94)
Thread Size: 13/16-16 UNS-2B

HF35139 J.C.B. 58118063



Overall Height: 3.64 (93)
Largest OD: 3.68 (94)
ADBV: Yes
BPV Setting: 17.40 (120)
Thread Size: 1-12 UNF-2B

HF35140 ZF 750131061



Overall Height: 8.29 (210)
Largest OD: 3.72 (94)
Thread Size: M24 X 1.5-6H EXT


E. PRODUCT GUIDE

HF35141 FAIREY ARLON
FTXW10RGDL10




Overall Height: 12.68 (322)
Overall OD: 7.87 (200)
End 1 ID: 5.89 (150)

HF35160 UCC HYDRAULICS
UCSE1323




Overall Height: 5.51 (140)
End 1 OD: 3.39 (86)
End 2 OD: 3.29 (84)
Thread Size: 1 1/2 BSP

HF35168 UCC HYDRAULICS
UCSE5102




Overall Height: 5.75 (146)
BPV Setting: 3.63 (25)
End 1 OD: 2.54 (65)
End 2 OD: 2.36 (60)
Thread Size: 1 BSP

HF35142 FAIREY ARLON FXX310




Overall Height: 11.40 (290)
Overall OD: 4.96 (126)
End 1 ID: 3.62 (92)

HF35161 UCC HYDRAULICS
UCSE1324




Overall Height: 7.87 (200)
End 1 OD: 3.39 (86)
End 2 OD: 3.29 (84)
Thread Size: 1 1/2 BSP

HF35169 UCC HYDRAULICS
UCSE5103




Overall Height: 5.79 (147)
BPV Setting: 3.63 (25)
End 1 OD: 3.39 (86)
End 2 OD: 3.33 (85)
Thread Size: 1 1/2 BSP

HF35143 FAIREY ARLON MXW2GDL20




Overall Height: 9.76 (248)
End 1 OD: 2.64 (67)
End 2 OD: 2.36 (60)
End 1 ID: 1.06 (27)
End 2 ID: 1.08 (28)

HF35162 UCC HYDRAULICS
UCSE1326



Overall Height: 10.24 (260)
End 1 OD: 3.39 (86)
End 2 OD: 3.29 (84)
Thread Size: 2 BSP

HF35170 UCC HYDRAULICS
UCSE5104



Overall Height: 8.11 (206)
BPV Setting: 3.63 (25)
End 1 OD: 3.39 (86)
End 2 OD: 3.33 (85)
Thread Size: 1 1/2 BSP

HF35150 CASE 254686A2 Case
Loaders 570, 580, 590 series




Overall Height: 5.97 (152)
Largest OD: 3.82 (97)
Thread Size: 13/16 - 16 UN - 28

HF35163 UCC HYDRAULICS
UCSE1219




Overall Height: 5.91 (150)
End 1 OD: 5.87 (149)
End 2 OD: 5.91 (150)
Thread Size: 2 BSP

HF35171 UCC HYDRAULICS
UCSE5105



Overall Height: 10.53 (268)
BPV Setting: 3.63 (25)
End 1 OD: 3.39 (86)
End 2 OD: 3.27 (83)
Thread Size: 2 BSP

HF35152 ALLISON 29501202,
MOHAWK MFG. 29501202




Overall Height: 4.20 (107)
Overall OD: 3.20 (81)
End 1 ID: 1.50 (38)

HF35164 UCC HYDRAULICS
UCSE1220



Overall Height: 8.47 (215)
End 1 OD: 5.87 (149)
End 2 OD: 5.91 (150)
Thread Size: 2 1/2 BSP

HF35172 UCC HYDRAULICS
UCSE5106




Overall Height: 6.20 (158)
BPV Setting: 3.63 (25)
End 1 OD: 5.87 (149)
End 2 OD: 5.91 (150)
Thread Size: 2 BSP

HF35153 ALLISON 29526899 Kit
contains two HF35152 plus
gasket kit.




Overall Height: 4.20 (107)
Overall OD: 3.00 (76)
End 1 ID: 1.53 (39)
End 2 ID: 1.65 (42)

HF35165 UCC HYDRAULICS
UCSE1221




Overall Height: 10.55 (268)
End 1 OD: 5.87 (149)
End 2 OD: 5.91 (150)
Thread Size: 3 BSP

HF35173 UCC HYDRAULICS
UCSE5107




Overall Height: 8.64 (220)
BPV Setting: 3.63 (25)
End 1 OD: 5.87 (149)
End 2 OD: 5.91 (150)
Thread Size: 2 1/2 BSP

HF35156 LETOURNEAU-
WESTINGHOUSE 4172125
Letourneau L1000 series
loaders




Overall Height: 44.12 (1121)
Overall OD: 7.44 (189)
End 1 ID: 4.85 (123)

HF35166 UCC HYDRAULICS
UCSE5100




Overall Height: 4.29 (109)
Overall OD: 1.73 (44)
BPV Setting: 3.63 (25)
Thread Size: 1/2 BSP

HF35174 UCC HYDRAULICS
UCSE5108



Overall Height: 10.85 (276)
BPV Setting: 3.63 (25)
End 1 OD: 5.87 (149)
End 2 OD: 5.91 (150)
Thread Size: 3 BSP

HF35159 UCC HYDRAULICS
UCSE1320




Overall Height: 4.37 (111)
End 1 OD: 2.52 (64)
End 2 OD: 2.34 (60)
Thread Size: 3/4 BSP INT

HF35167 UCC HYDRAULICS
UCSE5101




Overall Height: 4.57 (116)
BPV Setting: 3.63 (25)
End 1 OD: 2.54 (65)
End 2 OD: 2.36 (60)
Thread Size: 3/4 BSP

HF35180 MERCEDES-BENZ
3072700398



Overall Height: 1.24 (32)
BPV Setting: 43.51 (300)
End 1 OD: 8.03 (204)
End 2 OD: 7.64 (194)





























E. PRODUCT GUIDE

| | | |
|--|--|---|
| <p>HF35181 PALL HC8300FKP8H Upgrade of HF7000</p>  <p>Overall Height: 8.21 (209) Overall OD: 5.95 (151) End 1 ID: 4.11 (104)</p> | <p>HF35197 LENZ CP103210</p>  <p>Overall Height: 10.39 (264) Largest OD: 4.24 (108) Thread Size: 1 1/8-16 UN-2B</p> | <p>HF35205 MP FILTRI MF1002P25NB</p>  <p>Overall Height: 5.34 (136) Overall OD: 2.76 (70) BPV Setting: 25.38 (175) End 1 ID: 1.07 (27) End 2 ID: 1.02 (26)</p> |
| <p>HF35182 PALL HC8300FKP8Z</p>  <p>Overall Height: 8.21 (209) Overall OD: 5.95 (151) End 1 ID: 4.11 (104)</p> | <p>HF35198 TIMBERJACK F058437</p>  <p>Overall Height: 5.00 (127) Overall OD: 2.76 (70) End 1 ID: 1.28 (32)</p> | <p>HF35206 MP FILTRI MF1002M60NB</p>  <p>Overall Height: 5.34 (136) Overall OD: 2.76 (70) BPV Setting: 25.38 (175) End 1 ID: 1.07 (27) End 2 ID: 1.02 (26)</p> |
| <p>HF35183 PALL HC8300FKN8H</p>  <p>Overall Height: 8.21 (209) Overall OD: 5.95 (151) End 1 ID: 4.11 (104)</p> | <p>HF35199 MP FILTRI MF0301P10NB</p>  <p>Overall Height: 4.37 (111) Overall OD: 2.05 (52) BPV Setting: 23.21 (160) End 2 ID: 1.02 (26)</p> | <p>HF35207 MP FILTRI MF1003P25NB</p>  <p>Overall Height: 8.56 (218) Overall OD: 2.76 (70) BPV Setting: 25.38 (175) End 1 ID: 1.54 (39) End 2 ID: 1.02 (26)</p> |
| <p>HF35184 AIR REFINER ARH0883LV05</p>  <p>Overall Height: 8.21 (209) Overall OD: 5.95 (151) End 1 ID: 4.11 (104)</p> | <p>HF35200 MP FILTRI MF0301P25NB</p>  <p>Overall Height: 4.37 (111) Overall OD: 2.05 (52) BPV Setting: 23.21 (160) End 2 ID: 1.02 (26)</p> | <p>HF35208 MP FILTRI MF1003M60NB</p>  <p>Overall Height: 8.56 (218) Overall OD: 2.76 (70) BPV Setting: 25.38 (175) End 1 ID: 1.54 (39) End 2 ID: 1.02 (26)</p> |
| <p>HF35185 PALL HC8300FKS8Z Replaces 3830DGHV08</p>  <p>Overall Height: 8.21 (209) Overall OD: 5.95 (151) End 1 ID: 4.11 (104)</p> | <p>HF35201 MP FILTRI MF1001P10NB</p>  <p>Overall Height: 3.52 (90) Overall OD: 2.76 (70) BPV Setting: 25.38 (175) End 1 ID: 1.07 (27) End 2 ID: 1.02 (26)</p> | <p>HF35209 MP FILTRI MF1801P10NB</p>  <p>Overall Height: 8.43 (214) Overall OD: 3.90 (99) BPV Setting: 25.38 (175) End 1 ID: 1.54 (39) End 2 ID: 1.30 (33)</p> |
| <p>HF35186 PALL HC8300FKS8H</p>  <p>Overall Height: 8.21 (209) Overall OD: 5.95 (151) End 1 ID: 4.11 (104)</p> | <p>HF35202 MP FILTRI MF1001P25NB</p>  <p>Overall Height: 3.52 (90) Overall OD: 2.76 (70) BPV Setting: 25.38 (175) End 1 ID: 1.07 (27) End 2 ID: 1.02 (26)</p> | <p>HF35210 MP FILTRI MF1801P25NB</p>  <p>Overall Height: 8.43 (214) Overall OD: 3.90 (99) BPV Setting: 25.38 (175) End 1 ID: 1.54 (39) End 2 ID: 1.30 (33)</p> |
| <p>HF35194 ARGO P3061352</p>  <p>Overall Height: 5.10 (130) Overall OD: 2.32 (59) BPV Setting: 21.75 (150) End 1 ID: 1.04 (26) End 2 ID: 0.59 (15)</p> | <p>HF35203 MP FILTRI MF1002A10HB</p>  <p>Overall Height: 5.34 (136) Overall OD: 2.76 (70) BPV Setting: 25.38 (175) End 1 ID: 1.07 (27) End 2 ID: 1.02 (26)</p> | <p>HF35211 MP FILTRI MF1801M60NB</p>  <p>Overall Height: 8.43 (214) Overall OD: 3.90 (99) BPV Setting: 25.38 (175) End 1 ID: 1.54 (39) End 2 ID: 1.30 (33)</p> |
| <p>HF35195 CATERPILLAR 1262081</p>  <p>Overall Height: 16.73 (425) Overall OD: 5.59 (142) End 1 ID: 3.84 (98)</p> | <p>HF35204 MP FILTRI MF1002A25HB</p>  <p>Overall Height: 5.34 (136) Overall OD: 2.76 (70) BPV Setting: 25.38 (175) End 1 ID: 1.07 (27) End 2 ID: 1.02 (26)</p> | <p>HF35212 MP FILTRI MF4001P25NB</p>  <p>Overall Height: 5.98 (152) Overall OD: 5.12 (130) BPV Setting: 25.38 (175) End 1 ID: 1.95 (50) End 2 ID: 2.60 (66)</p> |


E. PRODUCT GUIDE







| | | |
|--|--|--|
| <p>HF35213 MP FILTRI MF4001M60NB</p>  <p>Overall Height: 5.98 (152) Overall OD: 5.12 (130) BPV Setting: 25.38 (175) End 1 ID: 1.95 (50) End 2 ID: 2.60 (66)</p> | <p>HF35221 LIEBHERR 510670108</p>  <p>Overall Height: 8.35 (212) Overall OD: 5.12 (130) BPV Setting: 25.38 (175) End 1 ID: 1.95 (50) End 2 ID: 2.60 (66)</p> | <p>HF35254 NEW HOLLAND 87300195, CASE SBA340500890, IHC 87300196 New Holland Compact Tractor Applications with the Shibaura ISM engine</p>  <p>Overall Height: 4.02 (102) Largest OD: 3.36 (85) Thread Size: 3/4-16 UNF-2B</p> |
| <p>HF35214 MP FILTRI MF4002A10HB</p>  <p>Overall Height: 8.41 (214) Overall OD: 5.12 (130) BPV Setting: 25.38 (175) End 1 ID: 2.46 (63) End 2 ID: 2.60 (66)</p> | <p>HF35222 HITACHI 1930810</p>  <p>Overall Height: 10.00 (254) Overall OD: 5.12 (130) BPV Setting: 25.38 (175) End 1 ID: 2.46 (63) End 2 ID: 2.60 (66)</p> | <p>HF35255 KOMATSU 4241611140</p>  <p>Overall Height: 8.98 (228) Overall OD: 4.03 (102) End 1 ID: 1.77 (45)</p> |
| <p>HF35215 MP FILTRI MF4002A25HB</p>  <p>Overall Height: 8.41 (214) Overall OD: 5.12 (130) BPV Setting: 25.38 (175) End 1 ID: 2.46 (63) End 2 ID: 2.60 (66)</p> | <p>HF35223 AGCO 3607790M1</p>  <p>Overall Height: 5.74 (146) Largest OD: 4.24 (108) Thread Size: 1 1/4 - 12 UNS 2B</p> | <p>HF35256 KHD(KLOCKNER- HUMBOLDT-DEUTZ) 4411047</p>  <p>Overall Height: 6.97 (177) Largest OD: 5.49 (140) BPV Setting: 2.90 (20) Thread Size: 1 1/2 16UNF 2B INT</p> |
| <p>HF35216 MP FILTRI MF4002P25NB</p>  <p>Overall Height: 8.41 (214) Overall OD: 5.12 (130) BPV Setting: 25.38 (175) End 1 ID: 2.46 (63) End 2 ID: 2.60 (66)</p> | <p>HF35235 RT Crane manufactured by International Transmission</p>  <p>Overall Height: 3.84 (98) Largest OD: 3.73 (95) ADBV: Yes BPV Setting: 4.80 (33) Thread Size: 1-12 UNF-2B</p> | <p>HF35258 CASE 1328276C1</p>  <p>Overall Height: 4.65 (118) Overall OD: 2.22 (57) End 1 ID: 0.95 (24)</p> |
| <p>HF35217 MP FILTRI MF4002M60NB</p>  <p>Overall Height: 8.41 (214) Overall OD: 5.12 (130) BPV Setting: 25.38 (175) End 1 ID: 2.46 (63) End 2 ID: 2.60 (66)</p> | <p>HF35237 HAMM 383279</p>  <p>Overall Height: 2.70 (69) Overall OD: 2.17 (55) End 1 ID: 1.04 (27) End 2 ID: 1.18 (30)</p> | <p>HF35259 ARGO P3052000</p>  <p>Overall Height: 7.84 (199) Overall OD: 1.77 (45) End 1 ID: 0.75 (19) End 2 ID: 0.81 (21)</p> |
| <p>HF35218 MP FILTRI MF4003P25NB</p>  <p>Overall Height: 10.00 (254) Overall OD: 5.12 (130) BPV Setting: 25.38 (175) End 1 ID: 2.46 (63) End 2 ID: 2.60 (66)</p> | <p>HF35238 ARGO S2060805</p>  <p>Overall Height: 2.89 (74) Overall OD: 2.32 (59) End 1 ID: 1.12 (29)</p> | <p>HF35260 ARGO P3051000</p>  <p>Overall Height: 4.09 (104) Overall OD: 1.77 (45) End 1 ID: 0.75 (19) End 2 ID: 0.81 (21)</p> |
| <p>HF35219 MP FILTRI MF7501P10NB</p>  <p>Overall Height: 16.22 (412) Overall OD: 5.12 (130) BPV Setting: 25.38 (175) End 1 ID: 2.46 (63) End 2 ID: 2.60 (66)</p> | <p>HF35251 FORD D8N832AA</p>  <p>Overall Height: 2.80 (71) Overall OD: 2.18 (55) End 1 ID: 0.52 (13)</p> | <p>HF35261 ARGO P3072000</p>  <p>Overall Height: 7.82 (199) Overall OD: 2.76 (70) End 1 ID: 1.01 (26) End 2 ID: 0.79 (20)</p> |
| <p>HF35220 MP FILTRI MF7501A25HB</p>  <p>Overall Height: 16.22 (412) Overall OD: 5.12 (130) BPV Setting: 25.38 (175) End 1 ID: 2.46 (63) End 2 ID: 2.60 (66)</p> | <p>HF35252 ARGO V2121708</p>  <p>Overall Height: 6.58 (167) Overall OD: 4.65 (118) End 1 ID: 2.32 (59)</p> | <p>HF35262 ARGO P2072301</p>  <p>Overall Height: 8.98 (228) Overall OD: 2.52 (64) End 1 ID: 1.10 (28)</p> |






E. PRODUCT GUIDE

| | | |
|---|---|--|
| <p>HF35263 ARGO P3062052</p>  <p>Overall Height: 7.84 (199) Overall OD: 2.32 (59) BPV Setting: 25.38 (175) End 1 ID: 1.06 (27) End 2 ID: 0.59 (15)</p> | <p>HF35271 ARGO V2121736</p>  <p>Overall Height: 6.58 (167) Overall OD: 4.65 (118) End 1 ID: 2.32 (59)</p> | <p>HF35283 DONALDSON P163859</p>  <p>Overall Height: 5.00 (127) Overall OD: 4.39 (112) End 1 ID: 2.44 (62)</p> |
| <p>HF35264 ARGO P2061302</p>  <p>Overall Height: 5.26 (134) Overall OD: 2.36 (60) End 1 ID: 1.12 (29)</p> | <p>HF35272 ARGO P2112311</p>  <p>Overall Height: 8.96 (228) Overall OD: 4.33 (110) End 1 ID: 1.79 (46)</p> | <p>HF35284 DONALDSON P165248</p>  <p>Overall Height: 8.00 (203) Overall OD: 4.38 (111) End 1 ID: 2.44 (62)</p> |
| <p>HF35265 ARGO P2092011</p>  <p>Overall Height: 7.78 (198) Overall OD: 3.27 (83) End 1 ID: 1.59 (41)</p> | <p>HF35273 ARGO S2092000</p>  <p>Overall Height: 7.70 (196) Overall OD: 3.27 (83) End 1 ID: 2.32 (59)</p> | <p>HF35286 DONALDSON P166246</p>  <p>Overall Height: 16.00 (406) Overall OD: 4.38 (111) End 1 ID: 2.44 (62)</p> |
| <p>HF35266 ARGO P2092022</p>  <p>Overall Height: 7.78 (198) Overall OD: 3.27 (83) End 1 ID: 1.59 (41)</p> | <p>HF35274 CASE 87300044, NEW HOLLAND 87300043 Case and New Holland Compact Tractor Applications</p>  <p>Overall Height: 7.02 (178) Largest OD: 3.73 (95) Thread Size: 1 1/8-16 UNF-2B</p> | <p>HF35287 DONALDSON P165249</p> <p>Overall Height: 16.00 (406) Overall OD: 4.38 (111) End 1 ID: 2.44 (62)</p> |
| <p>HF35267 ARGO P3051051</p>  <p>Overall Height: 4.09 (104) Overall OD: 1.77 (45) BPV Setting: 21.75 (150) End 1 ID: 0.75 (19) End 2 ID: 0.59 (15)</p> | <p>HF35276 TOYOTA 675022300071</p>  | <p>HF35288 CASE S111605</p>  <p>Overall Height: 13.00 (330) Overall OD: 4.39 (112) End 1 ID: 2.44 (62)</p> |
| <p>HF35268 ARGO P3051002</p>  <p>Overall Height: 4.09 (104) Overall OD: 1.77 (45) End 1 ID: 0.75 (19) End 2 ID: 0.81 (21)</p> | <p>HF35277 DONALDSON P160116, DONALDSON P160470</p>  <p>Overall Height: 16.00 (406) Overall OD: 4.39 (112) End 1 ID: 2.44 (62)</p> | <p>HF35289 WABCO 4068355, CLARK 2509282</p> <p>Overall Height: 22.00 (559) Overall OD: 7.44 (189) End 1 ID: 4.85 (123)</p> |
| <p>HF35269 ARGO P3051011</p>  <p>Overall Height: 4.09 (104) Overall OD: 1.77 (45) End 1 ID: 0.75 (19) End 2 ID: 0.81 (21)</p> | <p>HF35278 DONALDSON P160108</p>  <p>Overall Height: 8.00 (203) Overall OD: 4.39 (112) End 1 ID: 2.44 (62)</p> | <p>HF35290 DONALDSON P164707</p>  <p>Overall Height: 22.00 (559) Overall OD: 7.44 (189) End 1 ID: 4.85 (123)</p> |
| <p>HF35270 ARGO P3051052</p>  <p>Overall Height: 4.09 (104) Overall OD: 1.77 (45) BPV Setting: 21.75 (150) End 1 ID: 0.75 (19) End 2 ID: 0.59 (15)</p> | <p>HF35279 DONALDSON P160216</p>  <p>Overall Height: 16.00 (406) Overall OD: 4.39 (112) End 1 ID: 2.44 (62)</p> | <p>HF35291 DONALDSON P161365</p>  <p>Overall Height: 18.00 (457) Overall OD: 6.00 (152) End 1 ID: 3.41 (87)</p> |
| <p>HF35281 DONALDSON P160508</p>  <p>Overall Height: 8.00 (203) Overall OD: 4.39 (112) End 1 ID: 2.44 (62)</p> | <p>HF35280 DONALDSON P160605</p>  <p>Overall Height: 5.00 (127) Overall OD: 4.39 (112) End 1 ID: 2.44 (62)</p> | <p>HF35292 DONALDSON P161961</p>  <p>Overall Height: 18.00 (457) Overall OD: 6.00 (152) End 1 ID: 3.41 (87)</p> |
| | <p>HF35282 DONALDSON P160508</p>  <p>Overall Height: 8.00 (203) Overall OD: 4.39 (112) End 1 ID: 2.44 (62)</p> | <p>HF35293 JOHN DEERE AT312946</p>  <p>Overall Height: 4.42 (112) End 1 OD: 5.10 (129) End 2 OD: 5.10 (129) End 1 ID: 2.85 (72)</p> |
| | | <p>HF35294 HAULOTTE 2427002910</p>  <p>Overall Height: 6.71 (171) Overall OD: 2.22 (57) End 1 ID: 0.96 (24)</p> |


























E. PRODUCT GUIDE

| | |
|--|---|
| HF35295  | MC CORMICK 3224623R1 Overall Height: 2.82 (72) Overall OD: 2.21 (56) BPV Setting: 94.27 (650) End 1 ID: 0.97 (25) |
| HF35296  | ALLISON 29539579 For use on Allison automatic transmissions model A2400 used in 4300 International Trucks. Overall Height: 2.97 (75) Largest OD: 3.02 (77) BPV Setting: 8.00 (55) Thread Size: 3/4-20 UNEF-2B |
| HF35297  | PARKER GO1315 Overall Height: 9.67 (246) Overall OD: 2.36 (60) End 1 ID: 0.98 (25) |
| HF35299  | NEW HOLLAND 9842392 Overall Height: 7.90 (201) Largest OD: 3.72 (94) Thread Size: 1 3/8-12 UNF-2B |
| HF35300  | ARGO S2121700 Overall Height: 6.58 (167) Overall OD: 4.65 (118) End 1 ID: 2.32 (59) |
| HF35301 | ARGO K3134062 Overall Height: 18.05 (459) Overall OD: 5.12 (130) BPV Setting: 5.08 (35) End 1 ID: 3.37 (86) |
| HF35302  | MP FILTRI MF4003A10HB |
| HF35303  | MP FILTRI MF4003A25HB |
| HF35304 | PARKER GO4679 Overall Height: 7.97 (203) Overall OD: 3.68 (94) End 1 ID: 1.88 (48) |
| HF35305  | CATERPILLAR 6E6408 Overall Height: 11.63 (295) Largest OD: 4.60 (117) Thread Size: 1 3/8-12 UNF-2B |

| | |
|---|--|
| HF35306  | RENAULT D.M.A. 6005007631 Overall Height: 5.61 (142.5) Overall OD: 3.15 (80.0) |
| HF35307  | RENAULT AGRICULTURE 7701028138 Overall Height: 5.61 (142.5) Overall OD: 3.15 (80.0) |
| HF35308  | KUBOTA 6602136060 Overall Height: 4.02 (102) Largest OD: 3.31 (84) ADBV: Yes Thread Size: 3/4-16 UNF-2B |
| HF35309  | FENDT F285102050010 Overall Height: 3.56 (91) Overall OD: 6.22 (158) BPV Setting: 5.80 (40) End 1 ID: 2.52 (64) |
| HF35310 | ARGO P3052051 Overall Height: 7.84 (199) Overall OD: 1.77 (45) BPV Setting: 4.35 (30) End 1 ID: 0.75 (19) End 2 ID: 0.59 (15) |
| HF35311 | ARGO P3052052 Overall Height: 7.84 (199) Overall OD: 1.77 (45) BPV Setting: 29.01 (200) End 1 ID: 0.75 (19) End 2 ID: 0.59 (15) |
| HF35312 | PARKER GO4244 Overall Height: 4.98 (127) Overall OD: 2.09 (53) End 1 ID: 0.79 (20) |
| HF35313  | FENDT G178860060030 Overall Height: 7.84 (199) Overall OD: 2.32 (59) BPV Setting: 25.38 (175) End 1 ID: 1.06 (27) End 2 ID: 0.59 (15) |
| HF35314  | RENAULT AGRICULTURE 7700060361 Overall Height: 7.087 (180) Overall OD: 3.150 (80) |

| | |
|---|--|
| HF35315  | ATLAS COPCO 1202804000 Overall Height: 8.29 (211) Largest OD: 3.68 (94) BPV Setting: 36.26 (250) Thread Size: M20 X 1.5-6H INT |
| HF35316 | ARGO V3082318 |
| HF35317 | CLAAS 7665380 Overall Height: 2.95 (75) Overall OD: 2.74 (70) End 1 ID: 0.53 (14) End 2 ID: 1.06 (27) |
| HF35318  | CLAAS 8248360 Overall Height: 2.95 (75) Overall OD: 2.74 (70) End 1 ID: 0.53 (14) End 2 ID: 1.06 (27) |
| HF35319 | ARGO P3052001 Overall Height: 7.84 (199) Overall OD: 1.77 (45) End 1 ID: 0.75 (19) |
| HF35320 | FENDT F916100600010 Overall Height: 7.82 (199) Overall OD: 2.76 (70) End 1 ID: 0.98 (25) |
| HF35322  | VALMET 20639610 Overall Height: 7.09 (180) End 1 OD: 2.87 (73) End 2 OD: 2.84 (72) End 1 ID: 1.22 (31) |
| HF35323 | Replaces HF35042 Overall Height: 5.61 (142) Largest OD: 3.70 (94) Thread Size: 1 1/8-16 UN-2B |
| HF35324  | MP FILTRI HP0371P10AN Overall Height: 3.62 (92) End 1 OD: 1.71 (44) End 2 OD: 1.65 (42) End 1 ID: 0.83 (21) |
| HF35327  | MASSEY-FERGUSON 3615949M2 Overall Height: 8.19 (208) Overall OD: 1.99 (51) End 1 ID: 0.92 (23) |

E. PRODUCT GUIDE

| | | |
|--|--|--|
| <p>HF35328 ARGO V5124006</p>  <p>Overall Height: 15.79 (401) End 1 OD: 4.65 (118) End 2 OD: 5.24 (133) End 1 ID: 2.24 (57) End 2 ID: 2.95 (75)</p> | <p>HH6930 Filter head w/1-5/16" 12 SAE Indicator type: None For HF6600 Series</p>  | <p>HH6942 Filter head w/ 3/4"-14 NPTF Indicator Type: None For HF6600 Series</p>  |
| <p>HF35329 LIEBHERR 7373881</p>  <p>Overall Height: 24.80 (630) End 1 OD: 6.13 (156) End 2 OD: 5.98 (152) End 1 ID: 3.94 (100) End 2 ID: 3.17 (81)</p> | <p>HH6931 Filter head w/1-1/16" 12 SAE Indicator Type: Electric For HF6600 Series</p>  | <p>HH6943 Filter head w/ 3/4" NPTF. For some HF6500 Series</p>  |
| <p>HF35330 LIEBHERR 7624324</p>  <p>Overall Height: 13.43 (341) End 1 OD: 6.13 (156) End 2 OD: 5.98 (152) End 1 ID: 3.94 (100) End 2 ID: 3.17 (81)</p> | <p>HH6932 Filter head w/1-1/16" 12 SAE Indicator Type: None For HF6600 Series</p>  <p>Height: 3.37 (85.6) Length: 4.20 (106.68) Thread Size: 1 1/16-2 UN-2B</p> | <p>HH6944 Filter head W/ 3/4" NPTF. For some HF6500 Series</p>  |
| <p>HF35333 KALMAR 9216890007</p>  <p>Overall Height: 7.87 (200) Overall OD: 3.68 (94) End 1 ID: 1.87 (48)</p> | <p>HH6934 HOUGH 1216232H91</p>  | <p>HH6945 Filter head w/ 3/4" NPTF. For some HF6500 Series</p>  |
| <p>HF35334 KALMAR 9216890009</p>  <p>Overall Height: 9.63 (245) Overall OD: 2.64 (67) End 1 ID: 1.00 (26)</p> | <p>HH6935 Filter head w/1-1/16" 12 SAE Indicator type: Electric For HF6600 Series</p>  | <p>HH6946 Filter head w/ 1" NPTF. For some HF6500 Series</p>  |
| <p>HF40003 JOHN DEERE AT306605 Applied on John Deere Graders</p>  <p>Overall Height: 9.19 (233) Largest OD: 3.86 (98) Thread Size: M72 X 2-7H INT</p> | <p>HH6936 Filter head w/1-1/16" 12 SAE Indicator Type: None For HF6600 Series</p>  | <p>HH6947 Filter head w/ 1" NPTF. For some HF6500 Series</p>  |
| <p>Hydraulic Heads</p> | | |
| <p>HH6919 NEW HOLLAND 86016700</p>  | <p>HH6937 Filter head w/1-5/16"-12 SAE Indicator Type: None For HF6600 Series</p>  | <p>HH6948 Filter head w/ 1" NPTF. For some HF6500 Series</p>  |
| <p>HH6926 Filter head w/1-5/16"-12 SAE Indicator Type: None For HF6600 Series</p>  | <p>HH6938 Filter head w/ 3/4"-14 NPTF Indicator Type: None For HF6600 Series</p>  | <p>HH6949 Filter Head with 3/4" NPTF.</p>  |
| <p>HH6929 Filter head w/1-5/16"-12 SAE Indicator type: Electric For HF6600 Series</p>  | <p>HH6941 Filter head w/ 3/4"-14 NPTF Indicator Type: Electric For HF6600 Series</p>  | <p>HH6949 Filter Head with 3/4" NPTF.</p>  |

E. PRODUCT GUIDE

| | | | | | |
|--|--|--|--|---|--|
| <p>HH6951</p>  | <p>Head used with FS1285 Uses service part: 3929251S Filter head for HF6700 Series w/1-5/16"-12 SAE o'ring seal inlet/outlet. No by-pass. Drawing on page 1226 of Book 1 (2002-2003) is incorrect.</p> | <p>HH6961</p>  | <p>Uses service part: 3929251S Filter head for HF6700 Series w/1" NPTF inlet/outlet. 25 PSI by-pass. Drawing on page 1226 of Book 1 (2002-2003) is incorrect.</p> | <p>HH6973</p>  | <p>Head used with FS1285 Filter head for HF6700 Series w/1-5/8"-12 SAE o'ring seal inlet/outlet. No by-pass. May be drilled or tapped for DP gauge. Drawing on page 1226 of Book 1 (2002-2003) is incorrect.</p> |
| <p>HH6952</p>  | <p>JOHN DEERE AT144995 Head used with HF6802, HF6338, HF6824, HF6808, HF6636, HF6809, HF7544, HF6579, HF6831</p> | <p>HH6962</p>  | <p>Head used with FS1285 Filter head for HF6700 Series w/1-1/4" NPTF inlet/outlet. No by-pass valve. May be drilled or tapped for DP gauge. Drawing on page 1226 of Book 1 (2002-2003) is incorrect.</p> | <p>HH6977</p>  | <p>Filter head w/ 1-5/6" 12 SAE Indicator Type: None For HF6800 Series</p> |
| <p>HH6954</p>  | <p>Uses service part: 3929251S Filter head for HF6700 Series w/1 5/16"SAE o'ring seal inlet/outlet. 25 PSI by-pass. With 15 psi DP electric indicator. Drawing on page 1226 of Book 1 (2002-2003) is incorrect.</p> | <p>HH6963</p>  | <p>Filter head for HF6700 Series w/1-1/4" NPTF inlet/outlet. 4 psi by-pass setting. May be drilled or tapped for DP gauge. Drawing on page 1226 of Book 1 (2002-2003) is incorrect.</p> | <p>HH6978</p>  | <p>Filter head w/1-5/16" 12 SAE Indicator Type: Electric For HF6800 Series</p> |
| <p>HH6955</p>  | <p>Uses service part: 3929251S Filter head for HF6700 Series w/1 5/16"SAE o'ring seal inlet/outlet. 25 PSI by-pass. Drawing on page 1226 of Book 1 (2002-2003) is incorrect.</p> | <p>HH6965</p>  | <p>Filter head for HF6700 Series w/1-1/4" NPTF inlet/outlet. 25 psi by-pass setting. May be drilled or tapped for DP gauge. Drawing on page 1226 of Book 1 (2002-2003) is incorrect.</p> | <p>HH6979</p>  | <p>Filter head w/1-5/8" 12 SAE Indicator Type: Electric HF6800 Series</p> |
| <p>HH6956</p>  | <p>Uses service part: 3929251S Filter head for HF6700 Series w/1"NPTF inlet/outlet. No by-pass. With 15 psi DP electric indicator. Drawing on page 1226 of Book 1 (2002-2003) is incorrect.</p> | <p>HH6967</p>  | <p>Head used with FS1285 Filter head for HF6700 Series w/1-1/2" NPTF inlet/outlet. No by-pass valve. May be drilled or tapped for DP gauge. Drawing on page 1226 of Book 1 (2002-2003) is incorrect.</p> | <p>HH6981</p>  | <p>Remote head for LF3345 and LF3349.</p> |
| <p>HH6957</p>  | <p>Head used with FS1285 Filter head for HF6700 Series w/1" NPTF inlet/outlet. No by-pass. Drawing on page 1226 of Book 1 (2002-2003) is incorrect. Thread for hole gauge (restriction indicator) is 3/4-16 UNF-2B</p> | <p>HH6968</p>  | <p>Filter head for HF6700 Series w/1-1/2" NPTF inlet/outlet. 4 psi by-pass setting. May be drilled or tapped for DP gauge. Drawing on page 1226 of Book 1 (2002-2003) is incorrect.</p> | <p>HH6982</p>  | <p>Remote Mount Head for LF3349 lube filter for Samsung applications.</p> |
| <p>HH6959</p>  | <p>Uses service part: 3929251S Filter head for HF6700 Series w/1" NPTF inlet/outlet. With 4 psi by-pass. Drawing on page 1226 of Book 1 (2002-2003) is incorrect.</p> | <p>HH6970</p>  | <p>Filter head for HF6700 Series w/1-1/2" NPTF inlet/outlet. 25 psi by-pass setting. May be drilled or tapped for DP gauge. Drawing on page 1226 of Book 1 (2002-2003) is incorrect.</p> | <p>HH6983</p>  | <p>Remote Mount Head. Same as HH6982 except mounting holes have M8X1.25 thds.</p> |
| <p>HH6960</p>  | <p>Uses service part: 3929251S Filter head for HF6700 Series w/1" NPTF inlet/outlet. 25 PSI by-pass. With 15 psi DP electric indicator. Drawing on page 1226 of Book 1 (2002-2003) is incorrect.</p> | <p>HH6972</p>  | <p>Filter head for HF6700 Series w/1-5/8"-12 SAE o'ring seal inlet/outlet. 25 psi by-pass setting. May be drilled or tapped for DP gauge. Drawing on page 1226 of Book 1 (2002-2003) is incorrect.</p> | <p>HH33000</p>  | <p>JOHN DEERE AT182208 Head used with HF28731</p> |
| <p>HH33076</p>  | <p>Replaces Q54365 Mounting Head 1-1/4 in. - 12 Thread</p> | <p>L327009S</p>  | <p>Dipstick for L333029S and L328471S power steering reservoirs.</p> | | |

E. PRODUCT GUIDE

| | | |
|---|---|--|
| <p>L333034S Hold down assembly for L333029S power steering reservoir.</p> | <p>LF507 DELUXE SD</p>  <p>Gasket: 250906 Overall Height: 8.50 (216) Overall OD: 4.87 (124) End 1 ID: 3.00 (76) End 2 ID: 0.56 (14)</p> | <p>LF516 CUMMINS 158139 Filter used with 252916S Uses service part: 116024S, 153516S, 153518S, 153520S, 153528S, 173368S, 181592S, 183342S, 251152S, 252917S, 254028S, 3301949S, 3301950S, 3301954S, 3301956S, 8265S, S1914S</p>  <p>Gasket: 116024¹⁰, 153528¹², 169802¹², 173368¹⁰, 194982¹², 69751¹⁰, S1914S¹⁰ Overall Height: 9.66 (245) Overall OD: 5.00 (127) End 1 ID: 1.48 (37)</p> |
| <p>Lube Filters</p> | | |
| <p>LF500 FIAT-ALLIS 70061817, FIAT-ALLIS 70062101, CUMMINS 256839, MACK 236GB36 Filter used with 3952025S, 3952026S Uses service part: 159667S, 164159S, 250856S, 252274S, 254511S, 3301385S, 3301387S</p>  <p>Gasket: 101853¹⁰, 164159¹⁰, 251432¹⁰, 256981¹⁰ Overall Height: 10.06 (256) Overall OD: 7.72 (196) End 1 ID: 1.10 (28)</p> | <p>LF508 CUMMINS 299508</p>  <p>Gasket: 250907 Overall Height: 10.00 (254) Overall OD: 5.75 (146) End 1 ID: 3.75 (95) End 2 ID: 0.87 (22)</p> | <p>LF518 WHITE 673374</p>  <p>Gasket: 250908¹⁰ Overall Height: 17.25 (438) Overall OD: 6.50 (165) End 1 ID: 2.38 (60)</p> |
| <p>LF502 CUMMINS S1953, EUCLID 9043928 Uses service part: 116024S, 128801S, 132484S, 153528S, 169802S, 251152S</p>  <p>Gasket: 116024¹⁰, 128801¹², 132484¹², 158019¹², 69751¹⁰, S1914S¹⁰</p> | <p>LF509N AC PF132W, CASE 22038 Filter used with 253621S Uses service part: 153520S, 173368S, 250439S, 253312S, 254005S, 254098S, 317237S, 3302134S, 3302136S, 3832879S Lube application only For hydraulic and transmission application use HF6118</p>  <p>Gasket: 173368¹⁰, 254005¹⁰, 317237, 3301338¹⁰, 333639, 3841722 Overall Height: 8.91 (226) Overall OD: 4.51 (115) End 1 ID: 1.44 (37)</p> | <p>LF519 CATERPILLAR 5S485</p>  <p>Gasket: 251311¹⁰ Overall Height: 9.05 (230) Overall OD: 5.08 (129) End 1 ID: 3.32 (84)</p> |
| <p>LF503 CLARK 957577, VOLVO CONSTRUCTION EQUIPMENT 957577, CASE A13211, CASE 603711C92, CARRIER 20122093 Uses service part: 253200S For lube application only. For fuel application use FF102.(Used in Fram Housing on GM Auto & Truck applications)</p>  <p>Gasket: 250420¹⁰, 253200¹⁰, 3844314 Overall Height: 5.95 (151) Overall OD: 3.95 (100) End 1 ID: 1.08 (27)</p> | <p>LF509AN Fram Housing FH33PL</p>  <p>Gasket: 3841722 Overall Height: 8.91 (226) Overall OD: 4.51 (115) End 1 ID: 1.44 (37)</p> | <p>LF520 CASE 34457, EUCLID 9028091, MACK 236GB123A</p>  <p>Overall Height: 7.55 (192) Overall OD: 5.84 (148) End 1 ID: 1.71 (43)</p> |
| <p>LF504 GMC 5572425</p>  <p>Gasket: 3312307 Overall Height: 7.71 (196) End 1 OD: 4.03 (102) End 1 ID: 0.55 (14)</p> | <p>LF510 CASE 367488R91 Fram F-4 Series</p>  <p>Gasket: 3846494 Overall Height: 4.87 (124) Overall OD: 3.97 (101) End 1 ID: 0.54 (14)</p> | <p>LF521 CASE 193187R91</p>  <p>Gasket: 3315150 Overall Height: 7.00 (178) Overall OD: 4.52 (115) End 1 ID: 0.53 (13) End 2 ID: 1.77 (45)</p> |
| <p>LF505 UNITED ENGINE LIFE EJC</p>  <p>Gasket: 250904 Overall Height: 5.25 (133) Overall OD: 4.00 (102) End 1 ID: 1.25 (32) End 2 ID: 0.56 (14)</p> | <p>LF512 FORD C1T26731B</p>  <p>Gasket: 317703, 321293, 333639 Overall Height: 4.76 (121) Overall OD: 4.03 (102) End 1 ID: 0.80 (20)</p> | <p>LF522 CASE 214731R91</p>  <p>Gasket: 319604, 333786 Overall Height: 5.06 (129) Overall OD: 4.52 (115) End 1 ID: 0.53 (13) End 2 ID: 2.25 (57)</p> |
| <p>LF506 UNITED ENGINE LIFE ECUR, CASE 70690H</p>  <p>Gasket: 250904, 250905 Overall Height: 5.50 (140) Overall OD: 4.12 (105) End 1 ID: 1.69 (43) End 2 ID: 0.56 (14)</p> | <p>LF513 AC P115</p>  <p>Gasket: 3312307 Overall Height: 4.87 (124) Overall OD: 3.97 (101) End 1 ID: 0.54 (14)</p> | <p>LF523 CASE 213445R91</p>  <p>Gasket: 319604, 333786 Overall Height: 7.06 (179) End 1 OD: 4.52 (115) End 2 OD: 4.51 (115) End 1 ID: 0.53 (13) End 2 ID: 2.25 (57)</p> |