

E. PRODUCT GUIDE

3959517S  FORD D90Z6A666A PCV Mexico only	3959751S DAVCO 102691 Fuel Heater Kit for use with Fuel Housings	AA2905  Kit Containing (1) AF1605M and (1) AF1604
3959518S  GMC 6487778 PCV Mexico only	3959752S DAVCO 102693 Fuel Heater Kit for use with Fuel Housings	AA2906  Kit Containing (1) AF879 and (1) AF857
3959519S  NISSAN 1181060U00 PCV Mexico only	3959753S DAVCO 102694 Fuel Heater Kit for use with Fuel Housings	AA2907  Kit Containing (1) AF899 and (1) AF880
3959520S  FORD E1DZ6A666A PCV Mexico only	3959755S DAVCO 102695 Fuel Heater Kit for use with Fuel Housings	AA2907M  Kit Containing (1) AF899M and (1) AF880
3959521S  CHRYSLER 5214088 PCV Mexico only	3960200S Replacement Lid & Wingnut for AP0200.	AA2908  Kit Containing (1) AF421 and (1) AF821M
3959522S  HONDA E63Z6A666A PCV Mexico only	3960300S Replacement Lid & Wingnut for AP0300.	AA2909  Ford (Outer Element) Ford (Inner Element) Elements Not Available Separately
3959524S  NISSAN 1181057Y00 PCV Mexico only	3960450S Replacement Lid & Wingnut for AP0450.	AA2910  Kit Containing (1) AF911 and (1) AF910 Overall Height: 24.00 (609) Overall OD: 12.77 (324) End 1 ID: 8.36 (212)
3959525S  CHRYSLER 53041134 PCV Mexico only	3960500S Replacement Lid & Wingnut for AP0500.	AA2912  Kit containing (1) AF1768M and (1) AF1767
3959527S  CHRYSLER 53030564 PCV Mexico only	Dual Pack Air Kits	AA2920  Kit containing (1) AF4504M and (1) AF1791
3959745S  DAVCO 102551 Metric Check Valve Fitting for Industrial Pro Series	AA2900  Kit Containing (1) AF851 and (1) AF883	AA2921  Kit containing (1) AF434KM and (1) AF804M
3959747S  NISSAN 11810F0500 PCV Mexico only	AA2901  Kit Containing (1) AF873M and (1) AF4516	Air Filters
3959748S  DAVCO 102688 Fuel Heater kit for use with Fuel Housings	AA2902  Kit Containing (1) AF424 and (1) AF820M	AF250  CUMMINS 255963 Uses service part: 154272S, 156779S, 250024S Breather For Naturally Aspirated Engines Only Overall Height: 2.73 (69) Overall OD: 2.99 (76) End 1 ID: 1.35 (34)
3959749S  DAVCO 102689 Fuel Heater Kit for use with Fuel Housings	AA2903  Kit Containing (1) AF4605M and (1) AF4603	
3959750S  DAVCO 102690 Fuel Heater Kit for use with Fuel Housings	AA2904  Kit Containing (1) AF875M and (1) AF4514	

E. PRODUCT GUIDE

AF251 CUMMINS 155065, CUMMINS 256837 Filter used with 147669S Uses service part: 257014S Air Compressor Breather

Overall Height: 1.28 (33)
Overall OD: 4.92 (125)
End 1 ID: 3.00 (76)



AF259 CUMMINS 106836, CUMMINS 299259 Fram FA-210PL Series

Overall Height: 7.95 (202)
Overall OD: 6.68 (170)
End 1 ID: 4.19 (106)
End 2 ID: 0.30 (8)



AF269 CHRYSLER 2120933

Overall Height: 6.00 (152)
Overall OD: 10.21 (259)
End 1 ID: 5.54 (141)




AF252 CUMMINS 299252 Pre-Cleaner Blanket is AF1844

Overall Height: 10.06 (256)
End 1 OD: 9.23 (234)
End 2 OD: 9.21 (234)
End 1 ID: 0.44 (11)
End 2 ID: 6.61 (168)



AF260 FORD B8Q9601A

Overall Height: 7.16 (182)
End 1 OD: 9.46 (240)
End 2 OD: 9.16 (233)
End 1 ID: 6.75 (171)



AF276 CUMMINS 253477

Overall Height: 3.85 (98)
Overall OD: 6.06 (154)
End 1 ID: 4.56 (116)



AF253 CUMMINS 299253 Uses service part: 3835841S, 3835842S Optional Gaskets For Fram Housing

Overall Height: 12.06 (306)
Overall OD: 10.40 (264)
End 1 ID: 7.80 (198)
End 2 ID: 0.44 (11)



AF262 CUMMINS 299262

Overall Height: 15.03 (382)
Overall OD: 11.94 (303)
End 1 ID: 7.32 (186)



AF277 CASE 156073C91

Overall Height: 8.56 (217)
Overall OD: 6.06 (154)
End 1 ID: 4.56 (116)



AF254 AIR REFINER ARP9

Overall Height: 3.91 (99)
End 1 OD: 9.39 (239)
End 2 OD: 9.19 (233)
End 1 ID: 6.60 (168)



AF263 ALLIS-CHALMERS 4052520

Overall Height: 16.39 (416)
Overall OD: 12.08 (307)
End 1 ID: 7.94 (202)



AF278 CUMMINS 299278, CASE 301659R91

Overall Height: 18.50 (470)
Overall OD: 8.08 (205)
End 1 ID: 5.69 (145)



AF255 CHRYSLER 1929429

Overall Height: 3.67 (93)
End 1 OD: 3.30 (84)
End 1 ID: 1.97 (50)



AF264 CUMMINS 299264 Safety Element used with AF936

Overall Height: 12.04 (306)
Overall OD: 10.21 (259)
End 1 ID: 5.54 (141)



AF281 GMC 2308840

Overall Height: 2.50 (64)
Overall OD: 3.00 (76)
End 1 ID: 1.62 (41)



AF256 CLARK 880046 Fram F-4 Series

Overall Height: 2.06 (52)
Overall OD: 3.27 (83)
End 1 ID: 1.97 (50)



AF265 CUMMINS 124721, CUMMINS 299265

Overall Height: 10.06 (255)
Overall OD: 8.99 (228)
End 1 ID: 4.33 (110)




AF284 CLARK 880044

Overall Height: 7.00 (178)
Overall OD: 4.38 (111)
End 1 ID: 3.00 (76)



AF257 FORD B7A9601C

Overall Height: 3.62 (92)
End 1 OD: 9.43 (240)
End 2 OD: 9.14 (232)
End 1 ID: 6.88 (175)



AF267 FORD C1KE9601A

Overall Height: 2.26 (57)
Overall OD: 9.76 (248)
End 1 ID: 7.94 (202)



AF285 CUMMINS 133739, CUMMINS 299285 250806 Bolt Seal Included

Overall Height: 9.04 (230)
End 1 OD: 8.41 (214)
End 2 OD: 8.40 (213)
End 1 ID: 5.79 (147)
End 2 ID: 0.54 (14)



AF258 CASE 150868R91

Overall Height: 7.62 (194)
Overall OD: 8.09 (205)
End 1 ID: 0.44 (11)
End 2 ID: 5.75 (146)



AF268 FORD B8QH9601A

Overall Height: 5.13 (130)
Overall OD: 12.13 (308)
End 1 ID: 9.50 (241)



























AF289 CUMMINS 299289, CATERPILLAR 2M7941, CATERPILLAR 2S5648 For Magnum Version, Use AF289M

Overall Height: 11.54 (293)
End 1 OD: 12.83 (326)
End 2 OD: 12.77 (324)
End 1 ID: 5.94 (151)
End 2 ID: 8.36 (212)




E. PRODUCT GUIDE

<p>AF289M DONALDSON P119417 Extended Life Version of AF289</p>  <p>Overall Height: 11.54 (293) End 1 OD: 12.83 (326) End 2 OD: 12.77 (324) End 1 ID: 5.94 (151) End 2 ID: 8.36 (212)</p>	<p>AF306 GMC 6422680</p>  <p>Overall Height: 3.06 (78) Overall OD: 11.44 (291) End 1 ID: 8.61 (219)</p>	<p>AF332 CATERPILLAR 4L9852</p>  <p>Overall Height: 12.31 (313) Overall OD: 10.40 (264) End 1 ID: 6.05 (154)</p>
<p>AF290 TOWMOTOR 333660</p>  <p>Overall Height: 3.01 (76) End 1 OD: 6.69 (170) End 2 OD: 6.41 (163) End 1 ID: 5.00 (127)</p>	<p>AF308 CHRYSLER 1739548</p>  <p>Overall Height: 3.02 (77) End 1 OD: 8.31 (211) End 2 OD: 8.00 (203) End 1 ID: 6.50 (165)</p>	<p>AF333 CATERPILLAR 4L4718</p>  <p>Overall Height: 12.21 (310) Overall OD: 13.83 (351) End 1 ID: 9.49 (241)</p>
<p>AF291 AMERICAN MOTORS 8991012</p>  <p>Overall Height: 3.00 (76) End 1 OD: 6.68 (170) End 2 OD: 6.37 (162) End 1 ID: 4.12 (105)</p>	<p>AF311 CHRYSLER 1739547</p>  <p>Overall Height: 2.75 (70) Overall OD: 10.00 (254) End 1 ID: 7.54 (192) End 2 ID: 7.54 (192)</p>	<p>AF335M CATERPILLAR 4M9334 Primary Air Filter used with AF338, AF959</p>  <p>Overall Height: 13.48 (342) End 1 OD: 11.08 (281) End 2 OD: 11.08 (281) End 1 ID: 6.73 (171)</p>
<p>AF297 PUROLATOR AF2</p>  <p>Overall Height: 4.00 (102) Overall OD: 8.08 (205) End 1 ID: 5.77 (147) End 2 ID: 0.25 (6)</p>	<p>AF321 CATERPILLAR 7M7227</p>  <p>Overall Height: 4.75 (121) Overall OD: 4.25 (108) End 1 ID: 1.56 (40)</p>	<p>AF336M CATERPILLAR 7M9045, CAMECO INDUSTRIES 60010832 Primary Air Filter used with AF340, AF4769 For Inner Air use AF340 or AF4769 depending on the application</p>  <p>Overall Height: 16.48 (418) End 1 OD: 11.08 (281) End 1 ID: 6.73 (171)</p>
<p>AF303 CUMMINS 299303, CATERPILLAR 2M2626 for Magnum Version use AF303M</p>  <p>Overall Height: 10.50 (267) End 1 OD: 10.46 (266) End 2 OD: 10.40 (264) End 1 ID: 5.25 (133) End 2 ID: 7.80 (198)</p>	<p>AF322 FORD C3AZ9601B</p>  <p>Overall Height: 2.58 (66) Overall OD: 9.69 (246) End 1 ID: 7.44 (189)</p>	<p>AF337 CATERPILLAR 4M9378 Primary Air Filter used with AF341</p>  <p>Overall Height: 10.49 (266) Overall OD: 8.39 (213) End 1 ID: 4.00 (102)</p>
<p>AF303M DONALDSON P119596 Extended Life Version of AF303</p>  <p>Overall Height: 10.50 (267) End 1 OD: 10.46 (266) End 2 OD: 10.40 (264) End 1 ID: 5.25 (133) End 2 ID: 7.80 (198)</p>	<p>AF324 FORD C2OZ9601A</p>  <p>Overall Height: 3.26 (83) Overall OD: 8.40 (213) End 1 ID: 6.59 (167)</p>	<p>AF338 CATERPILLAR 2S1286, CATERPILLAR 4M9335, CATERPILLAR 4M9339 Safety Element used with AF335M Fleetguard Airtit Option AF4513 + AK2</p>  <p>Overall Height: 13.09 (333) Flange Diameter: 9.06 (230) End 2 OD: 6.28 (160) End 1 ID: 4.63 (117)</p>
<p>AF304M CUMMINS 150449, CUMMINS 299304, CATERPILLAR 1M3424, CATERPILLAR 1S6079</p>  <p>Overall Height: 10.50 (267) End 1 OD: 11.64 (296) End 2 OD: 11.58 (294) End 1 ID: 6.18 (157) End 2 ID: 8.98 (228)</p>	<p>AF326 CHRYSLER 2402677</p>  <p>Overall Height: 3.50 (89) Overall OD: 12.75 (324) End 1 ID: 11.00 (279)</p>	<p>AF340 CATERPILLAR 2S1287 Safety Element used with AF336M Fleetguard Airtit Option AF4526 + AK00004</p>  <p>Overall Height: 16.15 (410) End 1 OD: 9.06 (230) End 2 OD: 6.28 (160) End 2 ID: 4.62 (117)</p>
<p>AF305 GMC 6422866, GMC 5649797</p>  <p>Overall Height: 2.04 (52) Overall OD: 9.68 (246) End 2 ID: 8.12 (206)</p>	<p>AF329 GMC 5647033 Primary Air; Two Elements Required</p>  <p>Overall Height: 3.16 (80) Overall OD: 5.28 (134) End 1 ID: 3.88 (99)</p>	<p>AF341 CATERPILLAR 2S1284, CATERPILLAR 4M9379 Safety Element used with AF337</p>  <p>Overall Height: 11.41 (290) Flange Diameter: 6.72 (171) End 2 OD: 3.75 (95) End 1 ID: 2.63 (67)</p>


E. PRODUCT GUIDE

AF343 CATERPILLAR 2S1285, CATERPILLAR 4M8048 Safety Element used with AF344M Fleetguard Airtkit Option AF4512 + AK00001




Overall Height: 13.22 (336)
Flange Diameter: 7.31 (186)
End 2 OD: 4.75 (121)
End 1 ID: 3.66 (93)

AF344M CATERPILLAR 4M8047 Primary Air Filter used with AF343, AF4639



Overall Height: 12.40 (315)
End 1 OD: 9.22 (234)
End 2 OD: 9.21 (234)
End 1 ID: 4.86 (123)

AF345 CATERPILLAR 7M8183



Overall Height: 3.86 (98)
Overall OD: 2.99 (76)
End 1 ID: 1.52 (39)
End 2 ID: 1.52 (39)

AF346K CUMMINS 158879, CUMMINS 299346 For Magnum Version use AF346KM 250806 Bolt Seal Included



Overall Height: 14.51 (369)
Fin Diameter: 15.80 (401)
End 2 OD: 12.08 (307)
End 1 ID: 7.73 (196)
End 2 ID: 0.54 (14)

AF346KM DONALDSON P117332, DONALDSON P117639, DONALDSON XLP182001 Extended life version of AF346K 250806 Bolt Seal Included




Overall Height: 14.51 (369)
Fin Diameter: 15.80 (401)
End 2 OD: 12.08 (307)
End 1 ID: 7.73 (196)
End 2 ID: 0.54 (14)

AF347M FIAT-ALLIS 74055092, CUMMINS 150785, CUMMINS 299347 250806 Bolt Seal Included



Overall Height: 13.06 (332)
Overall OD: 12.08 (307)
End 1 ID: 7.73 (196)
End 2 ID: 0.54 (14)

AF348 CUMMINS 299348 For filter with gasket use AF414M, for Magnum Version use AF348M 250806 Bolt Seal Included




Overall Height: 10.06 (256)
Overall OD: 12.08 (307)
End 1 ID: 7.73 (196)
End 2 ID: 0.54 (14)

AF348M DONALDSON P117811, DONALDSON P119241, DONALDSON XLP182032 Extended Life Version of AF348 250806 Bolt Seal Included




Overall Height: 10.06 (256)
Overall OD: 12.08 (307)
End 1 ID: 7.73 (196)
End 2 ID: 0.54 (14)

AF349 CUMMINS 150778, CUMMINS 299349 For Magnum Version use AF349M 250806 Bolt Seal Included




Overall Height: 11.05 (281)
End 1 OD: 8.41 (214)
End 2 OD: 8.40 (213)
End 1 ID: 5.79 (147)
End 2 ID: 0.54 (14)

AF349M DONALDSON P118340, DONALDSON XLP182071 Extended Life Version of AF349 250806 Bolt Seal Included



Overall Height: 11.06 (281)
End 1 OD: 8.41 (214)
End 2 OD: 8.40 (213)
End 1 ID: 5.79 (147)
End 2 ID: 0.54 (14)

AF350K CUMMINS 158876, CUMMINS 299350 For Magnum Version use AF350K 250806 Bolt Seal Included



Overall Height: 10.56 (268)
Fin Diameter: 10.08 (256)
End 2 OD: 7.93 (201)
End 1 ID: 3.60 (91)
End 2 ID: 0.54 (14)

AF350KM DONALDSON P118159, DONALDSON P119247, DONALDSON XLP182045 Extended Life Version Of AF350K 250806 Bolt Seal Included




Overall Height: 10.56 (268)
Fin Diameter: 10.08 (256)
End 2 OD: 7.93 (201)
End 1 ID: 3.60 (91)
End 2 ID: 0.54 (14)

AF351K CUMMINS 158878, CUMMINS 299351 For Magnum Version use AF351KM 250806 Bolt Seal Included



Overall Height: 12.44 (316)
Fin Diameter: 13.80 (351)
End 2 OD: 11.08 (281)
End 1 ID: 6.73 (171)
End 2 ID: 0.54 (14)

AF351KM DONALDSON P117331, DONALDSON XLP182000 Extended Life Version of AF351K 250806 Bolt Seal Included



Overall Height: 12.44 (316)
Fin Diameter: 13.80 (351)
End 2 OD: 11.08 (281)
End 1 ID: 6.73 (171)
End 2 ID: 0.54 (14)

AF352M CUMMINS 151807, CUMMINS 299352



Overall Height: 9.02 (229)
End 1 OD: 6.85 (174)
End 2 OD: 6.83 (174)
End 2 ID: 4.23 (107)

AF353K CUMMINS 158877, CUMMINS 299353 For Magnum Version use AF353KM 250806 Bolt Seal Included




Overall Height: 10.56 (268)
Fin Diameter: 11.70 (297)
End 2 OD: 9.21 (234)
End 1 ID: 4.86 (123)
End 2 ID: 0.54 (14)

AF353KM DONALDSON P117431, DONALDSON P119234, DONALDSON XLP182035 Extended Life Version of AF353K 250806 Bolt Seal Included




Overall Height: 10.56 (268)
Fin Diameter: 11.70 (297)
End 2 OD: 9.21 (234)
End 1 ID: 4.86 (123)
End 2 ID: 0.54 (14)

AF354 CUMMINS 150749, CUMMINS 299354 Same as AF4529 w/o gasket For Magnum Version use AF354M 250806 Bolt Seal Included




Overall Height: 9.06 (230)
Overall OD: 10.40 (264)
End 1 ID: 6.05 (154)
End 2 ID: 0.54 (14)

AF354M DONALDSON P118158, DONALDSON P119245, DONALDSON XLP184033 Extended Life Version of AF354 250806 Bolt Seal Included



Overall Height: 9.06 (230)
Overall OD: 10.40 (264)
End 1 ID: 6.05 (154)
End 2 ID: 0.54 (14)

AF355 PUROLATOR AF71





























Overall Height: 4.00 (102)
Overall OD: 5.94 (151)
End 1 ID: 3.25 (83)
End 2 ID: 0.25 (6)

AF360 WHITE 3103028 Primary Air Filter used with AF371




Overall Height: 16.05 (408)
Overall OD: 14.18 (360)
End 1 ID: 9.79 (249)

E. PRODUCT GUIDE

AF361  MACK 2191P102090 Same as AF1871M w/o gasket. For Magnum Version use AF361M 250806 Bolt Seal Included Overall Height: 16.05 (408) Overall OD: 13.83 (351) End 1 ID: 9.48 (241) End 2 ID: 0.54 (14)	AF376  VORTOX VF135A 250806 Bolt Seal Included Overall Height: 10.56 (268) Overall OD: 10.39 (264) End 1 ID: 5.49 (139) End 2 ID: 0.44 (11)	AF387  CUMMINS 209890 Overall Height: 7.88 (200) Overall OD: 9.62 (244) End 1 ID: 5.00 (127)
AF361M  DONALDSON P117808, DONALDSON P119238, DONALDSON XLP182036 Extended Life Version of AF361. 250806 Bolt Seal Included Overall Height: 16.06 (408) Overall OD: 13.83 (351) End 1 ID: 9.48 (241) End 2 ID: 0.54 (14)	AF378  VORTOX VF100A 250806 Bolt Seal Included Overall Height: 10.56 (268) End 1 OD: 7.39 (188) End 1 ID: 3.49 (89) End 2 ID: 0.44 (11)	AF388  FORD C4ZF9601B, FORD C5ZZ9601B Overall Height: 2.36 (60) Overall OD: 10.00 (254) End 1 ID: 7.54 (192)
AF362  CUMMINS 151688, CUMMINS 299362 w/ gasket use AF413 For Magnum Version use AF362M. 250806 Bolt Seal Included Overall Height: 14.05 (357) Overall OD: 13.83 (351) End 1 ID: 9.48 (241) End 2 ID: 0.54 (14)	AF380  GMC 6419892, GMC 6420934 Overall Height: 3.50 (89) Overall OD: 9.71 (247) End 1 ID: 8.18 (208)	AF390  GMC 6421746 Overall Height: 3.05 (77) Overall OD: 13.88 (353) End 1 ID: 11.62 (295)
AF362M  DONALDSON P117809, DONALDSON P119239, DONALDSON XLP182031 Extended Life Version of AF362. 250806 Bolt Seal Included Overall Height: 14.06 (357) Overall OD: 13.83 (351) End 1 ID: 9.48 (241) End 2 ID: 0.54 (14)	AF381  CLARK 1800562, ONAN 140B495 Overall Height: 3.31 (84) Overall OD: 4.25 (108) End 1 ID: 3.00 (76)	AF399  GMC 6483644 Overall Height: 2.64 (67) Overall OD: 12.62 (321) End 1 ID: 10.84 (275)
AF364  CUMMINS 299364 Overall Height: 1.40 (36) Overall OD: 2.99 (76) End 1 ID: 1.35 (34)	AF383  CUMMINS 299383 Overall Height: 9.04 (230) End 1 OD: 8.41 (214) End 2 OD: 8.40 (213) End 1 ID: 5.79 (147)	AF400  GMC 6484235 Overall Height: 3.47 (88) Overall OD: 12.00 (305) End 1 ID: 9.88 (251)
AF371  WHITE 3103029 Safety Element used with AF360 Overall Height: 15.38 (391) Overall OD: 8.08 (205) End 1 ID: 5.75 (146)	AF384  DONALDSON P102183 For Magnum Version use AF384M 250806 Bolt Seal Included Overall Height: 7.56 (192) Overall OD: 13.83 (351) End 1 ID: 11.23 (285) End 2 ID: 0.54 (14)	AF401  GMC 6483645 Overall Height: 2.48 (63) Overall OD: 12.00 (305) End 1 ID: 9.88 (251)
AF373  VORTOX VF120A 250806 Bolt Seal Included Overall Height: 10.31 (262) End 1 OD: 8.89 (226) End 2 OD: 8.88 (226) End 1 ID: 4.98 (127) End 2 ID: 0.44 (11)	AF384M  DONALDSON P119184 Extended Life Version of AF384. 250806 Bolt Seal Included Overall Height: 7.56 (192) Overall OD: 13.83 (351) End 1 ID: 11.23 (285) End 2 ID: 0.54 (14)	AF402  CHRYSLER 2863349 Overall Height: 2.75 (70) Overall OD: 12.80 (325) End 1 ID: 11.04 (280)
AF374  VORTOX VF160A 250806 Bolt Seal Included Overall Height: 13.51 (343) Overall OD: 11.87 (301) End 1 ID: 7.13 (181) End 2 ID: 0.44 (11)	AF386  CUMMINS 209892 Overall Height: 6.38 (162) Overall OD: 9.62 (244) End 1 ID: 5.00 (127)	AF403  FORD C8AF9601A Overall Height: 2.81 (71) Overall OD: 13.00 (330) End 1 ID: 11.22 (285)
		AF405  AC A331C Overall Height: 2.58 (66) Overall OD: 10.75 (273) End 1 ID: 8.61 (219)
		AF406  GMC 2493708, CASE 303642C91 Overall Height: 3.00 (76) Overall OD: 13.00 (330) End 1 ID: 10.50 (267)


E. PRODUCT GUIDE

AF407 WHITE 3107361 For Magnum Version use AF407M. 3311624 Bolt Seal Included



Overall Height: 13.56 (344)
Overall OD: 11.08 (281)
End 1 ID: 6.73 (171)
End 2 ID: 0.67 (17)

AF407M DONALDSON P119720 Extended Life Version of AF407. 3311624 Bolt Seal Included




Overall Height: 13.56 (344)
Overall OD: 11.08 (281)
End 1 ID: 6.73 (171)
End 2 ID: 0.67 (17)

AF408 WHITE 545249 Primary Air Filter used with AF920 For Magnum Version use AF408M 3311624 Bolt Seal Included




Overall Height: 13.56 (344)
Overall OD: 12.08 (307)
End 1 ID: 7.73 (196)
End 2 ID: 0.67 (17)

AF408M DONALDSON P117327 Extended Life Version of AF408. 3311624 Bolt Seal Included




Overall Height: 13.56 (344)
Overall OD: 12.08 (307)
End 1 ID: 7.73 (196)
End 2 ID: 0.67 (17)

AF409K Primary Air Filter used with AF1980, AF4813 Filter used with AH19110 Some European applications use AF1980. For Magnum Version use AF409KM. 3311624 Bolt Seal Included



Overall Height: 12.43 (316)
Fin Diameter: 7.85 (200)
End 2 OD: 6.08 (154)
End 1 ID: 3.48 (88)
End 2 ID: 0.67 (17)

AF409KM DONALDSON P118160, DONALDSON XLP182054 Filter used with AH19110 Extended Life Version of AF409K. 3311624 Bolt Seal Included



Overall Height: 12.43 (316)
Fin Diameter: 7.85 (200)
End 2 OD: 6.08 (154)
End 1 ID: 3.48 (88)
End 2 ID: 0.67 (17)

AF410 FORD C8TZ9601A



Overall Height: 2.15 (55)
Overall OD: 10.88 (276)
End 1 ID: 8.95 (227)

AF411 FORD C9ZZ9601A




Overall Height: 2.11 (54)
Overall OD: 11.75 (298)
End 1 ID: 9.56 (243)
End 2 ID: 9.56 (243)

AF412 FORD B7SZ9601A




Overall Height: 2.20 (56)
Overall OD: 13.30 (338)
End 1 ID: 11.34 (288)

AF413 CASE 346779R91 w/gasket w/o gasket use AF362. 250806 Bolt Seal Included



Gasket: 3309167 (1)
Overall Height: 14.56 (370)
Overall OD: 13.83 (351)
End 1 ID: 9.48 (241)
End 2 ID: 0.54 (14)

AF414M CASE 346777R91 w/gasket w/o gasket use AF348. 250806 Bolt Seal Included




Overall Height: 10.51 (267)
Overall OD: 12.08 (307)
End 1 ID: 7.73 (196)
End 2 ID: 0.54 (14)

AF415K For Magnum Version use AF415KM. 250806 Bolt Seal Included




Overall Height: 10.62 (270)
Fin Diameter: 11.70 (297)
End 2 OD: 9.21 (234)
End 1 ID: 0.54 (14)
End 2 ID: 4.86 (123)

AF415KM DONALDSON P118343 Extended Life Version of AF415K. 250806 Bolt Seal Included




Overall Height: 10.62 (270)
Fin Diameter: 11.70 (297)
End 2 OD: 9.21 (234)
End 1 ID: 0.54 (14)
End 2 ID: 4.86 (123)

AF416 FORD C5TZ9601A, DONALDSON P106510 This element to be used only after Donaldson FWB-12-0009 kit has been installed. 250806 Bolt Seal Included




Overall Height: 10.46 (266)
Overall OD: 9.21 (234)
End 1 ID: 4.86 (123)
End 2 ID: 0.54 (14)

AF417K FIAT-ALLIS 73040631 3311624 Bolt Seal Included




Overall Height: 13.56 (344)
Fin Diameter: 11.70 (297)
End 2 OD: 9.21 (234)
End 1 ID: 4.86 (123)
End 2 ID: 0.67 (17)

AF418 FIAT-ALLIS 73050258, FIAT-ALLIS 70660360, FRANKLIN 1513159 Primary Air Filter used with AF490M For element w/ fin use AF489K. For Magnum Version use AF418M. 3311624 Bolt Seal Included




Overall Height: 13.56 (344)
Overall OD: 9.21 (234)
End 1 ID: 4.86 (123)
End 2 ID: 0.67 (17)

AF418M DONALDSON P117439, DONALDSON XLP182034 Primary Air Filter used with AF490M Filter used with AH19070 Extended Life Version of AF418. 3311624 Bolt Seal Included




Overall Height: 13.56 (344)
Overall OD: 9.21 (234)
End 1 ID: 4.86 (123)
End 2 ID: 0.67 (17)

AF420KM DONALDSON P106822, DONALDSON P108786, DONALDSON P118746 3311624 Bolt Seal Included




Overall Height: 6.07 (154)
Fin Diameter: 11.70 (297)
End 2 OD: 9.21 (234)
End 1 ID: 0.67 (17)
End 2 ID: 4.86 (123)

AF421M EUCLID 9035429 Primary Air Filter used with AF821M Extended Life Version of AF421




Overall Height: 16.46 (418)
Height: 16.51 (419)
Overall OD: 12.08 (307)
End 1 ID: 7.73 (196)
End 2 ID: 0.91 (23)

AF422 MACK 2MD49303A Primary Air 250806 Bolt Seal Included



Overall Height: 12.38 (314)
Overall OD: 12.08 (307)
End 1 ID: 7.73 (196)
End 2 ID: 0.54 (14)

AF423K MACK 2MD3110, WHITE 3891H21 250806 Bolt Seal Included




Overall Height: 8.44 (214)
Fin Diameter: 13.80 (351)
End 2 OD: 11.08 (281)
End 1 ID: 6.73 (171)
End 2 ID: 0.54 (14)

AF424 CASE 702322C1 Primary Air Filter used with AF820M For Magnum Version use AF424M 3311624 Bolt Seal Included
























Overall Height: 16.56 (421)
End 1 OD: 11.09 (282)
End 1 ID: 0.67 (17)
End 2 ID: 6.73 (171)

AF424M DONALDSON P117437, DONALDSON XLP182046 Filter used with AH19071, AH19072 Extended Life Version of AF424. 3311624 Bolt Seal Included




Overall Height: 16.56 (421)
Overall OD: 11.08 (281)
End 1 ID: 6.73 (171)
End 2 ID: 0.67 (17)

E. PRODUCT GUIDE

<p>AF426 DONALDSON P109685 250806 Bolt Seal Included</p>  <p>Overall Height: 8.94 (227) Overall OD: 13.83 (351) End 1 ID: 9.48 (241) End 2 ID: 0.54 (14)</p>	<p>AF437K DONALDSON P101222, DONALDSON SMP181052 Primary Air Filter used with AF4510 Filter used with AH19109 For Magnum Version use AF437KM. For Flame Retardant version use AF4545K. 3311624 Bolt Seal Included</p>  <p>Overall Height: 11.43 (290) Fin Diameter: 6.34 (161) End 2 OD: 5.24 (133) End 1 ID: 2.71 (69) End 2 ID: 0.67 (17)</p>	<p>AF447 FARR P12 (3 x 4) Inside-Out Flow</p>  <p>Height: 8.18 (208) Length: 10.56 (268) Width: 8.25 (210)</p>
<p>AF427M DONALDSON P109200, DONALDSON P117433, DONALDSON SMP181044, CAMECO INDUSTRIES 60019277 Primary Air Filter used with AF822M, AF938 830497 Bolt Seal Included</p>  <p>Overall Height: 14.55 (370) Overall OD: 10.40 (264) End 1 ID: 6.05 (154) End 2 ID: 0.91 (23)</p>	<p>AF437KM DONALDSON P119775, DONALDSON XLP182052 Primary Air Filter used with AF4510 Filter used with AH19109 Extended Life Version of AF437K. 3311624 Bolt Seal Included</p>  <p>Overall Height: 11.43 (290) Fin Diameter: 6.34 (161) End 2 OD: 5.24 (133) End 1 ID: 2.71 (69) End 2 ID: 0.67 (17)</p>	<p>AF448 FARR P1226 (2 x 6) Inside- Out Flow</p>  <p>Height: 8.18 (208) Length: 15.19 (386) Width: 5.97 (152)</p>
<p>AF429 BUCYRUS-ERIE 362538</p>  <p>Overall Height: 9.00 (229) Overall OD: 10.40 (264) End 1 ID: 7.80 (198)</p>	<p>AF438 UNITED AIR CLEANER 250C6S</p>  <p>Overall Height: 20.27 (515) End 1 OD: 7.05 (179) End 2 OD: 6.99 (178) End 1 ID: 4.42 (112)</p>	<p>AF449 FARR P16 (4 x 4) Inside-Out Flow</p>  <p>Height: 8.18 (208) Length: 10.56 (268) Width: 10.56 (268)</p>
<p>AF433K FIAT-ALLIS 73038733, FIAT- ALLIS 73039921 . 250806 Bolt Seal Included</p>  <p>Overall Height: 13.56 (344) Fin Diameter: 10.70 (272) End 2 OD: 7.93 (201) End 1 ID: 3.58 (91) End 2 ID: 0.54 (14)</p>	<p>AF439 HOUGH 214349H1, UNITED AIR CLEANER 250C14S</p>  <p>Overall Height: 9.50 (241) End 1 OD: 6.94 (176) End 2 OD: 6.92 (176) End 1 ID: 4.88 (124) End 2 ID: 4.44 (113)</p>	<p>AF450 FARR P1628 (2 x 8) Inside- Out Flow</p>  <p>Height: 8.18 (208) Length: 5.97 (152) Width: 19.81 (503)</p>
<p>AF434KM ALLIS-CHALMERS 654409, CUMMINS 196677 Primary Air Filter used with AF4589, AF804M Filter used with AH19067, AH19068 For inner air on some applications use AF804M, AF4589. 3311624 Bolt Seal Included</p>  <p>Overall Height: 16.58 (421) Fin Diameter: 10.08 (256) End 2 OD: 7.93 (201) End 1 ID: 5.33 (135) End 2 ID: 0.67 (17)</p>	<p>AF444 FARR P4, CARRIER 300031600, TRANSCOLD 300031600 Inside-Out Flow(2 x 2)</p>  <p>Height: 8.18 (208) Length: 8.13 (207) Width: 5.97 (152)</p>	<p>AF452 FARR P20 (4 x 5) Inside-Out Flow</p>  <p>Height: 8.18 (208) Length: 12.88 (327) Width: 10.56 (268)</p>
<p>AF435KM DONALDSON SMP181050 Primary Air Filter used with AF4660, AF4850 . 3311624 Bolt Seal Included</p>  <p>Overall Height: 10.43 (265) Fin Diameter: 5.16 (131) End 2 OD: 4.08 (104) End 1 ID: 2.56 (65) End 2 ID: 0.67 (17)</p>	<p>AF445 FARR P6 (2 x 3) Inside-Out Flow</p>  <p>Height: 8.18 (208) Length: 8.25 (210) Width: 5.97 (152)</p>	<p>AF453 FARR P24 (4 x 6) Inside-Out Flow</p>  <p>Height: 8.18 (208) Length: 15.19 (386) Width: 10.56 (268)</p>
<p>AF436M DONALDSON P19175, DONALDSON P118342</p>  <p>Overall Height: 8.06 (205) Overall OD: 5.24 (133) End 1 ID: 2.71 (69)</p>	<p>AF446 FARR P9 (3 x 3) Inside-Out Flow</p>  <p>Height: 8.18 (208) Length: 8.25 (210) Width: 8.25 (210)</p>	<p>AF454 FARR P2438 (3 x 8) Inside- Out Flow</p>  <p>Height: 8.18 (208) Length: 19.81 (503) Width: 8.25 (210)</p>
		<p>AF456 FARR P32 (4 x 8) Inside-Out Flow</p>  <p>Height: 8.18 (208) Length: 19.81 (503) Width: 10.56 (268)</p>

E. PRODUCT GUIDE

AF457 FARR P36 (6 x 6) Inside-Out Flow




Height: 8.18 (208)
Length: 10.56 (268)
Width: 5.97 (152)

AF458 FARR P40 (5 x 8) Inside-Out Flow



Height: 8.18 (208)
Length: 19.81 (503)
Width: 12.88 (327)

AF459 FARR P48 (6 x 8) Inside-Out Flow




Height: 8.18 (208)
Length: 19.81 (503)
Width: 15.19 (386)

AF460 FARR P64 (8 x 8) Inside-Out Flow




Height: 8.18 (208)
Length: 19.81 (503)
Width: 19.81 (503)

AF461 CASE 317702R91




Overall Height: 12.62 (321)
Overall OD: 4.49 (114)
End 1 ID: 2.26 (58)

AF462K FORD D0HZ9601B For Magnum Version use AF462KM. 3311624 Bolt Seal Included



Overall Height: 10.62 (270)
Fin Diameter: 13.80 (351)
End 2 OD: 11.08 (281)
End 1 ID: 0.67 (17)
End 2 ID: 6.73 (171)

AF462KM DONALDSON P119112 3311624 Bolt Seal Included



Overall Height: 10.62 (270)
Fin Diameter: 13.80 (351)
End 2 OD: 11.08 (281)
End 1 ID: 0.67 (17)
End 2 ID: 6.73 (171)

AF463 FORD C8HZ9601C . 3311624 Bolt Seal Included



Overall Height: 11.44 (290)
Overall OD: 9.21 (234)
End 1 ID: 4.86 (123)
End 2 ID: 0.67 (17)

AF464 GMC 6424027



Overall Height: 3.05 (77)
Overall OD: 10.00 (254)
End 1 ID: 7.54 (192)

AF465 GMC 6421161, GMC 6423239




Overall Height: 5.55 (141)
Overall OD: 11.43 (290)
End 1 ID: 8.61 (219)

AF467K MACK 2191P112188



Overall Height: 13.56 (344)
Fin Diameter: 13.80 (351)
End 2 OD: 11.08 (281)
End 1 ID: 6.73 (171)

AF468KM GMC 643276




Overall Height: 11.44 (290)
Fin Diameter: 15.80 (401)
End 2 OD: 12.08 (307)
End 1 ID: 7.73 (196)
End 2 ID: 0.54 (14)

AF469 FORD D1FZ9601B



Overall Height: 2.10 (53)
Overall OD: 9.21 (234)
End 1 ID: 7.03 (179)

AF471 FIAT-ALLIS 70197588 Safety Element used with AF4506M, AF472 For Outer Air use AF472 or AF4506M depending on the application. For Magnum Version use AF471M. 3311624 Bolt Seal Included




Overall Height: 17.73 (450)
End 1 OD: 8.43 (214)
End 2 OD: 7.26 (185)
End 1 ID: 6.23 (158)
End 2 ID: 0.67 (17)

AF471M DONALDSON P119372 Extended Life Version of AF471. 3311624 Bolt Seal Incl.




Overall Height: 17.73 (450)
End 1 OD: 8.43 (214)
End 2 OD: 7.26 (185)
End 1 ID: 6.23 (158)
End 2 ID: 0.67 (17)

AF472 Primary Air Filter used with AF471 For Magnum Version use AF472M. 3311624 Bolt Seal Included




Overall Height: 18.49 (470)
Overall OD: 12.08 (307)
End 1 ID: 7.72 (196)
End 2 ID: 0.67 (17)

AF472M DONALDSON P117443, DONALDSON XLP182002, NEW HOLLAND 70659387 Extended Life Version of AF472. 3311624 Bolt Seal Included




Overall Height: 18.50 (470)
Overall OD: 12.09 (307)
End 1 ID: 7.72 (196)

AF473K FORD D0HZ9601C For Magnum Version use AF473KM. 3311624 Bolt Seal Included




Overall Height: 14.50 (368)
Fin Diameter: 13.80 (351)
End 2 OD: 11.08 (281)
End 1 ID: 6.73 (171)
End 2 ID: 0.67 (17)

AF473KM DONALDSON P119113 Extended Life Version of AF473K. 3311624 Bolt Seal Included



Overall Height: 14.50 (368)
Fin Diameter: 13.80 (351)
End 2 OD: 11.08 (281)
End 1 ID: 0.67 (17)
End 2 ID: 6.73 (171)

AF474K DONALDSON P134741, DONALDSON SMP181067 For Magnum Version use AF474KM. 3311624 Bolt Seal Included



Overall Height: 16.44 (417)
Fin Diameter: 15.80 (401)
End 2 OD: 12.09 (307)
End 1 ID: 7.73 (196)
End 2 ID: 0.67 (17)

AF474KM DONALDSON P117185 3311624 Bolt Seal Included




Overall Height: 16.44 (417)
Fin Diameter: 15.80 (401)
End 2 OD: 12.09 (307)
End 1 ID: 7.73 (196)
End 2 ID: 0.67 (17)

AF476K FORD D0HZ9601A For Magnum Version use AF476KM. 3311624 Bolt Seal Included




Overall Height: 16.50 (419)
Fin Diameter: 13.80 (351)
End 2 OD: 11.08 (281)
End 1 ID: 0.67 (17)
End 2 ID: 6.73 (171)

AF476KM DONALDSON P119114 Extended Life Version of AF476K. 3311624 Bolt Seal Included



























Overall Height: 16.50 (419)
Fin Diameter: 13.80 (351)
End 2 OD: 11.08 (281)
End 1 ID: 0.67 (17)
End 2 ID: 6.73 (171)

AF477K FORD C8HZ9601A For Magnum Version use AF477KM. 3311624 Bolt Seal Included




Overall Height: 8.57 (218)
Fin Diameter: 11.70 (297)
End 2 OD: 9.21 (234)
End 1 ID: 0.67 (17)
End 2 ID: 4.86 (123)

E. PRODUCT GUIDE

<p>AF477KM DONALDSON P119183, DONALDSON XLP182024 For Magnum Version use AF477K 3311624 Bolt Seal Included</p>  <p>Overall Height: 8.57 (218) Fin Diameter: 11.70 (297) End 2 OD: 9.21 (234) End 1 ID: 0.67 (17) End 2 ID: 4.86 (123)</p>	<p>AF487 JOHN DEERE AT27823 Safety Element used with AF1917M, AF4541KM, AF489K, AF932 . 3311624 Bolt Seal Included</p>  <p>Overall Height: 11.23 (285) Overall OD: 4.62 (117) End 1 ID: 0.67 (17) End 2 ID: 3.51 (89)</p>	<p>AF498 CATERPILLAR 4S8340 Safety Element used with AF801 Fleetguard Airkit Option AF4514 + AK00005</p>  <p>Overall Height: 13.38 (340) Flange Diameter: 10.20 (259) End 2 OD: 7.66 (195) End 1 ID: 6.00 (152)</p>
<p>AF478K For Magnum Version use AF478KM</p>  <p>Overall Height: 10.50 (267) Fin Diameter: 15.80 (401) End 2 OD: 12.08 (307) End 1 ID: 0.67 (17) End 2 ID: 7.73 (196)</p>	<p>AF488 JOHN DEERE AR45785 Safety Element used with AF1732K . 3311624 Bolt Seal Incl.</p>  <p>Overall Height: 11.23 (285) Overall OD: 5.21 (132) End 1 ID: 4.16 (106) End 2 ID: 0.67 (17)</p>	<p>AF800 CATERPILLAR 3S4745 Safety Element used with AF803 Fleetguard Airkit Option AF4516 + AK00008</p>  <p>Overall Height: 15.28 (388) Flange Diameter: 12.00 (305) End 2 OD: 8.66 (220) End 1 ID: 7.00 (178)</p>
<p>AF478KM DONALDSON P127918 Extended Life Version of AF478K</p>  <p>Overall Height: 10.50 (267) Fin Diameter: 15.80 (401) End 2 OD: 12.08 (307) End 1 ID: 0.67 (17) End 2 ID: 7.73 (196)</p>	<p>AF489K JOHN DEERE AT27824 Primary Air Filter used with AF487 For element w/o fin use AF418. 3311624 Bolt Seal Included</p>  <p>Overall Height: 13.38 (340) Fin Diameter: 11.70 (297) End 2 OD: 9.21 (234) End 1 ID: 4.86 (123) End 2 ID: 0.67 (17)</p>	<p>AF801 CATERPILLAR 4S8337 Primary Air Filter used with AF498</p>  <p>Overall Height: 14.48 (368) End 1 OD: 14.40 (366) End 2 OD: 12.77 (324) End 1 ID: 0.93 (23) End 2 ID: 8.36 (212)</p>
<p>AF479 TOYOTA 1780124010</p>  <p>Overall Height: 2.76 (70) Overall OD: 7.12 (181) End 1 ID: 4.94 (125)</p>	<p>AF490M FIAT-ALLIS 70662609, JOHN DEERE AR46004, FRANKLIN 1513160 Safety Element used with AF418, AF4567, AF418M Filter used with AH19070 . 3311624 Bolt Seal Included</p>  <p>Overall Height: 13.05 (332) End 1 OD: 5.80 (147) End 2 OD: 4.61 (117) End 1 ID: 3.56 (90) End 2 ID: 0.67 (17)</p>	<p>AF802 CATERPILLAR 4S8833</p>  <p>Overall Height: 9.80 (249) End 1 OD: 14.40 (366) End 2 OD: 12.77 (324) End 1 ID: 0.93 (23) End 2 ID: 8.36 (212)</p>
<p>AF483 TOYOTA 1780141010</p>  <p>Overall Height: 2.62 (67) Overall OD: 11.93 (303) End 1 ID: 8.75 (222)</p>	<p>AF491 FORD D2AZ9601A</p>  <p>Overall Height: 2.61 (66) Overall OD: 11.22 (285) End 1 ID: 9.03 (229) End 2 ID: 9.03 (229)</p>	<p>AF803 CATERPILLAR 5S4282 Primary Air Filter used with AF800</p>  <p>Gasket: 3309167 (1) Overall Height: 16.15 (410) End 1 OD: 16.40 (417) End 2 OD: 13.83 (351) End 1 ID: 0.93 (23) End 2 ID: 9.48 (241)</p>
<p>AF484 TOYOTA 1780131010</p>  <p>Overall Height: 2.27 (58) Overall OD: 9.69 (246) End 1 ID: 6.94 (176)</p>	<p>AF492 ALLIS-CHALMERS 7237395, CASE 313964R91 Primary Air Filter used with AF1687</p>  <p>Overall Height: 10.87 (276) Overall OD: 4.49 (114) End 1 ID: 2.26 (58)</p>	<p>AF804M Safety Element used with AF1929, AF434KM Filter used with AH19068 . 3311624 Bolt Seal Included</p>  <p>Overall Height: 15.71 (399) End 1 OD: 5.81 (148) End 2 OD: 4.61 (117) End 1 ID: 3.56 (90) End 2 ID: 0.67 (17)</p>
<p>AF485 TOYOTA 1780141050</p>  <p>Overall Height: 1.95 (50) Overall OD: 12.25 (311) End 1 ID: 9.38 (238)</p>	<p>AF493 CASE 391852R91</p>  <p>Overall Height: 10.78 (274) End 1 OD: 3.56 (90) End 2 OD: 3.52 (89) End 1 ID: 2.07 (53) End 2 ID: 2.24 (57)</p>	<p>AF805K CASE 381344R91, CASE 381344R92 . 3311624 Bolt Seal Included</p>  <p>Overall Height: 10.10 (256) Fin Diameter: 6.40 (163) End 2 OD: 5.24 (133) End 1 ID: 2.71 (69) End 2 ID: 0.67 (17)</p>
<p>AF486K JOHN DEERE AR45784 3311624 Bolt Seal Included</p>  <p>Overall Height: 16.55 (420) Fin Diameter: 10.70 (272) End 2 OD: 7.93 (201) End 1 ID: 5.33 (135) End 2 ID: 0.67 (17)</p>	<p>AF494 CASE 338744R91, GMC 6485497, KOMATSU 338744R91</p>  <p>Overall Height: 17.32 (440) End 1 OD: 5.55 (141) End 2 OD: 5.53 (140) End 1 ID: 3.17 (80)</p>	<p>AF806K CASE 675410R91 3311624 Bolt Seal Included</p>  <p>Overall Height: 7.25 (184) Fin Diameter: 6.40 (163) End 2 OD: 5.24 (133) End 1 ID: 2.71 (69) End 2 ID: 0.67 (17)</p>


E. PRODUCT GUIDE

AF807K CASE 384812R93 3311624 Bolt Seal Included




Overall Height: 11.25 (286)
 Fin Diameter: 8.03 (204)
 End 2 OD: 5.24 (133)
 End 1 ID: 2.71 (69)
 End 2 ID: 0.64 (16)

AF816K CASE A42224 3311624 Bolt Seal Included




Overall Height: 13.25 (337)
 Fin Diameter: 6.40 (163)
 End 2 OD: 5.24 (133)
 End 1 ID: 2.71 (69)
 End 2 ID: 0.67 (17)

AF823KM DONALDSON P114207 3311624 Bolt Seal Included




Overall Height: 5.32 (135)
 Fin Diameter: 11.70 (297)
 End 2 OD: 9.21 (234)
 End 1 ID: 0.67 (17)
 End 2 ID: 4.86 (123)

AF808K CASE 383731R93 3311624 Bolt Seal Included




Overall Height: 14.30 (363)
 Fin Diameter: 6.40 (163)
 End 2 OD: 5.24 (133)
 End 1 ID: 2.71 (69)
 End 2 ID: 0.67 (17)

AF817K JOHN DEERE AH19848 3311624 Bolt Seal Incl.




Overall Height: 9.25 (235)
 Fin Diameter: 6.40 (163)
 End 2 OD: 5.24 (133)
 End 1 ID: 2.71 (69)
 End 2 ID: 0.67 (17)

AF824K ALLIS-CHALMERS 2565687 250806 Bolt Seal Included




Overall Height: 9.50 (241)
 Fin Diameter: 10.70 (272)
 End 2 OD: 7.93 (201)
 End 1 ID: 3.58 (91)
 End 2 ID: 0.54 (14)

AF809K CASE 343731R91 250806 Bolt Seal Included




Overall Height: 16.50 (419)
 Fin Diameter: 10.70 (272)
 End 2 OD: 7.93 (201)
 End 1 ID: 3.58 (91)
 End 2 ID: 0.54 (14)

AF818K JOHN DEERE AR39798 Primary Air Filter used with AF4817 3311624 Bolt Seal Included




Overall Height: 10.38 (264)
 Fin Diameter: 7.80 (198)
 End 2 OD: 6.08 (154)
 End 1 ID: 3.48 (88)
 End 2 ID: 0.67 (17)

AF825 CASE A17742, GMC 6484156 Safety Element used with AF827




Overall Height: 9.52 (242)
 Overall OD: 6.83 (174)
 End 1 ID: 4.23 (107)

AF810K CASE 392517R91 Primary Air Filter used with AF815




Overall Height: 14.39 (366)
 Fin Diameter: 10.70 (272)
 End 2 OD: 7.95 (202)
 End 1 ID: 5.33 (135)

AF819KM DONALDSON P108736 3311624 Bolt Seal Incl.




Overall Height: 9.41 (239)
 Fin Diameter: 5.16 (131)
 End 2 OD: 4.08 (104)
 End 1 ID: 2.56 (65)
 End 2 ID: 0.67 (17)

AF826 CASE A14417



Overall Height: 8.54 (217)
 Overall OD: 10.21 (259)
 End 1 ID: 5.54 (141)

AF811 FARR R150




Height: 14.00 (356)
 Length: 22.88 (581)
 Width: 6.19 (157)

AF820M JOHN DEERE U44956 Safety Element used with AF424, AF25284M, AF4583M, AF25249M Filter used with AH19072 . 3311624 Bolt Seal Incl.




Overall Height: 16.13 (410)
 End 1 OD: 7.59 (193)
 End 2 OD: 6.40 (163)
 End 1 ID: 5.28 (134)
 End 2 ID: 0.67 (17)

AF827 CASE A17741 Primary Air Filter used with AF825




Overall Height: 10.79 (274)
 Overall OD: 11.94 (303)
 End 1 ID: 7.32 (186)

AF813 CASE 383732R93 3311624 Bolt Seal Incl.




Overall Height: 11.31 (287)
 End 1 OD: 6.10 (155)
 End 2 OD: 6.08 (154)
 End 1 ID: 0.67 (17)
 End 2 ID: 3.48 (88)

AF821M CAMECO INDUSTRIES 60034315 Safety Element used with AF421M 3830497 Bolt Seal Included




Overall Height: 15.40 (391)
 End 1 OD: 7.65 (194)
 End 2 OD: 7.64 (194)
 End 1 ID: 0.88 (22)
 End 1 ID: 0.90 (23)
 End 2 ID: 6.05 (154)

AF828 JOHN DEERE AT25219 Safety Element used with AF945K 3311624 Bolt Seal Included




Overall Height: 7.46 (189)
 Overall OD: 4.08 (104)
 End 1 ID: 2.56 (65)
 End 2 ID: 0.67 (17)

AF814 CASE 383711R93 3311624 Bolt Seal Incl.




Overall Height: 16.31 (414)
 End 1 OD: 6.10 (155)
 End 2 OD: 6.08 (154)
 End 1 ID: 0.67 (17)
 End 2 ID: 3.48 (88)

AF822M DONALDSON P119371 Safety Element used with AF427M 3830497 Bolt Seal Included




Overall Height: 12.44 (316)
 Overall OD: 5.96 (151)
 End 1 ID: 4.85 (123)
 End 2 ID: 0.87 (22)

AF829 JOHN DEERE AR46481 3311624 Bolt Seal Included




Overall Height: 12.31 (313)
 End 1 OD: 6.10 (155)
 End 2 OD: 6.08 (154)
 End 1 ID: 0.67 (17)
 End 2 ID: 3.48 (88)

AF815 CASE 392516R91 Safety Element used with AF810K 3311624 Bolt Seal Incl.



















Overall Height: 13.28 (337)
 Overall OD: 5.21 (132)
 End 1 ID: 4.16 (106)
 End 2 ID: 0.67 (17)

AF830 JOHN DEERE AR46976 3311624 Bolt Seal Included




Overall Height: 14.51 (369)
 End 1 OD: 6.85 (174)
 End 2 OD: 6.83 (174)
 End 1 ID: 0.68 (17)
 End 2 ID: 3.48 (88)

E. PRODUCT GUIDE

AF833  CASE 390642R91 Primary Air Filter used with AF848 Overall Height: 16.50 (419) Overall OD: 9.21 (234) End 1 ID: 4.86 (123)	AF845  CASE 401268R1 Safety Element used with AF847 Overall Height: 14.50 (368) Overall OD: 4.12 (105) End 1 ID: 0.41 (10) End 2 ID: 3.00 (76)	AF852M  DONALDSON P116918, DONALDSON XLP182008 Uses service part: 3301159S, 3312554S, 3317765S Extended Life Version of AF852 Overall Height: 23.00 (584) Overall OD: 12.77 (324) End 2 ID: 8.36 (212)
AF834K  CASE 537336R1 Overall Height: 15.49 (393) Fin Diameter: 10.70 (272) End 2 OD: 7.95 (202) End 1 ID: 5.33 (135)	AF846  CASE 401269R1 Primary Air Filter used with AF844 Overall Height: 12.87 (327) Overall OD: 6.63 (168) End 1 ID: 4.19 (106) End 2 ID: 4.19 (106)	AF853  DONALDSON P134743, DONALDSON SMP181007 Uses service part: 3312556S Overall Height: 22.36 (568) Overall OD: 10.39 (264)
AF835K  ALLIS-CHALMERS 239622, CASE A59586 3311624 Bolt Seal Incl. Overall Height: 14.38 (365) Fin Diameter: 7.80 (198) End 2 OD: 6.08 (154) End 1 ID: 3.48 (88) End 2 ID: 0.67 (17)	AF847  CASE 401270R1 Primary Air Filter used with AF845 Overall Height: 15.37 (391) End 1 OD: 6.88 (175) End 2 OD: 6.63 (168) End 1 ID: 4.19 (106)	AF853M  DONALDSON P117797 Uses service part: 3312556S Optional Cover Gasket: Extended Life Version of AF853 Overall Height: 22.37 (568) End 1 OD: 10.40 (264) End 2 OD: 10.00 (254) End 1 ID: 6.05 (154)
AF839  WHITE 3108661 250806 Bolt Seal Included Overall Height: 15.50 (394) End 1 OD: 9.63 (245) End 2 OD: 9.18 (233) End 1 ID: 4.04 (103) End 2 ID: 0.40 (10)	AF848  CASE 390643R91 Safety Element used with AF833 Overall Height: 15.84 (402) Flange Diameter: 7.00 (178) End 2 OD: 4.61 (117) End 1 ID: 3.44 (87)	AF854K  DONALDSON P118675 250806 Bolt Seal Included Overall Height: 15.56 (395) Fin Diameter: 15.70 (399) End 2 OD: 12.08 (307) End 1 ID: 0.54 (14) End 2 ID: 7.73 (196)
AF841  WHITE 3107025 250806 Bolt Seal Included Overall Height: 12.75 (324) End 1 OD: 11.18 (284) End 2 OD: 10.74 (273) End 1 ID: 0.40 (10) End 2 ID: 5.62 (143)	AF849  WHITE 27074664, FARR T519 Single Inlet Also See AF850 Height: 5.38 (137) Length: 19.00 (483) Width: 19.00 (483)	AF855M  DONALDSON P119587 Overall Height: 18.05 (458) Overall OD: 10.40 (264) End 1 ID: 6.05 (154)
AF842  CASE 619652C1 250806 Bolt Seal Included Overall Height: 13.16 (334) Overall OD: 10.02 (255) End 1 ID: 5.48 (139) End 2 ID: 0.40 (10)	AF850  FARR T519D Dual Inlet Also See AF849 Height: 5.38 (137) Length: 19.00 (483) Width: 19.00 (483)	AF856M  WHITE 27000805, CASE 447417C1 311624 Bolt Seal Included Overall Height: 19.99 (508) Overall OD: 12.08 (307) End 1 ID: 7.73 (196) End 2 ID: 0.67 (17)
AF843  CASE 385168R1 Overall Height: 1.95 (50) Overall OD: 6.07 (154) End 1 ID: 4.68 (119)	AF851M  DONALDSON P117441 Primary Air Filter used with AF883M, AF943 For Inner Air use AF883M or AF943 depending on application. 256282 Bolt Seal Included Overall Height: 18.49 (470) Overall OD: 13.83 (351) End 1 ID: 9.48 (241) End 2 ID: 0.91 (23)	AF857  DONALDSON P115070 Safety Element used with AF879, AF879M 3830497 Bolt Seal Included Overall Height: 22.15 (563) Overall OD: 10.88 (276) End 1 ID: 8.16 (207) End 2 ID: 0.90 (23)
AF844  CASE 401267R1 Safety Element used with AF846 Overall Height: 12.31 (313) Overall OD: 4.12 (105) End 1 ID: 0.44 (11) End 2 ID: 3.00 (76)	AF852  MACK 57MD33 Uses service part: 3312554S, 3317765S Optional Cover Gaskets: Donaldson Hsg. 3312554S Fram Hsg. 3317765S For Magnum Version use AF852M Overall Height: 23.00 (584) Overall OD: 12.77 (324) End 1 ID: 8.36 (212)	AF858KM  WHITE 27077560 311624 Bolt Seal Included Overall Height: 12.62 (321) Fin Diameter: 13.80 (351) End 2 OD: 12.10 (307) End 1 ID: 0.67 (17) End 2 ID: 5.69 (145)


E. PRODUCT GUIDE

AF859KM WHITE 27077372 311624 Bolt Seal Included




Overall Height: 10.56 (268)
 Fin Diameter: 15.50 (394)
 End 2 OD: 13.85 (352)
 End 1 ID: 0.67 (17)
 End 2 ID: 7.44 (189)

AF865 DONALDSON P134745 Uses service part: 3301159S For Magnum Version use AF865M



Gasket: 3312554
 Overall Height: 27.00 (686)
 Overall OD: 12.77 (324)
 End 1 ID: 8.36 (212)

AF872 CASE 420051C1 Filter used with AH19327 For Upgrade, use AF872M




Overall Height: 18.48 (469)
 Cover Diameter: 16.41 (417)
 End 2 OD: 13.83 (351)
 End 2 ID: 9.48 (241)

AF860 DONALDSON SMP181010 For Magnum Version use AF860M 3311624 Bolt Seal Included



Overall Height: 14.51 (368)
 End 1 OD: 12.10 (307)
 End 1 ID: 5.69 (145)
 End 2 ID: 0.67 (17)

AF865M DONALDSON P128299 Extended Life Version of AF865




Overall Height: 27.00 (686)
 Overall OD: 12.77 (324)
 End 1 ID: 10.09 (256)

AF872M DONALDSON P118047, DONALDSON XLP182006 Upgrade of AF872 For Magnum Version use AF872M




Overall Height: 18.48 (469)
 Cover Diameter: 16.41 (417)
 End 2 OD: 13.83 (351)
 End 2 ID: 9.48 (241)

AF860M DONALDSON XLP182010 Extended Life Version of AF860 3311624 Bolt Seal Included




Overall Height: 14.48 (368)
 End 1 OD: 12.10 (307)
 End 1 ID: 5.69 (145)
 End 2 ID: 0.67 (17)

AF867M CASE 472099C1 3311624 Bolt Seal Included




Overall Height: 17.77 (451)
 End 1 OD: 12.10 (307)
 End 1 ID: 5.69 (145)
 End 2 ID: 0.67 (17)

AF873M CATERPILLAR 1P8483 Primary Air Filter used with AF1833, AF874




Overall Height: 15.47 (393)
 End 1 OD: 12.49 (317)
 End 2 ID: 9.11 (231)

AF861M DONALDSON P121075




Gasket: 3309167 (1), 3311624(1)
 Overall Height: 18.62 (473)
 End 1 OD: 13.85 (352)
 End 1 ID: 7.44 (189)
 End 2 ID: 0.67 (17)

AF869M CASE 606860C91 Primary Air Filter used with AF1654



Overall Height: 18.49 (470)
 Overall OD: 9.21 (234)
 End 1 ID: 4.86 (123)

AF874 CATERPILLAR 1P8482 Safety Element used with AF873M For Magnum Version use AF874M Fleetguard Airkit Option AF4516 + AK0007




Overall Height: 15.03 (382)
 End 1 OD: 11.40 (289)
 End 2 OD: 8.63 (219)
 End 1 ID: 7.00 (178)

AF862KM WHITE 27077288 3311624 Bolt Seal Included




Overall Height: 12.60 (320)
 Fin Diameter: 15.50 (394)
 End 2 OD: 13.85 (352)
 End 1 ID: 0.67 (17)
 End 2 ID: 7.44 (189)

AF870 WHITE 27092086 For Magnum Version use AF870M




Overall Height: 19.42 (493)
 End 1 OD: 16.26 (413)
 End 2 OD: 12.75 (324)
 End 2 ID: 7.36 (187)

AF874M CATERPILLAR 7N1308 Extended Life Version of AF874 Fleetguard Air kit Option AF4516M + AK00007




Overall Height: 15.03 (382)
 End 1 OD: 11.40 (289)
 End 2 OD: 8.63 (219)
 End 1 ID: 7.00 (178)

AF863M DONALDSON P117092



Gasket: 3312554
 Overall Height: 21.00 (533)
 End 1 OD: 12.79 (325)
 End 2 OD: 12.77 (324)
 End 2 ID: 8.36 (212)

AF870M DONALDSON P122079 Extended Life Version of AF870



Overall Height: 19.42 (493)
 End 1 OD: 16.26 (413)
 End 2 OD: 12.75 (324)
 End 2 ID: 7.36 (187)

AF875M CATERPILLAR 1P7716 Primary Air Filter used with AF876




Overall Height: 13.51 (343)
 Overall OD: 11.50 (292)
 End 1 ID: 8.08 (205)

AF864 DONALDSON P119297 For Upgrade, use AF864M For Magnum Version use AF864M 3830497 Bolt Seal Included




Gasket: 3830497
 Overall Height: 7.69 (195)
 Overall OD: 17.60 (447)
 End 1 ID: 11.10 (282)
 End 2 ID: 0.90 (23)

AF871 CASE 425534C1 For Magnum Version use AF871M



Overall Height: 21.52 (547)
 End 1 OD: 16.26 (413)
 End 2 OD: 13.83 (351)
 End 2 ID: 9.48 (241)

AF876 CATERPILLAR 1P7360 Safety Element used with AF875M Fleetguard Airkit Option AF4514 + AK00005




Overall Height: 13.50 (343)
 Flange Diameter: 10.25 (260)
 End 2 OD: 7.62 (194)
 End 1 ID: 6.00 (152)
 End 2 ID: 1.72 (44)

AF864M DONALDSON P124307 Upgrade of AF864 3830497 Bolt Seal Included




Gasket: 3830497
 Overall Height: 7.69 (195)
 Overall OD: 17.60 (447)
 End 1 ID: 11.10 (282)
 End 2 ID: 0.90 (23)

AF871M DONALDSON P118039 Extended Life Version of AF871



























Overall Height: 21.52 (547)
 End 1 OD: 16.26 (413)
 End 2 OD: 13.83 (351)
 End 2 ID: 9.48 (241)

AF877M DONALDSON P124726


























Overall Height: 19.77 (502)
 Overall OD: 10.40 (264)
 End 1 ID: 6.05 (154)

























E. PRODUCT GUIDE

<p>AF878M DONALDSON P124907</p>  <p>Overall Height: 17.93 (455) Overall OD: 12.77 (324) End 1 ID: 8.36 (212)</p>	<p>AF884K JOY 1224974 3311624 Bolt Seal Included</p>  <p>Overall Height: 18.55 (471) Fin Diameter: 15.80 (401) End 2 OD: 12.08 (307) End 1 ID: 0.67 (17) End 2 ID: 7.73 (196)</p>	<p>AF891 DONALDSON P145706 Primary Air Filter used with AF890 For Magnum Version use AF891M 3830497 Bolt Seal Included</p>  <p>Overall Height: 24.65 (626) End 1 OD: 13.80 (351) End 2 OD: 12.77 (324) End 1 ID: 0.93 (24) End 2 ID: 8.36 (212)</p>
<p>AF879 WABCO VS2186 Primary Air Filter used with AF857 For Upgrade, use AF879M 3630497 Bolt Seal Included</p>  <p>Gasket: 3308026 Overall Height: 23.62 (600) Boot Diameter: 18.60 (472) End 2 OD: 17.60 (447) End 1 ID: 0.90 (23) End 2 ID: 11.10 (282)</p>	<p>AF885M FORD D5HZ9601C</p>  <p>Overall Height: 20.96 (532) Overall OD: 10.40 (264) End 1 ID: 6.05 (154)</p>	<p>AF891M INGERSOLL-RAND 35123512 3830497 Bolt Seal Included</p>  <p>Overall Height: 24.62 (625) End 1 OD: 13.80 (351) End 2 OD: 12.77 (324) End 1 ID: 0.93 (24) End 2 ID: 8.36 (212)</p>
<p>AF879M DONALDSON P115069, DONALDSON XLP182038 Primary Air Filter used with AF857 Upgrade of AF879 3830497 Bolt Seal Included</p>  <p>Gasket: 3308026 Overall Height: 23.62 (600) End 1 OD: 18.43 (468) End 2 OD: 17.64 (448) End 1 ID: 0.91 (23) End 2 ID: 11.12 (283)</p>	<p>AF886 FORD D5HZ9601D For Magnum Version use AF886M</p>  <p>Gasket: 3312556 Overall Height: 16.00 (406) Overall OD: 10.40 (264) End 1 ID: 6.05 (154)</p>	<p>AF892 AC A866C Safety Element used with AF893 250806 Bolt Seal Included</p>  <p>Overall Height: 13.55 (344) Overall OD: 5.07 (129) End 1 ID: 3.83 (97) End 2 ID: 0.42 (11)</p>
<p>AF880 WABCO VJ5176 Safety Element used with AF899, AF899M 3830497 Bolt Seal Included</p>  <p>Overall Height: 22.50 (572) Overall OD: 11.92 (303) End 1 ID: 0.90 (23) End 2 ID: 10.22 (259)</p>	<p>AF886M DONALDSON XLP182014 Extended Life Version Of AF886</p>  <p>Gasket: 3312556 Overall Height: 16.00 (406) End 1 OD: 10.40 (264) End 1 ID: 6.05 (154)</p>	<p>AF893 KOMATSU 6112837610 Primary Air Filter used with AF892 250806 Bolt Seal Included</p>  <p>Overall Height: 15.57 (395) Overall OD: 9.65 (245) End 1 ID: 5.25 (133) End 2 ID: 0.42 (11)</p>
<p>AF881 FIAT-ALLIS 70690304, DRESSTA 1200455H1 Safety Element used with AF882M, AF1849M 3830497 Bolt Seal Included</p>  <p>Overall Height: 21.13 (537) End 1 OD: 8.65 (220) End 1 ID: 7.09 (180) End 2 ID: 0.90 (23)</p>	<p>AF887KM DONALDSON P120117, LUBERFINER LAF1868, CHAMP LAF1868 250806 Bolt Seal Included</p>  <p>Overall Height: 14.56 (370) Fin Diameter: 15.85 (402) End 1 ID: 9.48 (241) End 2 ID: 0.54 (14)</p>	<p>AF894 KOMATSU 6001819120 Safety Element used with AF895</p> 
<p>AF882M FIAT-ALLIS 70690305 Primary Air Filter used with AF881 3830497 Bolt Seal Included</p>  <p>Overall Height: 22.68 (576) End 1 OD: 14.60 (371) End 2 OD: 13.83 (351) End 1 ID: 0.90 (23) End 2 ID: 9.48 (241)</p>	<p>AF888M WHITE 27088627 3830497 Bolt Seal Included</p>  <p>Overall Height: 17.64 (448) Boot Diameter: 13.50 (343) End 2 OD: 12.77 (324) End 1 ID: 0.93 (23) End 2 ID: 8.36 (212)</p>	<p>AF895 KOMATSU 6001819220 Primary Air Filter used with AF894</p>  <p>Overall Height: 12.94 (329) End 1 OD: 8.27 (210) End 2 OD: 8.26 (210) End 1 ID: 0.40 (10) End 2 ID: 4.17 (106)</p>
<p>AF883M EUCLID 9035993 Safety Element used with AF4606M, AF851M Extended Life Version of AF883. 3830497 Bolt Seal Included</p>  <p>Gasket: 3830497 Overall Height: 17.11 (435) Height: 17.05 (433) Overall OD: 8.63 (219) End 1 ID: 7.05 (179) End 2 ID: 0.91 (23)</p>	<p>AF889 NEW HOLLAND 614104, IHC HOUSINGS 923611C91 Safety Element used with AF901 3311624 Bolt Seal Included</p>  <p>Overall Height: 20.05 (509) End 1 OD: 7.60 (193) End 2 OD: 6.41 (163) End 1 ID: 5.27 (134) End 2 ID: 0.67 (17)</p>	<p>AF896 KOMATSU 6003000121 Safety Element used with AF897</p>  <p>Overall Height: 16.86 (428) Flange Diameter: 6.72 (171) End 2 OD: 4.13 (105) End 1 ID: 2.84 (72)</p>
<p>AF890 INGERSOLL-RAND 35123520 Safety Element used with AF891 3830497 Bolt Seal Included</p>  <p>Overall Height: 22.44 (570) Overall OD: 8.24 (209) End 1 ID: 7.12 (181) End 2 ID: 0.93 (24)</p>	<p>AF890 INGERSOLL-RAND 35123520 Safety Element used with AF891 3830497 Bolt Seal Included</p>  <p>Overall Height: 22.44 (570) Overall OD: 8.24 (209) End 1 ID: 7.12 (181) End 2 ID: 0.93 (24)</p>	<p>AF897 KOMATSU 6003000110 Primary Air Filter used with AF896</p>  <p>Overall Height: 16.81 (427) Overall OD: 8.48 (215) End 1 ID: 4.17 (106)</p>

E. PRODUCT GUIDE


<p>AF898M CASE 433324C1 IH 1600-1800 Trucks w/ Dd 6V-53</p>  <p>Overall Height: 7.54 (192) End 1 OD: 16.26 (413) End 2 OD: 13.85 (352) End 2 ID: 7.44 (189)</p>	<p>AF904 CASE 627934C1 Primary Air Filter used with AF905 3311624 Bolt Seal Included</p>  <p>Overall Height: 12.50 (318) Overall OD: 10.40 (264) End 1 ID: 6.05 (154) End 2 ID: 0.68 (17)</p>	<p>AF911 MACK 57MD31 For Magnum Version use AF911M</p>  <p>Gasket: 3312554 Overall Height: 15.00 (381) Overall OD: 12.77 (324) End 1 ID: 8.36 (212)</p>
<p>AF899 DONALDSON SMP181040, WABCO VJ0075, WABCO VJ5175 Primary Air Filter used with AF880 For Magnum Version use AF899M. 3830497 Bolt Seal Included</p>  <p>Gasket: 3825893 Overall Height: 23.62 (600) End 1 OD: 18.60 (472) End 2 OD: 17.60 (447) End 1 ID: 0.90 (23) End 2 ID: 12.23 (311)</p>	<p>AF905 CASE A47146 Safety Element used with AF4636, AF904 3311624 Bolt Seal Included</p>  <p>Overall Height: 10.44 (265) End 1 OD: 5.97 (152) End 2 OD: 5.96 (151) End 1 ID: 0.67 (17) End 2 ID: 4.85 (123)</p>	<p>AF911M DONALDSON P142448 Extended Life Version of AF911</p>  <p>Gasket: 3312554 Overall Height: 15.00 (381) Overall OD: 12.77 (324) End 1 ID: 8.36 (212)</p>
<p>AF899M WABCO VJ0075, WABCO VJ5175 Primary Air Filter used with AF880 Extended Life Version of AF899. 3830497 Bolt Seal Included</p>  <p>Gasket: 3825893 Overall Height: 23.62 (600) End 1 OD: 18.43 (468) End 2 OD: 17.64 (448) End 1 ID: 0.90 (23) End 2 ID: 12.24 (311)</p>	<p>AF906 CASE 627127C1 Primary Air Filter used with AF907 3830497 Bolt Seal Included</p>  <p>Overall Height: 16.60 (422) Boot Diameter: 11.40 (290) End 2 OD: 10.40 (264) End 1 ID: 0.90 (23) End 2 ID: 6.05 (154)</p>	<p>AF914 FORD D0GY9601A</p>  <p>Overall Height: 2.55 (65) Overall OD: 13.00 (330) End 1 ID: 11.22 (285)</p>
<p>AF900 CASE 702848C1 Primary Air Filter used with AF902</p>  <p>Overall Height: 23.00 (584) Overall OD: 8.50 (216) End 1 ID: 5.39 (137) End 2 ID: 0.44 (11)</p>	<p>AF907 JOHN DEERE AE30507, CASE 624978C91 Safety Element used with AF1887M, AF906 3830497 Bolt Seal Included</p>  <p>Overall Height: 14.35 (364) Overall OD: 5.98 (152) End 1 ID: 4.83 (123) End 2 ID: 0.88 (22)</p>	<p>AF915 VERSATILE 22935 Safety Element used with AF916</p>  <p>Overall Height: 18.32 (465) End 1 OD: 7.38 (187) End 2 OD: 7.06 (179) End 1 ID: 5.85 (149) End 2 ID: 0.55 (14)</p>
<p>AF901 IHC HOUSINGS 640968C91, JOHN DEERE AT49022, NEW HOLLAND 614103 Primary Air Filter used with AF889 3311624 Bolt Seal Included</p>  <p>Overall Height: 20.45 (519) End 1 OD: 11.09 (282) End 1 ID: 0.67 (17) End 2 ID: 6.73 (171)</p>	<p>AF908 CASE 702672C1 Primary Air Filter used with AF909 3302302 Bolt Seal Included</p>  <p>Overall Height: 27.41 (696) Overall OD: 12.56 (319) End 1 ID: 7.57 (192) End 2 ID: 0.77 (20)</p>	<p>AF916 VERSATILE 22934 Primary Air Filter used with AF915</p>  <p>Overall Height: 20.37 (517) Cover Diameter: 13.91 (353) End 2 ID: 7.73 (196)</p>
<p>AF902 CASE 702847C1 Safety Element used with AF900 3311624 Bolt Seal Included</p>  <p>Overall Height: 21.46 (545) End 1 OD: 5.26 (134) End 2 OD: 5.21 (132) End 1 ID: 0.68 (17) End 2 ID: 4.16 (106)</p>	<p>AF909 CASE 702673C1 Safety Element used with AF908 3302302 Bolt Seal Included</p>  <p>Overall Height: 25.72 (653) Overall OD: 7.44 (189) End 1 ID: 6.09 (155) End 2 ID: 0.77 (20)</p>	<p>AF917 VERSATILE 22930 Primary Air Filter used with AF918</p>  <p>Overall Height: 20.47 (520) Overall OD: 10.47 (266) End 1 ID: 6.88 (175)</p>
<p>AF903M CUMMINS 3013205 3311624 Bolt Seal Included</p>  <p>Overall Height: 18.41 (468) End 1 OD: 13.85 (352) End 1 ID: 7.44 (189) End 2 ID: 0.67 (17)</p>	<p>AF910 MACK 57MD21 For Upgrade, use AF910M Used With AF911 or AF967M depending on application</p>  <p>Gasket: 3312554 Overall Height: 9.00 (229) Overall OD: 12.77 (324) End 1 ID: 8.36 (212)</p>	<p>AF918 VERSATILE 17444 Safety Element used with AF917, AF927</p>  <p>Overall Height: 18.42 (468) End 1 OD: 6.13 (156) End 1 ID: 0.50 (13) End 2 ID: 4.73 (120)</p>
<p>AF919 DONALDSON P142449, DONALDSON XLP182005 Upgrade of AF910</p>  <p>Gasket: 3312554 Overall Height: 9.00 (229) Overall OD: 12.77 (324) End 1 ID: 8.36 (212)</p>	<p>AF919 CASE 680587C2 Primary Air Filter used with AF929 3311624 Bolt Seal Included</p>  <p>Overall Height: 18.49 (470) Overall OD: 12.08 (307) End 1 ID: 7.73 (196) End 2 ID: 0.67 (17)</p>	

E. PRODUCT GUIDE

<p>AF920</p> 	<p>Safety Element used with AF408 3311624 Bolt Seal Included</p> <p>Overall Height: 12.43 (316) Overall OD: 7.64 (194) End 1 ID: 6.05 (154) End 2 ID: 0.67 (17)</p>	<p>AF928M</p> 	<p>DONALDSON XLP182056, CUMMINS 3022209 Filter used with AH19325, AH19326 Extended Life Version of AF928</p> <p>Overall Height: 15.67 (398) End 1 OD: 12.09 (307) End 1 ID: 7.74 (197) End 2 ID: 0.67 (17)</p>	<p>AF935M</p> 	<p>EUCLID 9039993 Primary Air Filter used with AF4862, AF934 . 3830497 Bolt Seal Included</p> <p>Gasket: 3308026 Overall Height: 19.60 (498) End 1 OD: 18.58 (472) End 2 OD: 17.60 (447) End 1 ID: 0.90 (23) End 2 ID: 12.23 (311)</p>
<p>AF921M</p> 	<p>CATERPILLAR 4N0326 Primary Air Filter used with AF922 3311624 Bolt Seal Included</p> <p>Overall Height: 12.48 (317) End 1 OD: 6.85 (174) End 2 OD: 6.83 (174) End 1 ID: 0.67 (17) End 2 ID: 3.48 (88)</p>	<p>AF929</p> 	<p>IHC HOUSINGS 681911C91 Safety Element used with AF919 3311624 Bolt Seal Included</p> <p>Overall Height: 17.30 (439) End 1 OD: 7.65 (194) End 1 ID: 0.68 (17) End 2 ID: 6.05 (154)</p>	<p>AF936</p> 	<p>INGERSOLL-RAND 40070 Primary Air Filter used with AF264</p> <p>Overall Height: 16.06 (408) Overall OD: 16.64 (423) End 1 ID: 11.99 (305)</p>
<p>AF922</p> 	<p>CATERPILLAR 4N0313 Safety Element used with AF921M 3311624 Bolt Seal Included</p> <p>Overall Height: 10.37 (263) Overall OD: 3.37 (86) End 1 ID: 2.24 (57) End 2 ID: 0.67 (17)</p>	<p>AF930M</p> 	<p>FORD D2HZ9601C . 250806 Bolt Seal Included</p> <p>Overall Height: 9.50 (241) End 1 OD: 12.00 (305) End 2 OD: 10.23 (260) End 1 ID: 0.54 (14) End 2 ID: 4.83 (123)</p>	<p>AF937</p> 	<p>STEIGER 71010 Safety Element used with AF4628M, AF939 . 3311624 Bolt Seal Included</p> <p>Overall Height: 16.41 (417) Overall OD: 5.98 (152) End 1 ID: 4.83 (123) End 2 ID: 0.65 (17)</p>
<p>AF923M</p> 	<p>CASE 537337R1 Primary Air Filter used with AF924</p> <p>Overall Height: 15.53 (394) End 1 OD: 9.50 (241) End 2 OD: 8.48 (215) End 2 ID: 4.51 (115)</p>	<p>AF931M</p> 	<p>DONALDSON P129472</p> <p>Gasket: 3309314 Overall Height: 28.90 (734) End 1 OD: 8.66 (220) End 2 OD: 5.72 (145) End 1 ID: 5.21 (132)</p>	<p>AF938</p> 	<p>STEIGER 45212 Safety Element used with AF427M 3311624 Bolt Seal Included</p> <p>Overall Height: 12.44 (316) Overall OD: 5.98 (152) End 1 ID: 4.83 (123) End 2 ID: 0.65 (17)</p>
<p>AF924</p> 	<p>CASE 537338R2 Safety Element used with AF923M</p> <p>Overall Height: 14.38 (365) Overall OD: 4.47 (114) End 1 ID: 0.44 (11) End 2 ID: 3.41 (87)</p>	<p>AF932</p> 	<p>JOHN DEERE AT35155 Primary Air Filter used with AF487 3311624 Bolt Seal Included</p> <p>Overall Height: 12.50 (318) Overall OD: 7.93 (201) End 1 ID: 5.33 (135) End 2 ID: 0.67 (17)</p>	<p>AF939</p> 	<p>STEIGER 71011 Primary Air Filter used with AF937 3830497 Bolt Seal Included</p> <p>Overall Height: 18.49 (470) Overall OD: 10.40 (264) End 1 ID: 6.05 (154) End 2 ID: 0.90 (23)</p>
<p>AF925</p> 	<p>CASE 925761C1 Primary Air Filter used with AF926 250806 Bolt Seal Included</p> <p>Overall Height: 21.03 (534) Overall OD: 10.02 (255) End 1 ID: 5.48 (139) End 2 ID: 0.40 (10)</p>	<p>AF933</p> 	<p>DONALDSON P181021 For Magnum Version use AF933M</p> <p>Overall Height: 10.50 (267) Overall OD: 10.40 (264) End 1 ID: 6.05 (154) End 2 ID: 0.33 (8) Thread Size: 5/16-18 UNC-2A</p>	<p>AF940K</p> 	<p>MASSEY-FERGUSON 1428739M91 Primary Air Filter used with AF988 3311624 Bolt Seal Incl.</p> <p>Overall Height: 15.41 (391) Fin Diameter: 6.34 (161) End 2 OD: 5.24 (133) End 1 ID: 3.66 (93) End 2 ID: 0.67 (17)</p>
<p>AF926</p> 	<p>CASE 925762C1 Safety Element used with AF925 3311624 Bolt Seal Incl.</p> <p>Overall Height: 19.28 (490) Overall OD: 5.43 (138) End 1 ID: 4.02 (102) End 2 ID: 0.68 (17)</p>	<p>AF933M</p> 	<p>DONALDSON XLP182021 Extended Life Version Of AF933</p> <p>Overall Height: 10.50 (267) Overall OD: 10.40 (264) End 1 ID: 6.05 (154) End 2 ID: 0.33 (8)</p>	<p>AF941</p> 	<p>CASE 466400C1</p> <p>Overall Height: 8.64 (219) Overall OD: 12.59 (320) End 1 ID: 8.19 (208)</p>
<p>AF927</p> 	<p>VERSATILE 15803 Primary Air Filter used with AF918</p> <p>Overall Height: 20.38 (518) End 1 OD: 11.56 (294) End 2 OD: 9.63 (244) End 1 ID: 6.19 (157)</p>	<p>AF934</p> 	<p>EUCLID 9039992 Safety Element used with AF935M 3830497 Bolt Seal Included</p> <p>Overall Height: 18.13 (460) Overall OD: 11.92 (303) End 1 ID: 10.22 (259) End 2 ID: 0.90 (23)</p>	<p>AF942</p> 	<p>CASE 478974C1 For Magnum Version use AF942M</p> <p>Overall Height: 12.34 (313) Overall OD: 10.40 (264) End 1 ID: 6.05 (154)</p>


E. PRODUCT GUIDE

AF942M Extended Life Version of AF942




Overall Height: 12.34 (313)
Overall OD: 10.40 (264)
End 1 ID: 6.05 (154)

AF949 KOMATSU 6001817310 Safety Element used with AF948




Overall Height: 11.47 (291)
Overall OD: 3.78 (96)
End 1 ID: 0.63 (16)
End 2 ID: 2.37 (60)

AF958M FORD D5HZ9601A



Overall Height: 16.55 (420)
Cover Diameter: 14.12 (359)
End 2 OD: 12.10 (307)
End 2 ID: 6.69 (170)

AF943 STEIGER 45253 Safety Element used with AF851M. 3311624 Bolt Seal Included




Overall Height: 17.05 (433)
Overall OD: 8.65 (220)
End 1 ID: 7.09 (180)
End 2 ID: 0.65 (17)

AF950 CHRYSLER 3614353




Overall Height: 3.51 (89)
Overall OD: 10.88 (276)
End 1 ID: 8.95 (227)

AF959 CATERPILLAR 9S9972 Safety Element used with AF335M Fleetguard Airtkit Option AF4513 + AK00003




Overall Height: 13.11 (333)
Cover Diameter: 9.04 (230)
End 2 OD: 6.28 (160)
End 1 ID: 4.61 (117)

AF944 CASE 433127C91, UNITED ENGINE LIFE 507D1




Overall Height: 8.49 (216)
End 1 OD: 12.10 (307)
End 2 OD: 12.08 (307)
End 1 ID: 0.49 (12)
End 2 ID: 7.73 (196)

AF951M FORD D5HZ9601B 3311624 Bolt Seal Included




Overall Height: 16.50 (419)
Overall OD: 12.08 (307)
End 1 ID: 7.73 (196)
End 2 ID: 0.67 (17)

AF960 DONALDSON SMP181017 For Magnum Version use AF960M. 3308844S gasket is optional.




Overall Height: 29.01 (737)
End 1 OD: 8.85 (225)
End 2 OD: 8.83 (224)
End 1 ID: 7.20 (183)
End 2 ID: 5.82 (148)

AF945K JOHN DEERE AT33363, JOHN DEERE AR39799 Primary Air Filter used with AF828




Overall Height: 10.38 (264)
Fin Diameter: 8.69 (221)
End 2 OD: 6.85 (174)
End 1 ID: 4.23 (107)
End 2 ID: 0.68 (17)

AF953K CASE 3124008R91 3311624 Bolt Seal Included




Overall Height: 18.38 (467)
Fin Diameter: 7.80 (198)
End 2 OD: 6.10 (155)
End 1 ID: 3.48 (88)
End 2 ID: 0.67 (17)

AF960M DONALDSON XLP182017 Uses service part: 3308844S Extended Life Version of AF960. Gasket is optional.




Overall Height: 29.01 (737)
End 1 OD: 8.85 (225)
End 2 OD: 8.83 (224)
End 1 ID: 7.20 (183)
End 2 ID: 5.82 (148)

AF946M FORD D6HZ9601B 250806 Bolt Seal Included




Overall Height: 8.23 (209)
End 1 OD: 12.00 (305)
End 2 OD: 10.23 (260)
End 1 ID: 0.54 (14)
End 2 ID: 4.83 (123)

AF954M GMC 68999 Filter used with AH19099, AH19100




Gasket: 3311160
Overall Height: 28.90 (734)
End 1 OD: 10.40 (264)
End 2 OD: 7.40 (188)
End 1 ID: 6.95 (177)

AF961 GALION D59585




Overall Height: 2.25 (57)
Overall OD: 2.06 (52)
End 1 ID: 0.88 (22)
End 2 ID: 0.98 (25)

AF947 CUMMINS 4099423, JOHN DEERE AR61967, CAMECO INDUSTRIES AR79679 Primary Air Filter used with AF963 Filter used with 1403112, AH1148, AH19040, AH19322 250806 Bolt Seal Included




Overall Height: 17.11 (435)
Overall OD: 9.10 (231)
End 1 ID: 4.79 (122)
End 2 ID: 0.38 (10)

AF955 FIAT-ALLIS 70671839 Safety Element used with AF956, AF956M 3830497 Bolt Seal Included




Overall Height: 21.46 (545)
End 1 OD: 7.65 (194)
End 2 OD: 7.64 (194)
End 1 ID: 0.90 (23)
End 2 ID: 6.05 (154)

AF963 JOHN DEERE AR61968 Safety Element used with AF947, AF4668 Filter used with AH1147, AH1148




Overall Height: 14.20 (361)
Overall OD: 4.67 (119)
End 1 ID: 0.66 (17)
End 2 ID: 4.03 (102)

AF948 KOMATSU 6001817210 Primary Air Filter used with AF949



Overall Height: 12.44 (316)
Overall OD: 7.06 (179)
End 1 ID: 3.94 (100)
End 2 ID: 0.40 (10)

AF956 Primary Air Filter used with AF955 For Magnum Version use AF956M. 3830497 Bolt Seal Included




Overall Height: 23.72 (602)
Boot Diameter: 12.80 (325)
End 2 OD: 12.08 (307)
End 1 ID: 0.90 (23)
End 2 ID: 7.73 (196)

AF964 FORD D5HZ9601A



Overall Height: 5.51 (140)
Overall OD: 12.62 (321)
End 1 ID: 9.75 (248)

AF956M FIAT-ALLIS 70671838 Primary Air Filter used with AF955 Extended Life Version of AF956. 3830497 Bolt Seal Included



Overall Height: 23.73 (603)
End 1 OD: 12.80 (325)
End 2 OD: 12.08 (307)
End 1 ID: 0.90 (23)
End 2 ID: 7.73 (196)

AF965 FORD D4HZ9601B























Overall Height: 5.50 (140)
Overall OD: 12.60 (320)
End 1 ID: 8.35 (212)

E. PRODUCT GUIDE

<p>AF966</p>  <p>MACK 57MD24 Uses service part: 3312553S, 3316953S For Magnum Version use AF966M.</p> <p>Overall Height: 23.01 (584) End 1 OD: 8.85 (225) End 2 OD: 8.83 (224) End 1 ID: 7.20 (183) End 2 ID: 5.82 (148)</p>	<p>AF973</p>  <p>FARR T528</p> <p>Height: 5.38 (137) Length: 28.50 (724) Width: 19.00 (483)</p>	<p>AF980</p>  <p>TOWMOTOR 343008 Primary Air Filter used with AF1687</p> <p>Overall Height: 10.85 (276) Overall OD: 3.54 (90) End 1 ID: 2.26 (58)</p>
<p>AF966M</p>  <p>MACK 57MD24 Uses service part: 3312553S, 3316953S Extended Life Version of AF966.</p> <p>Overall Height: 23.00 (584) End 1 OD: 8.85 (225) End 2 OD: 8.83 (224) End 1 ID: 7.20 (183) End 2 ID: 5.82 (148)</p>	<p>AF974</p>  <p>DONALDSON P132349 Safety Element used with AF972KM 3311624 Bolt Seal Included</p> <p>Overall Height: 15.79 (401) End 1 OD: 8.50 (216) End 2 OD: 7.27 (185) End 1 ID: 6.23 (158) End 2 ID: 0.67 (17)</p>	<p>AF981</p>  <p>MERCEDES-BENZ 10949404</p> <p>Overall Height: 8.63 (219) Cover Diameter: 9.94 (252) End 2 OD: 8.24 (209) End 1 ID: 0.34 (9) End 2 ID: 4.08 (104)</p>
<p>AF967M</p>  <p>MACK 57MD29301</p> <p>Overall Height: 15.03 (382) Overall OD: 12.77 (324) End 1 ID: 8.36 (212)</p>	<p>AF975M</p>  <p>DONALDSON P124045, DONALDSON XLP182082 Primary Air Filter used with AF976 Is a longer version of AF25763M</p> <p>Overall Height: 20.50 (521) Overall OD: 10.86 (276) End 1 ID: 6.50 (165) End 2 ID: 0.92 (23)</p>	<p>AF982</p>  <p>GMC 25040873, AC A784C, MOTORCRAFT FA709 Primary Air Filter used with AF986 For Upgrade, use AF982M</p> <p>Overall Height: 18.55 (471) Overall OD: 12.08 (307) End 1 ID: 7.73 (196)</p>
<p>AF968</p>  <p>VOLVO 475386 250806 Bolt Seal Included</p> <p>Overall Height: 14.54 (369) Overall OD: 12.21 (310) End 1 ID: 7.88 (200) End 2 ID: 0.54 (14)</p>	<p>AF976</p>  <p>DONALDSON P124047 Safety Element used with AF975M Is a longer version of AF25764 3311624 Bolt Seal Included</p> <p>Overall Height: 19.50 (495) End 1 OD: 6.41 (163) End 2 OD: 6.39 (162) End 1 ID: 0.67 (17) End 2 ID: 5.27 (134)</p>	<p>AF982M</p>  <p>CASE 476743C1 Primary Air Filter used with AF986 Upgrade of A784C, AF982 Extended Life Version of AF982</p> <p>Overall Height: 18.55 (471) Overall OD: 12.08 (307) End 1 ID: 7.73 (196)</p>
<p>AF969</p>  <p>VOLVO 347138</p> <p>Overall Height: 11.40 (290) Cover Diameter: 9.25 (235) End 2 OD: 8.39 (213) End 1 ID: 0.35 (9) End 2 ID: 4.13 (105)</p>	<p>AF977</p>  <p>MERCEDES-BENZ 10948304</p> <p>Overall Height: 10.19 (259) Cover Diameter: 15.16 (385) End 2 OD: 12.85 (327) End 1 ID: 0.41 (11) End 2 ID: 6.58 (167)</p>	<p>AF983</p>  <p>HEIL 75A506 Hydraulic Air</p> <p>Overall Height: 5.37 (136) Largest OD: 3.69 (94) Thread Size: 1-14 UNS-2B</p>
<p>AF970</p>  <p>MASSEY-FERGUSON 197946201</p> <p>Overall Height: 19.50 (495) Cover Diameter: 12.17 (309) End 2 OD: 9.54 (242) End 1 ID: 5.21 (132) End 2 ID: 0.41 (11)</p>	<p>AF978</p>  <p>MERCEDES-BENZ 10949304</p> <p>Overall Height: 10.13 (257) Cover Diameter: 13.27 (337) End 2 OD: 10.87 (276) End 1 ID: 0.41 (11) End 2 ID: 5.26 (134)</p>	<p>AF984</p>  <p>CASE 530560C1 Safety Element used with AF994 3311624 Bolt Seal Included</p> <p>Overall Height: 14.50 (368) Overall OD: 7.22 (183) End 1 ID: 5.66 (144) End 2 ID: 0.67 (17)</p>
<p>AF971</p>  <p>JOHN DEERE AZ23642 Primary Air Filter used with AF1841</p> <p>Overall Height: 15.00 (381) Cover Diameter: 10.95 (278) End 2 OD: 8.96 (228) End 1 ID: 0.41 (11) End 2 ID: 4.61 (117)</p>	<p>AF979</p>  <p>DONALDSON SMP181028 Primary Air Filter used with AF987 For Upgrade, use AF979M</p> <p>Overall Height: 16.51 (419) Overall OD: 10.40 (264) End 1 ID: 6.05 (154)</p>	<p>AF986</p>  <p>Safety Element used with AF982, AF982M 3311624 Bolt Seal Included</p> <p>Overall Height: 15.79 (401) End 1 OD: 7.65 (194) End 2 OD: 7.64 (194) End 1 ID: 0.68 (17) End 2 ID: 6.07 (154)</p>
<p>AF972KM</p>  <p>DONALDSON P132348 Primary Air Filter used with AF974 3311624 Bolt Seal Included</p> <p>Overall Height: 16.57 (421) Fin Diameter: 15.70 (399) End 2 OD: 12.08 (307) End 1 ID: 0.67 (17) End 2 ID: 7.73 (196)</p>	<p>AF979M</p>  <p>DONALDSON XLP182028 Primary Air Filter used with AF987 Upgrade of AF979 Extended Life Version Of AF979</p> <p>Overall Height: 16.50 (419) Overall OD: 10.40 (264) End 1 ID: 6.05 (154)</p>	<p>AF987</p>  <p>CASE 482644C1 Safety Element used with AF979, AF979M</p> <p>Overall Height: 13.78 (350) Overall OD: 5.98 (152) End 1 ID: 4.83 (123)</p>






















E. PRODUCT GUIDE

AF988  MASSEY-FERGUSON 1037735M91 Safety Element used with AF1910M, AF940K Overall Height: 14.04 (356) Overall OD: 3.75 (95) End 1 ID: 2.93 (74) End 2 ID: 0.66 (17)	AF996M  VORTOX VF160R 3311624 Bolt Seal Included Overall Height: 27.00 (686) End 1 OD: 12.79 (325) End 2 OD: 12.77 (324) End 1 ID: 0.67 (17) End 2 ID: 8.36 (212)	AF1602M  MANN & HUMMEL C23726, SCANIA 269733 Overall Height: 14.93 (379) Cover Diameter: 10.98 (279) End 2 OD: 8.96 (228) End 1 ID: 0.41 (11) End 2 ID: 4.60 (117)
AF989  ATLAS COPCO 10300979 250806 Bolt Seal Included Gasket: 3309167 (1) Overall Height: 14.24 (362) Overall OD: 13.83 (351) End 1 ID: 9.48 (241) End 2 ID: 0.54 (14)	AF997M  MACK 57MD29305P2 Uses service part: 3312555S Gasket: 3312555 Overall Height: 15.00 (381) Overall OD: 10.40 (264) End 1 ID: 6.05 (154)	AF1603M  GMC 2034764 Overall Height: 28.43 (722) Overall OD: 9.01 (229) End 1 ID: 5.71 (145)
AF990  FENDT F278201090020 Primary Air Filter used with AF25424 Overall Height: 9.40 (239) Overall OD: 6.44 (164) End 1 ID: 3.38 (86) End 1 ID: 3.40 (86)	AF998M  MACK 57MD29305P1 Uses service part: 3312555S Gasket: 3312555 Overall Height: 12.04 (306) Overall OD: 10.40 (264) End 1 ID: 6.95 (177)	AF1604  CUMMINS 3013213, KOMATSU VE1061, CAMECO INDUSTRIES 61380377 Safety Element used with AF1605M, AF4605M 3830497 Bolt Seal Included Overall Height: 22.50 (572) Overall OD: 10.25 (260) End 1 ID: 9.12 (232) End 1 ID: 0.88 (22)
AF991  KHD(KLOCKNER- HUMBOLDT-DEUTZ) 2339823 Primary Air Filter used with AF25425, AF4745 Overall Height: 13.08 (332) Overall OD: 6.44 (164) End 1 ID: 3.39 (86)	AF999  AP LOCKHEED AP497A, GMC 25096001, AC A181C, DONALDSON P539487 Overall Height: 8.09 (205) Overall OD: 10.40 (264) End 1 ID: 6.05 (154)	AF1605M  CUMMINS 3013212, KOMATSU VE1062, CAMECO INDUSTRIES 61380371 Primary Air Filter used with AF1604 Overall Height: 24.50 (622) End 1 OD: 14.70 (373) End 2 OD: 14.69 (373) End 1 ID: 0.88 (22) End 2 ID: 10.30 (262)
AF992  FENDT F181200091040 Overall Height: 13.91 (353) Overall OD: 6.46 (164) End 1 ID: 3.38 (86)	AF1600  DONALDSON SMP181011 Uses service part: 3312555S For Magnum Version use AF1600M Gasket: 3312555 Overall Height: 27.00 (686) End 1 OD: 13.76 (349) End 2 OD: 13.74 (349) End 1 ID: 7.40 (188)	AF1606K  DONALDSON SMP181062 Overall Height: 15.42 (392) Fin Diameter: 6.40 (163) End 2 OD: 5.24 (133) End 1 ID: 3.25 (83) End 2 ID: 0.67 (17)
AF993  DONALDSON P130115 3830497 Bolt Seal Included Overall Height: 13.51 (343) End 1 OD: 9.23 (234) End 2 OD: 9.21 (234) End 1 ID: 0.90 (23) End 2 ID: 4.86 (123)	AF1600M  DONALDSON P123785, DONALDSON XLP182011 Uses service part: 3312555S Extended Life Version of AF1600 Gasket: 3312555 Overall Height: 27.00 (686) End 1 OD: 13.85 (352) End 2 OD: 13.83 (351) End 1 ID: 7.44 (189)	AF1606KM  INGERSOLL-RAND 35291970, DONALDSON XLP182062 Primary Air Filter used with AF1892 Filter used with AH19063, AH19064 Upgrade of SMP181062 3311624 Bolt Seal Included Overall Height: 15.42 (392) Fin Diameter: 6.34 (161) End 2 OD: 5.24 (133) End 1 ID: 3.17 (81) End 2 ID: 0.67 (17)
AF994  CASE 530561C1 Primary Air Filter used with AF984 3311624 Bolt Seal Included Overall Height: 15.76 (400) Overall OD: 12.08 (307) End 1 ID: 7.73 (196) End 2 ID: 0.67 (17)	AF1601M  MANN & HUMMEL C20325, KHD(KLOCKNER- HUMBOLDT-DEUTZ) 2241034 Primary Air Filter used with AF1840 Overall Height: 14.75 (375) Cover Diameter: 9.80 (249) End 2 OD: 7.78 (198) End 1 ID: 0.34 (9) End 2 ID: 4.08 (104)	AF1609  CATERPILLAR 6P6664 3834340 Wing Nut Included Overall Height: 12.47 (317) End 1 OD: 6.85 (174) End 2 OD: 6.83 (174) End 2 ID: 4.23 (107)
AF995M  GMC 717702 Uses service part: 3312555S Gasket: 3312555 Overall Height: 19.88 (505) End 1 OD: 13.85 (352) End 2 OD: 13.83 (351) End 1 ID: 7.44 (189)		
























E. PRODUCT GUIDE

<p>AF1611M DONALDSON P137982 Available in Australia ONLY3830497 Bolt Seal Included</p>  <p>Overall Height: 16.56 (421) End 1 OD: 11.08 (281) End 2 OD: 11.07 (281) End 1 ID: 6.73 (171) End 2 ID: 0.90 (23)</p>	<p>AF1622 JOHN DEERE AR80652 Primary Air Filter used with AF1623</p>  <p>Overall Height: 19.76 (502) Overall OD: 9.09 (231) End 1 ID: 6.22 (158) End 2 ID: 0.39 (10)</p>	<p>AF1635 MASSEY-FERGUSON 1039045M91 Safety Element used with AF4855, AF1704</p>  <p>Overall Height: 13.44 (341) Overall OD: 3.35 (85) End 1 ID: 0.28 (7) End 2 ID: 2.29 (58)</p>
<p>AF1612M DONALDSON P137981 Primary Air Filter used with AF1749 3830497 Bolt Seal Included</p>  <p>Overall Height: 18.48 (469) Overall OD: 12.08 (307) End 1 ID: 7.73 (196) End 2 ID: 0.90 (23)</p>	<p>AF1623 JOHN DEERE AR80653 Safety Element used with AF1622</p>  <p>Overall Height: 16.15 (410) Overall OD: 5.18 (132) End 1 ID: 4.13 (105) End 2 ID: 0.66 (17)</p>	<p>AF1636 JOHN DEERE AR82915 Primary Air Filter used with AF1637</p>  <p>Overall Height: 19.81 (503) Overall OD: 9.06 (230) End 1 ID: 0.45 (11) End 2 ID: 5.37 (136)</p>
<p>AF1613M GMC 2034763</p>  <p>Overall Height: 22.60 (574) Overall OD: 9.01 (229) End 1 ID: 5.71 (145)</p>	<p>AF1624 GMC 8994941</p>  <p>Overall Height: 5.30 (135) Overall OD: 5.09 (129) End 1 ID: 3.59 (91)</p>	<p>AF1637 JOHN DEERE AR81313 Safety Element used with AF1636</p>  <p>Overall Height: 16.19 (411) Overall OD: 4.70 (119) End 1 ID: 0.63 (16) End 2 ID: 4.04 (103)</p>
<p>AF1614 LEYLAND ACU2889</p>  <p>Overall Height: 11.52 (293) Overall OD: 9.21 (234) End 1 ID: 4.86 (123) End 2 ID: 0.67 (17)</p>	<p>AF1625 GMC 8996587</p>  <p>Overall Height: 2.29 (58) Overall OD: 10.09 (256) End 1 ID: 8.62 (219)</p>	<p>AF1638 JOHN DEERE AR54336 Primary Air Filter used with AF1639 Filter used with AH1146, AH1171</p>  <p>Overall Height: 15.32 (389) End 1 OD: 7.35 (187) End 2 OD: 7.29 (185) End 1 ID: 0.39 (10) End 2 ID: 4.03 (102)</p>
<p>AF1616 WHITE 220055002 Filter used with AH19104, AH19106 For Magnum Version use AF1616M</p>  <p>Gasket: 3312556 Overall Height: 27.00 (686) Overall OD: 10.40 (264) End 1 ID: 6.05 (154)</p>	<p>AF1628 GMC 8997189 Same As AF1985 Without Foam Pre- Cleaner</p>  <p>Overall Height: 4.00 (102) Overall OD: 13.88 (353) End 1 ID: 11.62 (295)</p>	<p>AF1639 JOHN DEERE AR79942 Safety Element used with AF1638 Filter used with AH1146, AH1171</p>  <p>Overall Height: 13.25 (337) End 1 OD: 3.88 (98) End 2 OD: 3.81 (97) End 1 ID: 0.63 (16) End 2 ID: 3.19 (81)</p>
<p>AF1616M WHITE 220055002 Extended Life Version Of AF1616</p>  <p>Gasket: 3312556 Overall Height: 27.00 (686) Overall OD: 10.40 (264) End 1 ID: 6.05 (154)</p>	<p>AF1631 MASSEY-FERGUSON 1041845M91 Primary Air Filter used with AF1685</p>  <p>Overall Height: 14.03 (356) End 1 OD: 8.69 (221) End 2 OD: 7.94 (202) End 1 ID: 5.30 (135) End 2 ID: 0.66 (17)</p>	<p>AF1640 FORD D1NN9R500A Safety Element used with AF1641</p>  <p>Overall Height: 13.56 (344) Overall OD: 3.63 (92) End 1 ID: 3.02 (77) End 2 ID: 0.44 (11)</p>
<p>AF1617 FORD D7ZZ9601A</p>  <p>Overall Height: 1.75 (44) Overall OD: 11.22 (285) End 1 ID: 9.03 (229)</p>	<p>AF1632 CASE A44805 Safety Element used with AF1633</p>  <p>Overall Height: 8.38 (213) Overall OD: 6.84 (174) End 1 ID: 4.22 (107) End 2 ID: 0.66 (17)</p>	<p>AF1641 FORD D1NN9601A Primary Air Filter used with AF1640</p>  <p>Overall Height: 15.36 (390) Overall OD: 6.69 (170) End 1 ID: 0.54 (14) End 2 ID: 3.76 (96)</p>
<p>AF1618 FORD D7EF9601AA</p>  <p>Overall Height: 1.75 (44) Overall OD: 11.25 (286) End 1 ID: 9.38 (238)</p>	<p>AF1633 CASE A44804 Primary Air Filter used with AF1632</p>  <p>Overall Height: 9.54 (242) End 1 OD: 13.85 (352) End 2 OD: 13.83 (351) End 1 ID: 7.44 (189) End 2 ID: 0.67 (17)</p>	<p>AF1642 CASE 175568C1</p>  <p>Height: 2.19 (56) Length: 32.00 (813) Width: 6.75 (171)</p>

























E. PRODUCT GUIDE

AF1643  JOHN DEERE AR70106 Primary Air Filter used with AF1644 Overall Height: 20.38 (518) Overall OD: 10.40 (264) End 1 ID: 6.05 (154) End 2 ID: 0.90 (23)	AF1653  MASSEY-FERGUSON 1026137M91, MASSEY-FERGUSON 1029945M91 Overall Height: 9.25 (235) Overall OD: 4.09 (104) End 1 ID: 2.47 (63) End 2 ID: 0.38 (10)	AF1663  JOHN DEERE AR49839 Overall Height: 17.20 (437) Overall OD: 9.06 (230) End 1 ID: 5.39 (137) End 2 ID: 0.38 (10)
AF1644  JOHN DEERE AR70107 Safety Element used with AF1643 Overall Height: 18.33 (466) End 1 OD: 5.97 (152) End 2 OD: 5.96 (151) End 1 ID: 0.67 (17) End 2 ID: 4.85 (123)	AF1654  CASE 606861C91 Safety Element used with AF869M Overall Height: 17.84 (453) Flange Diameter: 7.00 (178) End 2 OD: 4.61 (117) End 1 ID: 3.44 (87)	AF1664  JOHN DEERE AR51431 Primary Air Filter used with AF1665 Overall Height: 7.25 (184) Overall OD: 13.84 (352) End 1 ID: 7.44 (189) End 2 ID: 0.63 (16)
AF1647M  CATERPILLAR 4L4719 Overall Height: 18.26 (464) End 1 OD: 13.89 (353) End 2 OD: 13.83 (351) End 2 ID: 9.48 (241)	AF1655  MASSEY-FERGUSON 1028094M92 Overall Height: 15.38 (391) Overall OD: 6.09 (155) End 1 ID: 3.47 (88) End 2 ID: 0.66 (17)	AF1665  JOHN DEERE AR51432 Safety Element used with AF1664, AF1693 Overall Height: 6.19 (157) Overall OD: 6.84 (174) End 1 ID: 4.22 (107) End 2 ID: 0.66 (17)
AF1648  JOHN DEERE AM31000 Overall Height: 4.76 (121) Overall OD: 4.38 (111) End 1 ID: 3.00 (76)	AF1656  WISCONSIN L0175B Overall Height: 4.02 (102) Overall OD: 4.20 (107) End 1 ID: 2.00 (51)	AF1666  NISSAN 1654618000 Overall Height: 1.94 (49) Overall OD: 9.06 (230) End 1 ID: 6.84 (174)
AF1649  NISSAN 1654623000, GMC 94020442 Overall Height: 2.41 (61) Overall OD: 10.20 (259) End 1 ID: 8.01 (203)	AF1657  WISCONSIN L0173B Overall Height: 4.19 (106) Overall OD: 3.56 (90) End 1 ID: 2.12 (54)	AF1667  CHRYSLER 2402677, MOPAR L141 Height: 3.62 (92) Length: 11.44 (291) Width: 6.56 (167)
AF1650  Uses service part: 3835841S, 3835842S Allis-Chalmers, Autocar, Brockway, Cummins, FWD, Diamond T, Dodge, Hough, Hyster, IH Primary Air Blanket AF1807 element AF1888. Overall Height: 11.71 (297) Overall OD: 9.61 (244) End 1 ID: 5.20 (132)	AF1658K  FIAT-ALLIS 70247060 Filter used with AH19107 Overall Height: 7.36 (187) Fin Diameter: 4.17 (106) End 2 OD: 3.27 (83) End 1 ID: 1.79 (46) End 2 ID: 0.41 (11)	AF1668  BRIGGS & STRATTON 296186, BRIGGS & STRATTON 296188 Overall Height: 1.56 (40) Overall OD: 4.39 (112) End 1 ID: 3.00 (76)
AF1651  JOHN DEERE AM30800 Overall Height: 2.34 (59) Overall OD: 4.39 (112) End 1 ID: 3.00 (76)	AF1659  JOHN DEERE AR43605, JOHN DEERE AR43941 Overall Height: 12.38 (314) Overall OD: 6.85 (174) End 1 ID: 3.45 (88) End 2 ID: 0.88 (22)	AF1669  FRAM CA140PL Overall Height: 2.13 (54) Overall OD: 8.05 (204) End 1 ID: 6.48 (164)
AF1652  JOY 12124040 Overall Height: 18.38 (467) Overall OD: 11.13 (283) End 1 ID: 6.44 (164) End 2 ID: 0.44 (11)	AF1660  CATERPILLAR 6L8485 Height: 2.57 (65) Length: 15.00 (381) Width: 15.00 (381)	AF1670  CYCLONE AP250 Overall Height: 4.44 (113) Overall OD: 7.13 (181) End 1 ID: 4.94 (125)

E. PRODUCT GUIDE

AF1671 	AUSTIN-HEALY 1H1334 Overall Height: 2.52 (64) Overall OD: 5.94 (151) End 1 ID: 3.56 (90)	AF1680 	mitsubishi 3083081900, DONALDSON P112212 Safety Element used with AF4059K 3311624 Bolt Seal Included Overall Height: 13.42 (341) Overall OD: 3.37 (86) End 1 ID: 2.24 (57) End 2 ID: 0.67 (17)	AF1690 	CASE 67975C1 Safety Element used with AF1847 Overall Height: 15.50 (394) Overall OD: 5.56 (141) End 1 ID: 4.42 (112)
AF1672 	GMC 6484966 Height: 1.50 (38) Overall OD: 0.82 (21) Length: 3.90 (99) Width: 1.70 (43)	AF1681 	JOHN DEERE AH80920 Height: 2.19 (56) Length: 39.96 (1015) Width: 6.12 (155)	AF1693 	CASE A44185 Primary Air Filter used with AF1665 Overall Height: 7.43 (189) End 1 OD: 13.85 (352) End 2 OD: 13.83 (351) End 1 ID: 7.44 (189) End 2 ID: 0.67 (17)
AF1673 	FORD D1AZ9D65A For replacement foam see AF1964 Height: 1.30 (33) Overall OD: 0.55 (14) Length: 3.92 (99) Width: 1.68 (43)	AF1682 	MASSEY-FERGUSON 1038946M91 Overall Height: 14.28 (363) Overall OD: 6.86 (174) End 1 ID: 4.20 (107)	AF1694 	CASE 537334R1 Primary Air Filter used with AF1839 Overall Height: 13.47 (342) Overall OD: 6.08 (154) End 1 ID: 3.48 (88)
AF1674 	FORD D3ZZ9601A Overall Height: 1.94 (49) Overall OD: 11.22 (285) End 1 ID: 9.03 (229)	AF1683 	CASE 529851R2 Overall Height: 15.29 (388) Overall OD: 6.08 (154) End 1 ID: 3.48 (88)	AF1695 	CASE F84818 Height: 2.19 (56) Length: 28.00 (711) Width: 7.50 (191)
AF1675 	CASE A43734 Primary Air Filter used with AF1676 Overall Height: 7.50 (191) Overall OD: 11.72 (298) End 1 ID: 0.44 (11) End 2 ID: 7.16 (182)	AF1685 	MASSEY-FERGUSON 1041846M91 Safety Element used with AF1631 Overall Height: 12.25 (311) Overall OD: 5.22 (133) End 1 ID: 4.08 (104) End 2 ID: 0.66 (17)	AF1696 	FORD D2HZ9601A Overall Height: 10.38 (264) Overall OD: 9.19 (233) End 1 ID: 4.84 (123) End 2 ID: 0.53 (13)
AF1676 	CASE A43735 Safety Element used with AF1675 Overall Height: 6.13 (156) Overall OD: 6.81 (173) End 1 ID: 0.44 (11) End 2 ID: 5.53 (140)	AF1686 	DONALDSON P117109 For Element w/ Clip Use AF1686C Height: 2.19 (56) Length: 33.00 (838) Width: 6.50 (165)	AF1697 	MOPAR L539 Overall Height: 2.41 (61) Overall OD: 9.75 (248) End 1 ID: 7.56 (192)
AF1677 	JOHN DEERE AR61903 Height: 2.69 (68) Length: 28.00 (711) Width: 7.50 (191)	AF1687 	FORD D2NN9R500A, MASSEY-FERGUSON 1094269M91 Safety Element used with AF980, AF1954, AF492 Overall Height: 10.31 (262) End 1 OD: 2.50 (64) End 2 OD: 2.12 (54) End 1 ID: 1.86 (47) End 2 ID: 0.38 (10)	AF1699 	MASSEY-FERGUSON 525446M1 Height: 2.19 (56) Length: 28.94 (735) Width: 9.25 (235)
AF1678 	CASE T39515 Height: 2.23 (57) Length: 23.50 (597) Width: 7.00 (178)	AF1688 	FORD D2NN9601A Overall Height: 14.38 (365) End 1 OD: 9.81 (249) End 2 OD: 7.94 (202) End 1 ID: 0.53 (13) End 2 ID: 4.63 (117)	AF1700 	MASSEY-FERGUSON 1041911 Safety Element used with AF1712 Overall Height: 14.56 (370) Overall OD: 4.09 (104) End 1 ID: 3.64 (92) End 2 ID: 0.66 (17)

E. PRODUCT GUIDE

AF1701  CASE A44694 Primary Air Filter used with AF1702 Overall Height: 7.55 (192) Boot Diameter: 13.13 (334) End 2 OD: 12.08 (307) End 1 ID: 7.73 (196) End 2 ID: 0.67 (17)	AF1720  HONDA 17220671000 Overall Height: 2.00 (51) Overall OD: 10.23 (260) End 1 ID: 7.64 (194)	AF1731  CASE 446661C2 For element with foam wrap use AF1983 Overall Height: 5.00 (127) Overall OD: 11.56 (294) End 1 ID: 8.28 (210)
AF1702  CASE A44695 Safety Element used with AF1701 Overall Height: 5.26 (134) Overall OD: 6.84 (174) End 1 ID: 4.22 (107)	AF1722  CASE A42573 For filter with gasket use AF1870 Height: 2.50 (64) Length: 38.00 (965) Width: 6.00 (152)	AF1732K  CASE A43264 Primary Air Filter used with AF488 Overall Height: 13.38 (340) Fin Diameter: 10.00 (254) End 2 OD: 7.94 (202) End 1 ID: 5.30 (135) End 2 ID: 0.66 (17)
AF1703  FORD C9NN9R500A Overall Height: 13.94 (354) Overall OD: 3.53 (90) End 1 ID: 2.50 (64) End 2 ID: 0.50 (13)	AF1724  FORD C9NN9R500B, FORD D2NN9R500B Safety Element used with AF1725 Overall Height: 13.75 (349) Overall OD: 4.56 (116) End 1 ID: 3.47 (88) End 2 ID: 0.53 (13)	AF1733K  MASSEY-FERGUSON 1093682M91 Primary Air Filter used with AF4103 Filter used with AH19267, AH19268 For Magnum Version use AF1733KM Overall Height: 15.35 (390) Fin Diameter: 7.85 (200) End 2 OD: 6.08 (154) End 1 ID: 3.48 (88) End 2 ID: 0.67 (17)
AF1704  MASSEY-FERGUSON 1039044M91 Primary Air Filter used with AF1635 Overall Height: 14.38 (365) Overall OD: 5.31 (135) End 1 ID: 3.44 (87)	AF1725  FORD D0NN9601A Primary Air Filter used with AF1724 Overall Height: 14.38 (365) Overall OD: 6.97 (177) End 1 ID: 4.63 (117)	AF1733KM  DONALDSON XLP182059 Primary Air Filter used with AF4103 Extended Life Version Of AF1733K Overall Height: 15.54 (395) Fin Diameter: 7.85 (200) End 2 OD: 6.08 (154) End 1 ID: 3.48 (88) End 2 ID: 0.67 (17)
AF1707  AC A705C, GMC 8995405 Overall Height: 2.61 (66) Overall OD: 9.06 (230) End 1 ID: 6.84 (174)	AF1726  CATERPILLAR 6P1290 Height: 2.19 (56) Length: 25.50 (648) Width: 6.00 (152)	AF1734  AIR MAZE 125954016 Height: 2.23 (57) Length: 26.00 (660) Width: 7.00 (178)
AF1708  CASE C15861, IHC 488619R91 Overall Height: 2.06 (52) End 1 OD: 3.81 (97) End 2 OD: 3.00 (76) End 1 ID: 2.41 (61)	AF1727  DONALDSON P122115, NEW HOLLAND 73107280 Height: 2.19 (56) Length: 23.50 (597) Width: 6.50 (165)	AF1735K  FIAT-ALLIS 70266787 Primary Air Filter used with AF4150 Filter used with AH19269 Overall Height: 16.58 (421) Fin Diameter: 8.88 (226) End 2 OD: 6.85 (174) End 1 ID: 4.23 (108) End 2 ID: 0.67 (17)
AF1710  GMC 5645381 Overall Height: 3.25 (83) End 1 OD: 7.31 (186) End 2 OD: 6.50 (165) End 1 ID: 4.25 (108)	AF1728  DONALDSON P113407 Height: 2.19 (56) Length: 20.00 (508) Width: 7.50 (191)	AF1736  FORD 77HB9601AA Overall Height: 20.50 (521) Flange Diameter: 15.19 (386) End 2 OD: 12.08 (307) End 1 ID: 0.18 (5) End 2 ID: 7.73 (196)
AF1712  MASSEY-FERGUSON 1038944M91 Primary Air Filter used with AF1700 Overall Height: 16.43 (417) Overall OD: 7.64 (194) End 1 ID: 4.29 (109)	AF1730  CATERPILLAR 6K9606 Height: 0.95 (24) Length: 23.43 (595) Width: 7.00 (178)	AF1737M  GMC 2014573 Gasket: 3312553 Overall Height: 14.97 (380) End 1 OD: 8.85 (225) End 1 ID: 7.20 (183) End 2 ID: 5.82 (148)

E. PRODUCT GUIDE


AF1738



CASE 631422C1 Safety Element used with AF1740 3311624 Bolt Seal Included

Overall Height: 12.11 (308)
Overall OD: 3.88 (99)
End 1 ID: 2.48 (63)
End 2 ID: 0.67 (17)

AF1739



DONALDSON P113632 Safety Element used with AF1747K 3311624 Bolt Seal Included

Overall Height: 13.42 (341)
Overall OD: 4.08 (104)
End 1 ID: 2.56 (65)
End 2 ID: 0.67 (17)

AF1740



CASE 631421C1 Primary Air Filter used with AF1738

Overall Height: 14.63 (371)
Overall OD: 7.35 (187)
End 1 ID: 4.00 (102)
End 2 ID: 0.38 (10)

AF1741



WHITE 220050004

Height: 5.38 (137)
Length: 28.50 (724)
Width: 19.00 (483)

AF1742M



CASE 574845C1

Overall Height: 23.00 (584)
End 1 OD: 8.66 (220)
End 2 OD: 5.81 (147)
End 1 ID: 5.21 (132)

AF1743M



CASE 574844C1

Gasket: 3311631 (1)
Overall Height: 22.90 (582)
End 1 OD: 10.40 (264)
End 2 OD: 7.49 (190)
End 1 ID: 6.95 (177)

AF1744M



FORD D6NN9601A Primary Air Filter used with AF1766 250806 Bolt Seal Included

Overall Height: 11.54 (293)
End 1 OD: 5.91 (150)
End 2 OD: 5.24 (133)
End 1 ID: 0.49 (13)
End 2 ID: 3.17 (81)

AF1745



CATERPILLAR 2G406

Height: 0.85 (22)
Length: 16.50 (419)
Width: 4.00 (102)

AF1746



DONALDSON P114653

Height: 2.13 (54)
Length: 30.56 (776)
Width: 8.56 (217)

AF1747K



DONALDSON P113636 Primary Air Filter used with AF1739

Overall Height: 14.38 (365)
Fin Diameter: 8.69 (221)
End 2 OD: 6.84 (174)
End 1 ID: 4.22 (107)
End 2 ID: 0.66 (17)

AF1748



DONALDSON SMP181058 Uses service part: 3312555S For Upgrade, use AF1748M

Gasket: 3312555
Overall Height: 24.00 (610)
End 1 OD: 13.85 (352)
End 2 OD: 13.83 (351)
End 1 ID: 7.44 (189)

AF1748M



DONALDSON P132069 Uses service part: 3312555S Upgrade of AF1748

Gasket: 3312555
Overall Height: 24.00 (610)
End 1 OD: 13.85 (352)
End 2 OD: 13.83 (351)
End 1 ID: 7.44 (189)

AF1749



DONALDSON P138789 Safety Element used with AF1612M 3311624 Bolt Seal Included

Overall Height: 16.40 (417)
Overall OD: 7.28 (185)
End 1 ID: 6.19 (157)
End 2 ID: 0.65 (17)


AF1750



GMC 8996555 Rectangular shaped

Overall Height: 2.11 (54)
End 1 OD: 10.70 (272)
End 2 OD: 9.25 (235)
End 1 ID: 9.14 (232)
End 2 ID: 7.69 (195)

AF1751



GMC 8996528 Oval shaped

Overall Height: 1.91 (49)
End 1 OD: 10.41 (264)
End 2 OD: 8.38 (213)
End 1 ID: 8.84 (225)
End 2 ID: 6.81 (173)


AF1752M



VOLVO 475975

Overall Height: 24.08 (612)
Overall OD: 7.87 (200)
End 1 ID: 4.54 (115)
End 2 ID: 0.41 (10)

AF1753



DONALDSON P130747 3311624 Bolt Seal Included 3317119 Wing Nut

Overall Height: 16.44 (418)
Overall OD: 7.93 (201)
End 1 ID: 3.58 (91)
End 2 ID: 0.67 (17)

AF1754K



FORD D0HZ9601D Complete With Reusable Lid. For Element Only Use AF1755.

Overall Height: 10.36 (263)
Cover Diameter: 12.38 (314)
Fin Diameter: 11.47 (291)
End 2 OD: 9.04 (230)
End 1 ID: 0.54 (14)
End 2 ID: 4.93 (125)

AF1755



MOTORCRAFT FA1008 250806 Bolt Seal Included

Overall Height: 10.61 (269)
Overall OD: 8.89 (226)
End 1 ID: 4.98 (127)

AF1756M



VOLVO 1517842

Overall Height: 12.67 (322)
Overall OD: 8.39 (213)
End 1 ID: 4.02 (102)


AF1758M



GMC 2031381

Overall Height: 15.89 (403)
End 1 OD: 8.66 (220)
End 2 OD: 5.81 (147)
End 1 ID: 5.21 (132)

AF1759



QUINCY 125042001

Height: 5.38 (137)
Length: 11.50 (292)
Width: 15.00 (381)

AF1760M



CASE 3242256R1 3830497 Bolt Seal Included

Overall Height: 15.31 (389)
End 1 OD: 9.23 (234)
End 2 OD: 9.21 (234)
End 1 ID: 0.90 (23)
End 2 ID: 4.86 (123)

AF1761



JOY 1224813

Overall Height: 5.25 (133)
Overall OD: 9.88 (251)
End 1 ID: 6.06 (154)
End 2 ID: 6.02 (153)


E. PRODUCT GUIDE

AF1762 GMC 8997890




Overall Height: 5.41 (137)
Overall OD: 12.00 (305)
End 1 ID: 9.82 (249)

AF1763K DONALDSON P127172




Overall Height: 10.50 (267)
Fin Diameter: 10.08 (256)
End 2 OD: 7.93 (201)
End 1 ID: 0.67 (17)
End 2 ID: 3.58 (91)

AF1765M WHITE 220050009




Overall Height: 16.10 (409)
End 1 OD: 16.23 (412)
End 2 OD: 13.85 (352)
End 2 ID: 7.44 (189)

AF1766 FORD D6NN9R500A Safety Element used with AF1744M




Overall Height: 10.08 (256)
End 1 OD: 2.87 (73)
End 2 OD: 2.84 (72)
End 1 ID: 2.32 (59)
End 2 ID: 0.43 (11)

AF1767 YALE & TOWNE 408481 Safety Element used with AF1768M, AF4865M 3311624 Bolt Seal Included




Overall Height: 12.50 (318)
Overall OD: 5.72 (145)
End 1 ID: 4.56 (116)
End 2 ID: 0.65 (17)

AF1768M YALE & TOWNE 408480 Primary Air Filter used with AF1767 3830497 Bolt Seal Included




Overall Height: 13.44 (341)
Overall OD: 9.14 (232)
End 1 ID: 5.87 (149)
End 2 ID: 0.90 (23)

AF1769 PERKINS PE322




Overall Height: 2.99 (76)
Overall OD: 6.89 (175)
End 1 ID: 5.04 (128)

AF1770 CHRYSLER 5240668




Overall Height: 5.78 (147)
Overall OD: 4.39 (112)
End 1 ID: 3.00 (76)

AF1771 FORD E1FZ9601A



Overall Height: 2.01 (51)
End 1 OD: 14.57 (370)
End 2 OD: 7.87 (200)
End 1 ID: 12.68 (322)
End 2 ID: 5.98 (152)

AF1773 CHRYSLER 4227087




Height: 1.65 (42)
Length: 8.07 (205)
Width: 5.26 (134)

AF1774 V.A.G. (VOLKSWAGEN, AUDI) 113129620




Height: 1.62 (41)
Length: 13.23 (336)
Width: 5.26 (134)

AF1775 FORD D8AZ9D695A



Overall Height: 2.00 (51)
Overall OD: 5.21 (132)
End 1 ID: 0.47 (12)

AF1776 SUBARU 421457000



Overall Height: 1.87 (48)
End 1 OD: 14.62 (371)
End 2 OD: 6.56 (167)
End 1 ID: 12.31 (313)
End 2 ID: 4.25 (108)

AF1777 FORD D7ZE9601A




Overall Height: 2.19 (56)
Overall OD: 11.03 (280)
End 1 ID: 8.50 (216)

AF1780 GMC 25040929



Overall Height: 2.82 (72)
Overall OD: 9.69 (246)
End 2 ID: 8.12 (206)

AF1781M GMC 717714, GMC 25040535 Uses service part: 3312555S



Gasket: 3312555
Overall Height: 26.00 (660)
End 1 OD: 13.85 (352)
End 2 OD: 13.83 (351)
End 2 ID: 7.44 (189)

AF1782 AIR MAZE CD1221B05826



Overall Height: 17.95 (456)
Overall OD: 10.00 (254)
End 1 ID: 6.69 (170)
End 2 ID: 0.43 (11)

AF1784 GMC 25040047



Overall Height: 3.20 (81)
Overall OD: 12.00 (305)
End 1 ID: 9.88 (251)

AF1785 GMC 25040881



Overall Height: 2.47 (63)
Overall OD: 8.43 (214)
End 2 ID: 6.93 (176)

AF1788 GMC 25041208



Overall Height: 2.62 (67)
Overall OD: 13.88 (353)
End 2 ID: 11.62 (295)

AF1789 GMC 25041646




Overall Height: 1.75 (44)
Overall OD: 9.31 (236)
End 1 ID: 7.50 (191)

AF1790M MACK 57MD32 3311624 Bolt Seal Included



Overall Height: 7.55 (192)
Overall OD: 8.85 (225)
End 1 ID: 5.45 (138)
End 2 ID: 0.67 (17)

AF1791 KOMATSU 6127817413 Safety Element used with AF4504M 3311624 Bolt Seal Included



Overall Height: 17.68 (449)
End 1 OD: 8.43 (214)
End 2 OD: 7.31 (186)
End 1 ID: 6.23 (158)
End 2 ID: 0.67 (17)

AF1792 LEROI H43651




Overall Height: 4.75 (121)
Overall OD: 4.37 (111)
End 1 ID: 3.00 (76)

AF1793 MANN & HUMMEL C246502



Overall Height: 19.50 (495)
Cover Diameter: 12.17 (309)
End 2 OD: 9.54 (242)
End 1 ID: 0.41 (11)
End 2 ID: 5.21 (132)

AF1795M VOLVO 6872683




Overall Height: 20.38 (518)
Overall OD: 7.87 (200)
End 1 ID: 4.54 (115)
End 2 ID: 0.41 (10)

E. PRODUCT GUIDE

<p>AF1796M WHITE 220055001</p>  <p>Gasket: 3312554 Overall Height: 19.01 (483) End 1 OD: 12.79 (325) End 2 OD: 12.77 (324) End 2 ID: 8.36 (212)</p>	<p>AF1804 M.A.N. 81083040039, MANN & HUMMEL C247001</p>  <p>Overall Height: 19.62 (498) End 1 OD: 9.56 (243) End 2 OD: 9.54 (242) End 2 ID: 5.21 (132)</p>	<p>AF1812 MERCEDES-BENZ 20942404</p>  <p>Overall Height: 13.91 (353) Cover Diameter: 15.16 (385) End 2 OD: 12.85 (327) End 1 ID: 0.41 (11) End 2 ID: 6.58 (167)</p>
<p>AF1797M FORD E2HZ9601A</p>  <p>Gasket: 3309167 Overall Height: 29.03 (737) End 1 OD: 12.77 (324) End 2 OD: 9.81 (249) End 1 ID: 8.33 (212)</p>	<p>AF1805M CATERPILLAR 1W2516</p>  <p>Overall Height: 19.03 (483) End 1 OD: 12.49 (317) End 2 ID: 9.11 (231)</p>	<p>AF1813 LEYLAND ACU3731</p>  <p>Overall Height: 18.47 (469) End 1 OD: 8.25 (210) End 2 OD: 7.24 (184) End 1 ID: 4.65 (118) End 2 ID: 0.67 (17)</p>
<p>AF1798 M.A.N. 81083040024</p>  <p>Overall Height: 15.06 (383) End 1 OD: 8.98 (228) End 2 OD: 8.96 (228) End 2 ID: 4.60 (117)</p>	<p>AF1806M WHITE 220050012</p>  <p>Overall Height: 16.05 (408) Overall OD: 12.10 (307) End 1 ID: 6.69 (170)</p>	<p>AF1814M WHITE 220050013</p>  <p>Overall Height: 15.55 (395) End 1 OD: 16.26 (413) End 2 OD: 13.85 (352) End 2 ID: 7.44 (189)</p>
<p>AF1799 RENAULT V.I. 5000243970</p>  <p>Overall Height: 12.78 (325) End 1 OD: 9.36 (238) End 2 OD: 7.11 (181) End 1 ID: 0.36 (9) End 2 ID: 4.16 (106)</p>	<p>AF1807 FRAM CA240B Precleaner used with AF1888 Complete Assembly is AF1650</p>  <p>Height: 10.40 (264) Length: 29.00 (737) Width: 1.00 (25)</p>	<p>AF1815 DONALDSON P141284 For Magnum Version use AF1815M</p>  <p>Overall Height: 8.05 (204) Overall OD: 12.08 (307) End 1 ID: 8.69 (221)</p>
<p>AF1800 RENAULT V.I. 5000559387</p>  <p>Overall Height: 13.45 (342) Cover Diameter: 7.96 (202) End 2 OD: 5.97 (152) End 1 ID: 0.36 (9) End 2 ID: 3.33 (85)</p>	<p>AF1808M FRAM CA2550</p>  <p>Overall Height: 28.38 (721) Overall OD: 9.50 (241) End 1 ID: 6.49 (165) End 2 ID: 6.47 (164)</p>	<p>AF1815M Extended Life Version of AF1815</p>  <p>Overall Height: 8.05 (204) Overall OD: 12.08 (307) End 1 ID: 8.69 (221)</p>
<p>AF1801 MERCEDES-BENZ 10949604</p>  <p>Overall Height: 13.83 (351) Cover Diameter: 7.76 (197) End 2 OD: 6.44 (164) End 1 ID: 0.34 (9) End 2 ID: 3.41 (87)</p>	<p>AF1809 MANN & HUMMEL C30880</p>  <p>Overall Height: 18.72 (476) Cover Diameter: 14.96 (380) End 2 OD: 11.88 (302) End 1 ID: 0.41 (11) End 2 ID: 7.55 (192)</p>	<p>AF1817 DONALDSON P142100 For Upgrade, use AF1817M</p>  <p>Gasket: 3309167 Overall Height: 25.01 (635) End 1 OD: 12.77 (324) End 2 OD: 9.81 (249) End 1 ID: 8.33 (212)</p>
<p>AF1802 M.A.N. 81083040044 Primary Air Filter used with AF4523 Seal included.</p>  <p>Overall Height: 18.72 (476) End 1 OD: 11.88 (302) End 2 OD: 11.84 (301) End 1 ID: 7.55 (192) End 2 ID: 0.41 (11)</p>	<p>AF1810 CROSLAND 9608</p>  <p>Overall Height: 18.30 (465) Overall OD: 5.43 (138) End 1 ID: 2.86 (73) End 2 ID: 0.67 (17)</p>	<p>AF1817M DONALDSON P185027 Upgrade of AF1817</p>  <p>Gasket: 3309167 Overall Height: 25.01 (635) End 1 OD: 12.77 (324) End 2 OD: 9.81 (249) End 1 ID: 8.33 (212)</p>
<p>AF1803 VOLVO 1131838, MANN & HUMMEL C23690</p>  <p>Overall Height: 15.13 (384) Cover Diameter: 10.95 (278) End 2 OD: 8.96 (228) End 1 ID: 0.41 (11) End 2 ID: 4.61 (117)</p>	<p>AF1811 FORD 81DB9601TB</p>  <p>Overall Height: 15.37 (391) End 1 OD: 7.01 (178) End 2 OD: 6.06 (154) End 1 ID: 3.54 (90) End 2 ID: 0.67 (17)</p>	<p>AF1819 MASSEY-FERGUSON 1051376M91</p>  <p>Overall Height: 20.68 (525) Overall OD: 11.50 (292) End 1 ID: 7.00 (178) End 2 ID: 0.40 (10)</p>


E. PRODUCT GUIDE

AF1820M CATERPILLAR 7N1225




Overall Height: 9.50 (241)
Overall OD: 10.40 (264)
End 1 ID: 6.05 (154)

AF1821M FRAM CA2570




Gasket: 3310237
Overall Height: 28.38 (721)
End 1 OD: 9.54 (242)
End 2 OD: 9.50 (241)
End 1 ID: 0.39 (10)
End 2 ID: 6.49 (165)

AF1822 NISSAN 16546L3000




Overall Height: 6.72 (171)
Overall OD: 4.97 (126)
End 1 ID: 2.76 (70)
End 2 ID: 0.44 (11)

AF1823K DONALDSON P120281
Primary Air Filter used with AF1824 Filter used with AH19061, AH19062




Overall Height: 14.39 (365)
Fin Diameter: 5.16 (131)
End 2 OD: 4.08 (104)
End 1 ID: 2.56 (65)
End 2 ID: 0.67 (17)

AF1824 DONALDSON P120307 Safety Element used with AF1823K Filter used with AH19062




Overall Height: 13.14 (334)
End 1 OD: 4.50 (114)
End 2 OD: 2.38 (60)
End 1 ID: 2.00 (51)
End 2 ID: 0.65 (16)

AF1825 COOPERS AZA188T



Overall Height: 18.52 (470)
Cover Diameter: 9.37 (238)
End 2 OD: 8.25 (210)
End 1 ID: 4.65 (118)

AF1826K LEYLAND BAU1475, COOPERS AZA360T




Overall Height: 18.37 (467)
Fin Diameter: 6.34 (161)
End 2 OD: 5.24 (133)
End 1 ID: 2.71 (69)
End 2 ID: 0.67 (17)

AF1827 BENDIX 100783, MIDLAND STEEL 100696A



Overall Height: 1.03 (26)
Overall OD: 2.73 (69)
End 1 ID: 1.38 (35)

AF1828 DONALDSON P124861
Primary Air Filter used with AF1894M Filter used with AH19259 Is a longer version of AF25762 3830497S Bolt Seal Included




Overall Height: 20.70 (526)
Boot Diameter: 12.80 (325)
End 2 OD: 12.08 (307)
End 1 ID: 0.90 (23)
End 2 ID: 7.73 (196)

AF1829 MANN & HUMMEL C27585




Overall Height: 9.11 (232)
Cover Diameter: 12.99 (330)
End 2 OD: 10.39 (264)
End 1 ID: 0.41 (11)
End 2 ID: 5.20 (132)

AF1830KM CASE 924779C2 Primary Air Filter used with AF1839 3311624 Bolt Seal Included




Overall Height: 12.50 (318)
Fin Diameter: 6.34 (161)
End 2 OD: 5.24 (133)
End 1 ID: 3.35 (85)
End 2 ID: 0.67 (17)

AF1831 DONALDSON P138037 3830497 Bolt Seal Included




Overall Height: 16.40 (417)
Overall OD: 8.26 (210)
End 1 ID: 7.10 (180)
End 2 ID: 0.93 (23)

AF1832 CASE 505633C1




Overall Height: 19.54 (496)
End 1 OD: 16.26 (413)
End 2 OD: 12.77 (324)
End 2 ID: 8.36 (212)

AF1833 CATERPILLAR 6N6444 Safety Element used with AF873M Fleetguard Airtkit Option AF4515 + AK00006




Overall Height: 11.97 (304)
Flange Diameter: 11.42 (290)
End 2 OD: 8.62 (219)
End 1 ID: 7.00 (178)
End 2 ID: 7.06 (179)

AF1835 FORD D6NN9R500B Safety Element used with AF1855




Overall Height: 13.43 (341)
Overall OD: 2.87 (73)
End 1 ID: 2.32 (59)
End 2 ID: 0.43 (11)

AF1837 DONALDSON P148044




Gasket: 3309314
Overall Height: 28.90 (734)
End 1 OD: 8.66 (220)
End 2 OD: 5.81 (147)
End 1 ID: 5.21 (132)

AF1838 DONALDSON P148043




Gasket: 3311631
Overall Height: 28.90 (734)
End 1 OD: 10.40 (264)
End 2 OD: 7.49 (190)
End 1 ID: 6.95 (177)

AF1839 CASE 537335R1 Safety Element used with AF1694, AF1830KM




Overall Height: 11.08 (282)
End 1 OD: 3.62 (92)
End 2 OD: 2.95 (75)
End 1 ID: 2.42 (62)
End 2 ID: 0.67 (17)

AF1840 BOMAG 5821014, LIEBHERR 7360733, VOLVO 6644988, FENDT F184230090100 Safety Element used with AF25044M, AF25064, AF1601M




Overall Height: 14.78 (376)
End 1 OD: 4.33 (110)
End 2 OD: 3.98 (101)
End 1 ID: 3.41 (87)
End 2 ID: 0.67 (17)

AF1841 KAEUBLE 34000191, KHD(KLOCKNER-HUMBOLDT-DEUTZ) 2243946, VOLVO 4785746 Safety Element used with AF25065, AF971, AF25043M




Overall Height: 14.96 (380)
End 1 OD: 4.76 (121)
End 2 OD: 4.49 (114)
End 1 ID: 3.92 (100)
End 2 ID: 0.67 (17)

AF1842 BOMAG 5821015, KHD(KLOCKNER-HUMBOLDT-DEUTZ) 2985037, VOLVO 4765611 Safety Element used with AF4058




Overall Height: 13.56 (345)
End 1 OD: 3.54 (90)
End 2 OD: 3.31 (84)
End 1 ID: 2.74 (70)
End 2 ID: 0.67 (17)

AF1843 VOLVO 4785749 Safety Element used with AF4060



























Overall Height: 18.84 (479)
End 1 OD: 5.51 (140)
End 2 OD: 5.12 (130)
End 1 ID: 4.55 (116)
End 2 ID: 0.67 (17)

AF1844 FRAM CA230B Precleaner used with AF1893, AF1894M, AF252 Precleaner Blanket





Height: 1.00 (25)
Length: 25.38 (645)
Width: 8.75 (222)






















E. PRODUCT GUIDE

<p>AF1845K J.C.B. 32203702 Primary Air Filter used with AF1851</p>  <p>Overall Height: 12.52 (318) Fin Diameter: 6.34 (161) End 2 OD: 5.24 (133) End 1 ID: 2.82 (72) End 2 ID: 0.67 (17)</p>	<p>AF1853KM MOTORCRAFT AFA92 3830497 Bolt Seal Included</p>  <p>Overall Height: 16.44 (418) Fin Diameter: 15.70 (399) End 2 OD: 12.08 (307) End 1 ID: 0.90 (23) End 2 ID: 7.73 (196)</p>	<p>AF1861K CASE 3125342R1 Primary Air Filter used with AF4882</p>  <p>Overall Height: 11.55 (293) Fin Diameter: 7.85 (200) End 2 OD: 6.08 (154) End 1 ID: 3.48 (88) End 2 ID: 0.67 (17)</p>
<p>AF1846 DONALDSON P150694</p>  <p>Overall Height: 28.40 (721) End 1 OD: 10.40 (264) End 2 OD: 7.49 (190) End 1 ID: 6.95 (177)</p>	<p>AF1854 STEIGER 13899 3311624 Bolt Seal Included</p>  <p>Overall Height: 20.99 (533) Overall OD: 8.65 (220) End 1 ID: 7.09 (180) End 2 ID: 0.65 (17)</p>	<p>AF1862M JOHN DEERE T52223 Primary Air Filter used with AF1863M 3830497 Bolt Seal Included</p>  <p>Overall Height: 15.47 (393) Overall OD: 10.86 (276) End 1 ID: 6.50 (165) End 2 ID: 0.92 (23)</p>
<p>AF1847 CASE 67974C4 Primary Air Filter used with AF1690</p>  <p>Overall Height: 16.58 (421) End 1 OD: 9.60 (244) End 2 OD: 9.01 (229) End 2 ID: 5.71 (145)</p>	<p>AF1855 FORD D6NN9601B Primary Air Filter used with AF1835</p>  <p>Overall Height: 14.95 (380) End 1 OD: 5.91 (150) End 2 OD: 5.24 (133) End 1 ID: 0.49 (13) End 2 ID: 3.17 (81)</p>	<p>AF1863M JOHN DEERE T52224 Safety Element used with AF1862M 3311624 Bolt Seal Included</p>  <p>Overall Height: 14.49 (368) End 1 OD: 6.41 (163) End 2 OD: 6.39 (162) End 1 ID: 0.67 (17) End 2 ID: 5.27 (134)</p>
<p>AF1848 CASE 494730C91 3311624 Bolt Seal Included</p>  <p>Overall Height: 17.72 (450) Overall OD: 12.08 (307) End 1 ID: 7.73 (196) End 2 ID: 0.67 (17)</p>	<p>AF1856 MASSEY-FERGUSON 1698683M1 Primary Air Filter used with AF1857</p>  <p>Overall Height: 9.15 (233) End 1 OD: 7.44 (189) End 2 OD: 6.65 (169) End 1 ID: 0.34 (9) End 2 ID: 3.62 (92)</p>	<p>AF1864 WHITE 220050010</p>  <p>Overall Height: 18.55 (471) Flange Diameter: 16.23 (412) End 2 OD: 12.75 (324) End 2 ID: 7.43 (189)</p>
<p>AF1849M STEIGER 13898, DRESSSTA 1200454H1 Primary Air Filter used with AF881 3830497 Bolt Seal Included</p>  <p>Overall Height: 22.48 (571) Overall OD: 13.83 (351) End 1 ID: 9.48 (241) End 2 ID: 0.90 (23)</p>	<p>AF1857 MASSEY-FERGUSON 1698684M1 Safety Element used with AF1856</p>  <p>Overall Height: 7.91 (201) Overall OD: 3.50 (89) End 1 ID: 2.24 (57) End 2 ID: 0.34 (9)</p>	<p>AF1865 RENAULT V.I. 3563576, RENAULT V.I. 4311087, FENDT X810270070, KRAMER 9930906</p>  <p>Overall Height: 13.22 (336) Cover Diameter: 6.99 (178) End 2 OD: 5.87 (149) End 1 ID: 0.34 (9) End 2 ID: 2.82 (72)</p>
<p>AF1850 DONALDSON P150692 For element w/ attached cover use AF4562M</p>  <p>Overall Height: 28.40 (721) End 1 OD: 8.66 (220) End 2 OD: 5.82 (148) End 1 ID: 5.21 (132)</p>	<p>AF1858 MASSEY-FERGUSON 1698374M1 Primary Air Filter used with AF1859</p>  <p>Overall Height: 12.82 (326) End 1 OD: 7.44 (189) End 2 OD: 6.65 (169) End 1 ID: 0.34 (9) End 2 ID: 3.62 (92)</p>	<p>AF1866M CASE 932391C1 Primary Air Filter used with AF1873 3311624 Bolt Seal Included</p>  <p>Overall Height: 18.48 (469) End 1 OD: 9.20 (234) End 2 OD: 9.14 (232) End 1 ID: 0.67 (17) End 2 ID: 5.87 (149)</p>
<p>AF1851 J.C.B. 32203703 Safety Element used with AF1845K</p>  <p>Overall Height: 11.04 (281) End 1 OD: 3.27 (83) End 2 OD: 2.72 (69) End 1 ID: 2.40 (61) End 2 ID: 0.67 (17)</p>	<p>AF1859 MASSEY-FERGUSON 1698375M1 Safety Element used with AF1858</p>  <p>Overall Height: 11.65 (296) Overall OD: 3.50 (89) End 1 ID: 2.24 (57) End 2 ID: 0.34 (9)</p>	<p>AF1867 COOPERS AZA250T</p>  <p>Overall Height: 19.24 (489) End 1 OD: 9.96 (253) End 2 OD: 8.50 (216) End 1 ID: 6.30 (160) End 2 ID: 0.69 (18)</p>
<p>AF1852 LISTER PETTER 36606227</p>  <p>Overall Height: 2.52 (64) Overall OD: 5.79 (147) End 1 ID: 4.17 (106)</p>	<p>AF1860 LEYLAND AAU6096</p>  <p>Overall Height: 15.21 (386) Overall OD: 6.65 (169) End 1 ID: 4.17 (106) End 2 ID: 0.41 (11)</p>	<p>AF1868 COOPERS AZA199T</p>  <p>Overall Height: 20.54 (522) End 1 OD: 11.48 (292) End 2 OD: 9.21 (234) End 1 ID: 8.10 (206) End 2 ID: 0.67 (17)</p>























E. PRODUCT GUIDE

<p>AF1869 CATERPILLAR 4N0015</p>  <p>Height: 5.54 (141) Length: 15.00 (381) Width: 15.00 (381)</p>	<p>AF1877 CATERPILLAR 2V0036</p>  <p>Gasket: 3312136 Overall Height: 9.52 (242) End 1 OD: 6.85 (174) End 2 OD: 6.83 (174) End 2 ID: 4.23 (107)</p>	<p>AF1885 JOY 360628321 Safety Element used with AF1884KM 3311624 Bolt Seal Included</p>  <p>Overall Height: 15.11(384) End 1 OD: 7.6 (193) End 2 OD: 6.41 (163) End 1 ID: 5.27 (134) End 2 ID: .67 (179)</p>
<p>AF1870 CASE 143481C91 For filter without gasket use AF1722</p>  <p>Height: 2.19 (56) Length: 38.00 (965) Width: 6.00 (152)</p>	<p>AF1878 CASE 588213C1</p>  <p>Overall Height: 6.95 (177) Overall OD: 11.56 (294) End 1 ID: 8.28 (210)</p>	<p>AF1886M FORD E2HZ9601B 3311624 Bolt Seal Included</p>  <p>Overall Height: 10.50 (267) Overall OD: 13.85 (352) End 1 ID: 7.44 (189) End 2 ID: 0.67 (17)</p>
<p>AF1871M CROSLAND 9509 Same as AF361 w/attached gasket 250806 Bolt Seal Included</p>  <p>Overall Height: 16.39 (416) Overall OD: 13.83 (351) End 1 ID: 9.48 (241) End 2 ID: 0.54 (14)</p>	<p>AF1879 DAF 693099</p>  <p>Overall Height: 14.99 (381) Overall OD: 9.88 (251) End 1 ID: 5.51 (140)</p>	<p>AF1887M CASE 935694C1 Primary Air Filter used with AF907 3311624 Bolt Seal Included</p>  <p>Overall Height: 16.51 (419) Overall OD: 10.40 (264) End 1 ID: 6.05 (154) End 2 ID: 0.68 (17)</p>
<p>AF1872 DONALDSON P123990 Uses service part: 3834340S 3311624 Bolt Seal Included</p>  <p>Overall Height: 13.50 (343) Overall OD: 6.84 (174) End 1 ID: 3.48 (88) End 2 ID: 0.66 (17)</p>	<p>AF1880 VOLVO 15178478</p>  <p>Overall Height: 12.67 (322) Overall OD: 6.54 (166) End 1 ID: 2.99 (76)</p>	<p>AF1888 FRAM CA240PLH Pre-Cleaner Blanket is AF1807 Complete assembly is AF1650</p>  <p>Overall Height: 11.71 (297) Overall OD: 9.61 (244) End 1 ID: 5.14 (131)</p>
<p>AF1873 CASE 932390C1 Safety Element used with AF1866M 3311624 Bolt Seal Included</p>  <p>Overall Height: 16.34 (415) Overall OD: 5.72 (145) End 1 ID: 4.56 (116) End 2 ID: 0.67 (17)</p>	<p>AF1881 RENAULT V.I. 5000560078</p>  <p>Overall Height: 14.83 (377) End 1 OD: 11.85 (301) End 2 OD: 8.70 (221) End 1 ID: 0.49 (13) End 2 ID: 4.74 (121)</p>	<p>AF1889 GMC 25041542</p>  <p>Overall Height: 2.50 (64) Overall OD: 10.15 (258) End 1 ID: 8.59 (218)</p>
<p>AF1874 MACK 2MD3131</p>  <p>Overall Height: 4.31 (109) Largest OD: 3.69 (94) Thread Size: 3/4-20 UNEF-2B</p>	<p>AF1882 RENAULT V.I. 5000807196</p>  <p>Overall Height: 16.45 (418) Cover Diameter: 14.74 (375) End 2 OD: 11.69 (297) End 1 ID: 0.47 (12) End 2 ID: 5.24 (133)</p>	<p>AF1890M CATERPILLAR 8N5504 Primary Air Filter used with AF1891, AF4886</p>  <p>Overall Height: 5.78 (147) Overall OD: 8.39 (213) End 1 ID: 4.00 (102)</p>
<p>AF1875M DONALDSON P133754</p>  <p>Gasket: 3312554 Overall Height: 16.94 (430) Overall OD: 12.77 (324) End 1 ID: 8.36 (212)</p>	<p>AF1883 FORD 81DB9601DB</p>  <p>Overall Height: 4.33 (110) Overall OD: 12.48 (317) End 1 ID: 8.54 (217)</p>	<p>AF1891 CATERPILLAR 7N9027 Safety Element used with AF1890M</p>  <p>Overall Height: 6.57 (167) Flange Diameter: 6.70 (170) End 2 OD: 3.92 (100) End 2 ID: 2.38 (60)</p>
<p>AF1876 CATERPILLAR 7G8116 3834340 Wing Nut Included</p>  <p>Overall Height: 7.55 (192) Overall OD: 6.08 (154) End 1 ID: 3.48 (88) Thread Size: 7/16-20 UNF-2B</p>	<p>AF1884KM GMC 6488354 Primary Air Filter used with AF1885 3311624 Bolt Seal Included</p>  <p>Overall Height: 15.51 (394) Fin Diameter: 13.80 (351) End 2 OD: 11.08 (281) End 1 ID: 0.67 (17) End 2 ID: 6.73 (171)</p>	<p>AF1892 Safety Element used with AF1606KM, AF4800K Filter used with AH19064</p>  <p>Overall Height: 14.06 (357) End 1 OD: 3.62 (92) End 2 OD: 2.95 (75) End 1 ID: 2.42 (62) End 2 ID: 0.67 (17)</p>

E. PRODUCT GUIDE

<p>AF1893 FRAM CA230PLHD Pre-Cleaner Blanket is AF1844 Precleaner blanket is AF1844</p>  <p>Overall Height: 9.71 (247) Overall OD: 8.35 (212) End 1 ID: 5.14 (131)</p>	<p>AF1900M DONALDSON P123347</p>  <p>Overall Height: 12.02 (305) Overall OD: 8.04 (204) End 1 ID: 6.06 (154)</p>	<p>AF1908KM DONALDSON P900023 3830497 Bolt Seal Included</p>  <p>Overall Height: 15.55 (395) Fin Diameter: 15.50 (394) End 2 OD: 13.83 (351) End 1 ID: 0.90 (23) End 2 ID: 9.48 (241)</p>
<p>AF1894M DONALDSON P124860 Safety Element used with AF1828 Filter used with AH19259 Pre-Cleaner Blanket is AF1844 3830497S Bolt Seal Included</p>  <p>Overall Height: 18.50 (470) End 1 OD: 7.65 (194) End 2 OD: 7.64 (194) End 1 ID: 0.88 (22) End 2 ID: 6.05 (154)</p>	<p>AF1901M DONALDSON P128781</p>  <p>Overall Height: 23.51 (597) Overall OD: 12.77 (324) End 1 ID: 8.36 (212)</p>	<p>AF1909 DONALDSON P900024 3311624 Bolt Seal Included</p>  <p>Overall Height: 14.38 (365) Overall OD: 8.26 (210) End 1 ID: 7.10 (180) End 2 ID: 0.67 (17)</p>
<p>AF1895M DONALDSON P133050</p>  <p>Overall Height: 13.54 (344) End 1 OD: 16.26 (413) End 2 OD: 13.85 (352) End 2 ID: 7.44 (189)</p>	<p>AF1902M KOMATSU 6001812350 Safety Element used with AF1903M 256017 Bolt Seal Included</p>  <p>Overall Height: 13.55 (344) Overall OD: 5.07 (129) End 1 ID: 3.83 (97) End 2 ID: 0.65 (17)</p>	<p>AF1910M CASE 71912C2 Primary Air Filter used with AF988</p>  <p>Overall Height: 15.38 (391) End 1 OD: 6.85 (174) End 2 OD: 6.83 (174) End 2 ID: 3.48 (88)</p>
<p>AF1896M GARDNER-DENVER 8507413 3311624 Bolt Seal Included</p>  <p>Overall Height: 13.50 (343) Overall OD: 10.40 (264) End 1 ID: 6.05 (154) End 2 ID: 0.68 (17)</p>	<p>AF1903M KOMATSU 6001812300 Primary Air Filter used with AF1902M</p>  <p>Overall Height: 15.57 (395) Overall OD: 9.65 (245) End 1 OD: 9.65 (245) End 1 ID: 5.25 (133)</p>	<p>AF1913 KOHLER 253107 Filter used with AH1134</p>  <p>Overall Height: 5.91 (150) Overall OD: 7.88 (200) End 1 ID: 4.13 (105)</p>
<p>AF1897M WHITE 220053201</p>  <p>Overall Height: 15.95 (405) Overall OD: 13.83 (351) End 1 ID: 9.48 (241)</p>	<p>AF1904M KOMATSU 6001814212 Safety Element used with AF1905M</p>  <p>Overall Height: 16.11 (409) End 1 OD: 7.59 (193) End 2 OD: 6.40 (163) End 1 ID: 5.28 (134) End 2 ID: 0.67 (17)</p>	<p>AF1914 BEDFORD 7972962</p>  <p>Overall Height: 14.55 (370) End 1 OD: 6.44 (164) End 2 OD: 6.42 (163) End 2 ID: 3.90 (99)</p>
<p>AF1898KM MOTORCRAFT AFA106 Primary Air Filter used with AF1899M 3830497 Bolt Seal Included</p>  <p>Overall Height: 18.52 (470) Fin Diameter: 15.80 (401) End 2 OD: 13.83 (351) End 1 ID: 0.90 (23) End 2 ID: 9.48 (241)</p>	<p>AF1905M KOMATSU 6001814300 Primary Air Filter used with AF1904M</p>  <p>Overall Height: 16.58 (421) End 1 OD: 11.12 (282) End 2 OD: 11.08 (281) End 2 ID: 6.73 (171)</p>	<p>AF1915 CATERPILLAR 8P5343</p>  <p>Height: 2.19 (56) Length: 23.50 (597) Width: 6.00 (152)</p>
<p>AF1899M MOTORCRAFT AFA107 Safety Element used with AF1898KM 3311624 Bolt Seal Included</p>  <p>Overall Height: 17.14 (435) Overall OD: 8.26 (210) End 1 ID: 7.10 (180) End 2 ID: 0.67 (17)</p>	<p>AF1906 RENAULT 8983500079</p>  <p>Overall Height: 2.45 (62) Overall OD: 10.41 (264) End 1 ID: 8.12 (206)</p>	<p>AF1916 FORD E3TZ9601H</p>  <p>Overall Height: 2.17 (55) Overall OD: 9.92 (252) End 1 ID: 8.03 (204)</p>
<p>AF1907M FILTER CLONE FC3R1001, FILTER CLONE 128495 3830497 Bolt Seal Included</p>  <p>Overall Height: 26.47 (672) Overall OD: 10.40 (264) End 1 ID: 6.05 (154) End 2 ID: 0.90 (23)</p>	<p>AF1917M CASE A47137, JOHN DEERE AT39124 Primary Air Filter used with AF487 3311624 Bolt Seal Included</p>  <p>Overall Height: 12.50 (318) Overall OD: 9.21 (234) End 1 ID: 4.86 (123) End 2 ID: 0.67 (17)</p>	

E. PRODUCT GUIDE

<p>AF1918KM ISUZU 9142151960 250806 Bolt Seal Included</p>  <p>Overall Height: 12.25 (311) Fin Diameter: 7.80 (198) End 2 OD: 6.08 (154) End 1 ID: 3.48 (88) End 2 ID: 0.48 (12)</p>	<p>AF1929 Primary Air Filter used with AF804M</p>  <p>Overall Height: 16.37 (416) Overall OD: 9.21 (234) End 1 ID: 4.86 (123) End 2 ID: 0.67 (17)</p>	<p>AF1945 COOPERS AZA251T</p>  <p>Overall Height: 14.49 (368) End 1 OD: 7.48 (190) End 2 OD: 6.46 (164) End 1 ID: 0.65 (17) End 2 ID: 3.84 (98)</p>
<p>AF1919 INGERSOLL-RAND 59710368 256017 Bolt Seal Included 3839974 Wing Nut Included</p>  <p>Overall Height: 27.04 (687) Boot Diameter: 15.77 (401) End 2 OD: 15.11 (384) End 1 ID: 0.85 (22) End 2 ID: 8.20 (208)</p>	<p>AF1930 WABCO VE0539</p>  <p>Height: 2.19 (56) Length: 26.00 (660) Width: 11.00 (279)</p>	<p>AF1946M MACK 57MD37M, CHAMP 1523443, LUBERFINER 1523443</p>  <p>Overall Height: 22.53 (572) End 2 OD: 13.85 (352) End 2 ID: 7.44 (189)</p>
<p>AF1920 LISTER PETTER 334402</p>  <p>Overall Height: 2.84 (72) Overall OD: 3.74 (95) End 1 ID: 1.93 (49)</p>	<p>AF1934M CASE S238646 Primary Air Filter used with AF1935M 3830497 Bolt Seal Included</p>  <p>Overall Height: 18.48 (469) Overall OD: 9.14 (232) End 1 ID: 5.87 (149) End 2 ID: 0.90 (23)</p>	<p>AF1947 GMC 2026736 3311624 Bolt Seal Included</p>  <p>Overall Height: 12.02 (305) Cover Diameter: 11.87 (302) End 2 OD: 11.07 (281) End 1 ID: 0.64 (16) End 2 ID: 7.25 (184)</p>
<p>AF1921M KOMATSU 5610212330 Primary Air Filter used with AF1922M 3830497 Bolt Seal Included</p>  <p>Overall Height: 24.46 (621) Overall OD: 12.08 (307) End 1 ID: 7.73 (196) End 2 ID: 0.90 (23)</p>	<p>AF1935M DONALDSON P124046 Safety Element used with AF1934M 3311624 Bolt Seal Included</p>  <p>Overall Height: 17.48 (444) Overall OD: 5.72 (145) End 1 ID: 4.56 (116) End 2 ID: 0.65 (17)</p>	<p>AF1948 CASE 405716R1, CASE 405716R2</p>  <p>Overall Height: 6.14 (156) Overall OD: 4.20 (107) End 1 ID: 2.00 (51)</p>
<p>AF1922M KOMATSU 5610212320 Safety Element used with AF1921M 3311624 Bolt Seal Included</p>  <p>Overall Height: 23.53 (598) End 1 OD: 7.30 (185) End 2 OD: 7.28 (185) End 1 ID: 0.67 (17) End 2 ID: 6.19 (157)</p>	<p>AF1941 NELSON 70474N</p>  <p>Overall Height: 9.05 (230) Flange Diameter: 2.76 (70) End 2 OD: 2.41 (61) End 1 ID: 1.99 (51) End 2 ID: 0.66 (17)</p>	<p>AF1949 EUCLID 9023871</p>  <p>Overall Height: 3.62 (92) Overall OD: 3.06 (78) End 1 ID: 1.56 (40)</p>
<p>AF1925K HINO 178011720</p>  <p>Overall Height: 11.65 (296) Fin Diameter: 9.09 (231) End 2 OD: 7.87 (200) End 1 ID: 3.94 (100) End 2 ID: 0.51 (13)</p>	<p>AF1942 NELSON 70475N</p>  <p>Overall Height: 13.99 (355) End 1 OD: 3.60 (91) End 2 OD: 2.71 (69) End 1 ID: 2.39 (61) End 2 ID: 0.67 (17)</p>	<p>AF1950 EUCLID 9034697</p>  <p>Height: 18.50 (470) Length: 31.00 (787) Width: 10.80 (274)</p>
<p>AF1926 MITSUBISHI ME021214</p>  <p>Overall Height: 11.60 (295) Overall OD: 8.81 (224) End 1 ID: 5.69 (144)</p>	<p>AF1943M WHITE 220053202</p>  <p>Overall Height: 16.00 (406) Overall OD: 12.08 (307) End 1 ID: 7.73 (196)</p>	<p>AF1951 TORIT S102235</p>  <p>Overall Height: 26.44 (672) Overall OD: 12.76 (324) End 1 ID: 8.43 (214) End 2 ID: 0.55 (14)</p>
<p>AF1927 LEYLAND ACU3994, E.R.F. 943042</p>  <p>Overall Height: 19.06 (484) Cover Diameter: 9.41 (239) End 2 OD: 8.66 (220) End 1 ID: 5.16 (131) Thread Size: M10 X 1.5-6H INT</p>	<p>AF1944 NELSON 83887N</p>  <p>Height: 2.13 (54) Length: 16.88 (429) Width: 7.88 (200)</p>	<p>AF1952 TOWMOTOR 358896</p>  <p>Overall Height: 3.97 (101) End 1 OD: 3.25 (83) End 2 OD: 2.94 (75) End 1 ID: 2.00 (51)</p>

E. PRODUCT GUIDE

AF1953

IVECO 1901601



Overall Height: 4.96 (126)
Overall OD: 6.34 (161)
End 1 ID: 4.49 (114)

AF1954

MASSEY-FERGUSON
1094056M1 Primary Air Filter
used with AF1687 250806 Bolt
Seal Included



Overall Height: 10.87 (276)
Overall OD: 5.32 (135)
End 1 ID: 2.21 (56)
End 2 ID: 0.40 (10)

AF1955KM

GROVE 9304100072 3311624
Bolt Seal Included



Overall Height: 18.55 (471)
Fin Diameter: 15.80 (401)
End 2 OD: 13.83 (351)
End 1 ID: 0.67 (17)
End 2 ID: 9.48 (241)

AF1956KM

MASSEY-FERGUSON
1043326M1 Primary Air Filter
used with AF1966 3311624
Bolt Seal Included



Gasket: 3301542
Overall Height: 11.43 (290)
Fin Diameter: 6.44 (164)
End 2 OD: 5.24 (133)
End 1 ID: 0.67 (17)
End 2 ID: 2.71 (69)

AF1960

MASSEY-FERGUSON
1698675M1 Primary Air Filter
used with AF1961



Overall Height: 9.45 (240)
End 1 OD: 4.53 (115)
End 2 OD: 4.25 (108)
End 1 ID: 0.39 (10)
End 2 ID: 2.64 (67)

AF1961

MASSEY-FERGUSON
1698676M1 Safety Element
used with AF1960



Overall Height: 8.23 (209)
End 1 OD: 2.60 (66)
End 2 OD: 2.58 (66)
End 1 ID: 1.61 (41)
End 2 ID: 0.34 (9)

AF1962

KOMATSU 6001812500
Primary Air Filter used with
AF1963



Overall Height: 13.15 (334)
Overall OD: 9.76 (248)
End 1 ID: 5.65 (144)
Thread Size: M10 X 1.5-6H INT

AF1963

KOMATSU 6001812461
Safety Element used with
AF1962



Overall Height: 10.95 (278)
Overall OD: 5.51 (140)
End 1 ID: 4.23 (108)
End 2 ID: 0.63 (16)

AF1965M

MACK 2191P138427 3317119
Wing Nut 3311624 Bolt Seal
Included



Gasket: 3318734
Overall Height: 15.55 (395)
End 1 OD: 9.83 (250)
End 2 OD: 8.66 (220)
End 1 ID: 0.67 (17)
End 2 ID: 5.21 (132)

AF1966

MASSEY-FERGUSON
1043327M91 Safety Element
used with AF1956KM,
AF4887KM



Overall Height: 10.08 (256)
End 1 OD: 3.05 (77)
End 2 OD: 2.59 (66)
End 1 ID: 2.15 (55)
End 2 ID: 0.66 (17)

AF1967

NELSON A12871 3830497
Bolt Seal Included



Overall Height: 14.50 (368)
Overall OD: 6.30 (160)
End 1 ID: 4.60 (117)
End 2 ID: 0.90 (23)

AF1968

DONALDSON P153551 For
Upgrade, use AF1968M,
AF26328



Overall Height: 22.40 (569)
End 1 OD: 11.67 (296)
End 2 OD: 10.59 (269)
End 2 ID: 6.71 (170)

AF1968M

DONALDSON P185053
Upgrade of AF1968 For
Upgrade, use AF26328M



Overall Height: 22.40 (569)
Cover Diameter: 11.67 (296)
End 2 OD: 10.59 (269)
End 2 ID: 6.71 (170)

AF1969

DONALDSON P150695 For
Upgrade, use AF1969M



Overall Height: 28.40 (721)
Cover Diameter: 11.67 (296)
End 2 OD: 10.59 (269)
End 2 ID: 6.71 (170)

AF1969M

DONALDSON P185047
Upgrade of AF1969



Overall Height: 28.40 (721)
Cover Diameter: 11.67 (296)
End 2 OD: 10.59 (269)
End 2 ID: 6.71 (170)

AF1971

PERMATIC FA1068



Overall Height: 20.00 (508)
Cover Diameter: 16.58 (421)
End 2 OD: 11.24 (286)
End 1 ID: 0.20 (5)
End 2 ID: 6.12 (156)

AF1972

KOHLER 277138



Overall Height: 4.08 (104)
Overall OD: 6.07 (154)
End 1 ID: 4.68 (119)

AF1973

MOTORCRAFT FA1041



Overall Height: 6.97 (177)
Overall OD: 11.71 (297)
End 1 ID: 8.33 (212)

AF1974

TOYOTA 178012200071



Overall Height: 3.50 (89)
Overall OD: 7.38 (187)
End 1 ID: 4.31 (110)

AF1975

TOYOTA 233013020571



Overall Height: 5.70 (145)
Overall OD: 7.68 (195)
End 1 ID: 3.32 (84)

AF1976

THERMO-KING 120404



Overall Height: 10.16 (258)
End 1 OD: 5.94 (151)
End 2 OD: 5.27 (134)
End 1 ID: 0.55 (14)
End 2 ID: 3.12 (79)

AF1977M

DONALDSON SMP181162



Overall Height: 10.51 (267)
Overall OD: 10.40 (264)
End 1 ID: 6.05 (154)

AF1978

MANN & HUMMEL C1450



Overall Height: 4.84 (123)
Overall OD: 5.43 (138)
End 1 ID: 3.15 (80)


























AF1979

CATERPILLAR 9P5174


























Height: 0.88 (22)
Length: 13.25 (337)
Width: 12.00 (305)

























E. PRODUCT GUIDE

AF1980  JOHN DEERE AT44378 Safety Element used with AF4736, AF409K Overall Height: 11.00 (279) Flange Diameter: 4.07 (103) End 2 OD: 3.44 (87) End 1 ID: 2.88 (73) End 2 ID: 0.66 (17)	AF4019  LEYLAND 12G903 Overall Height: 3.47 (88) End 1 OD: 7.13 (181) End 2 OD: 5.55 (141) End 1 ID: 3.94 (100) End 2 ID: 3.35 (85)	AF4027  VOLVO 347436 Overall Height: 10.43 (265) Overall OD: 8.51 (216) End 1 ID: 6.06 (154) End 2 ID: 0.41 (10)
AF1982  KOHLER 4508302 Overall Height: 3.08 (78) Overall OD: 6.07 (154) End 1 ID: 4.68 (119)	AF4020  LISTER PETTER JF356 Overall Height: 4.82 (123) Overall OD: 5.43 (138) End 1 ID: 3.15 (80)	AF4028  CUMMINS 650931, LEYLAND 37H3737 3311624 Bolt Seal Included Overall Height: 13.56 (344) Overall OD: 7.93 (201) End 1 ID: 3.58 (91) End 2 ID: 0.67 (17)
AF1983  FORD E3TZ9601C For element w/o foam wrap use AF1731 Overall Height: 5.00 (127) Overall OD: 12.51 (318) End 1 ID: 8.28 (210)	AF4021  ROLLS ROYCE OE17616 Overall Height: 7.54 (192) Overall OD: 8.07 (205) End 1 ID: 5.77 (147) End 2 ID: 0.43 (11)	AF4035  CUMMINS 701645 Overall Height: 12.49 (317) Overall OD: 9.85 (250) End 2 ID: 5.83 (148)
AF1984K  HUBER-WARCO 104873 3311624 Bolt Seal Included Overall Height: 16.26 (413) Fin Diameter: 7.70 (196) End 2 OD: 6.08 (154) End 1 ID: 3.48 (88) End 2 ID: 0.67 (17)	AF4022  GARDNER MA410 Overall Height: 2.30 (59) Overall OD: 2.80 (71) End 1 ID: 1.32 (34)	AF4039  VOLVO 347437 Overall Height: 10.95 (278) Overall OD: 10.55 (268) End 1 ID: 7.68 (195)
AF1985  AC A644C Same as AF1628 with foam precleaner Overall Height: 4.69 (119) Overall OD: 14.88 (378) End 1 ID: 11.62 (295)	AF4023  SCANIA 709457 Overall Height: 5.02 (128) Overall OD: 5.63 (143) End 1 ID: 3.45 (88)	AF4041  PERKINS 26510167 Overall Height: 10.43 (265) End 1 OD: 5.45 (138) End 2 OD: 5.43 (138) End 2 ID: 2.86 (73)
AF1986  DONALDSON P105958 Height: 2.75 (70) Length: 10.00 (254) Width: 10.00 (254)	AF4024  ROLLS ROYCE UE9813 Overall Height: 4.04 (103) Overall OD: 8.27 (210) End 1 ID: 5.88 (149)	AF4044  GMC 7972972 Overall Height: 14.43 (366) End 1 OD: 7.73 (196) End 2 OD: 7.71 (196) End 2 ID: 5.09 (129)
AF1987  DONALDSON P137523 Height: 2.19 (56) Length: 15.00 (381) Width: 7.00 (178)	AF4025  CUMMINS 701835 Overall Height: 2.01 (51) Overall OD: 5.43 (138) End 1 ID: 3.15 (80)	AF4046  COOPERS DU2065T Overall Height: 18.46 (469) End 1 OD: 6.18 (157) End 2 OD: 5.24 (133) End 2 ID: 2.72 (69)
AF1988  JOHN DEERE AH61904 Height: 2.57 (65) Length: 15.00 (381) Width: 15.00 (381)	AF4026  CUMMINS 701646 Overall Height: 15.80 (401) Overall OD: 11.54 (293) End 1 ID: 7.41 (188)	AF4047  FIAT-ALLIS 78822161 250806 Bolt Seal Included Overall Height: 15.49 (394) End 1 OD: 4.77 (121) End 2 OD: 4.48 (114) End 1 ID: 3.52 (89) End 2 ID: 0.35 (9)
AF4018  FORD 2720E9601A Overall Height: 2.24 (57) Overall OD: 9.57 (243) End 1 ID: 7.40 (188)		

E. PRODUCT GUIDE

AF4049 GMC 7980474  Height: 1.20 (31) Length: 4.86 (124) Width: 12.72 (323)	AF4065 LEYLAND 37H6187  Overall Height: 15.55 (395) End 1 OD: 6.18 (157) End 2 OD: 5.24 (133) End 2 ID: 2.72 (69)	AF4083 E.R.F. 932833, GARDNER MA410  Overall Height: 3.31 (84) Overall OD: 3.39 (86) End 1 ID: 1.50 (38)
AF4050 COOPERS 8465T  Overall Height: 7.11 (181) Overall OD: 8.11 (206) End 1 ID: 4.25 (108)	AF4066 MANN & HUMMEL C11763 250806 Bolt Seal Included  Overall Height: 8.93 (227) Overall OD: 4.35 (111) End 1 ID: 1.97 (50) End 2 ID: 0.34 (9)	AF4084 VOLVO 475230  Overall Height: 8.86 (225) Overall OD: 13.15 (334) End 1 ID: 8.13 (207)
AF4057 MANN & HUMMEL C234402  Overall Height: 11.57 (294) Overall OD: 8.98 (228) End 1 ID: 4.58 (116) End 2 ID: 0.41 (10)	AF4067 MANN & HUMMEL C131144 Primary Air Filter used with AF4521 250806 Bolt Seal Included  Overall Height: 11.58 (294) Overall OD: 4.96 (126) End 1 ID: 2.52 (64) End 2 ID: 0.34 (9)	AF4085 ALLIS-CHALMERS 4055745  Overall Height: 2.81 (71) Overall OD: 5.33 (135) End 1 ID: 3.92 (100)
AF4058 KHD(KLOCKNER-HUMBOLDT-DEUTZ) 2165044 Primary Air Filter used with AF1842 250806 Bolt Seal Included  Overall Height: 13.81 (351) Overall OD: 6.44 (164) End 1 ID: 3.40 (86) End 2 ID: 0.34 (9)	AF4068 LEYLAND 10906087  Overall Height: 11.55 (293) Cover Diameter: 10.83 (275) End 2 OD: 9.21 (234) End 1 ID: 4.84 (123) End 2 ID: 4.86 (123)	AF4088 ATLAS COPCO 10300832  Overall Height: 4.33 (110) Overall OD: 11.97 (304) End 2 ID: 7.52 (191)
AF4059K LEYLAND 37H3739 Primary Air Filter used with AF1680, AF4103 Filter used with AH19065, AH19066 3311624 Bolt Seal Included  Overall Height: 15.35 (390) Fin Diameter: 7.85 (200) End 2 OD: 6.08 (154) End 1 ID: 3.48 (88) End 2 ID: 0.67 (17)	AF4073 GMC 7955307  Overall Height: 8.03 (204) Overall OD: 8.31 (211) End 1 ID: 6.02 (153)	AF4100 VOLVO 823701  Overall Height: 28.03 (712) Overall OD: 7.72 (196) End 1 ID: 3.98 (101)
AF4060 SCANIA 219517 Primary Air Filter used with AF1843 250806 Bolt Seal Included  Overall Height: 19.59 (497) Overall OD: 9.55 (243) End 1 ID: 5.20 (132) End 2 ID: 0.41 (11)	AF4074 FIAT-ALLIS 8322121  Overall Height: 6.85 (174) Overall OD: 5.35 (136) End 1 ID: 3.98 (101)	AF4103 MASSEY-FERGUSON 1093683M91, INGERSOLL-RAND 59155135 Safety Element used with AF1733K, AF4748K, AF4853K, AF4892K, AF4856M, AF4059K, AF1733KM Filter used with AH19066, AH19267 Inner Air on JCB applications Bolt Seal Included  Overall Height: 14.04 (357) End 1 OD: 4.13 (105) End 2 OD: 3.35 (85) End 1 ID: 2.95 (75) End 2 ID: 0.67 (17)
AF4061 LEYLAND 37H6186  Overall Height: 11.35 (288) End 1 OD: 6.18 (157) End 2 OD: 5.24 (133) End 2 ID: 2.82 (72)	AF4076 WELLWORTHY WS526902  Overall Height: 4.45 (113) Overall OD: 10.00 (254) End 1 ID: 5.59 (142)	AF4106 LISTER PETER ZPF356  Overall Height: 2.52 (64) Overall OD: 5.43 (138) End 1 ID: 3.13 (80)
AF4064 J.C.B. 98800031  Overall Height: 11.20 (285) Overall OD: 4.76 (121) End 1 ID: 2.13 (54) End 2 ID: 0.37 (10)	AF4078 FIAT-ALLIS 8322122  Overall Height: 8.19 (208) Overall OD: 8.51 (216) End 1 ID: 6.06 (154)	

E. PRODUCT GUIDE


AF4124  MERCEDES-BENZ 945804 Overall Height: 8.82 (224) Overall OD: 5.91 (150) End 1 ID: 3.47 (88)	AF4150  DONALDSON P119778 Safety Element used with AF1735K, AF4643 Overall Height: 15.06 (383) End 1 OD: 4.84 (123) End 2 OD: 4.09 (104) End 1 ID: 3.66 (93) End 2 ID: 0.67 (17)	AF4502K  KUBOTA 1585211080 Overall Height: 7.21 (183) Cover Diameter: 4.90 (125) Fin Diameter: 4.17 (106) End 1 ID: 0.44 (11) End 2 ID: 1.79 (46)
AF4125  LISTER PETTER AAF4996 Overall Height: 2.09 (53) Overall OD: 3.39 (86) End 1 ID: 1.91 (48)	AF4152  LEYLAND 10906354 3311624 Bolt Seal Included Overall Height: 24.74 (628) Overall OD: 7.98 (203) End 1 ID: 4.64 (118) End 2 ID: 0.63 (16)	AF4503  IVECO 1902129 Seal included. For fire resistant version, use AF26325 Overall Height: 18.72 (476) End 1 OD: 11.88 (302) End 2 OD: 11.84 (301) End 1 ID: 7.55 (192) End 2 ID: 0.41 (11)
AF4128  CATERPILLAR 6L4714 Height: 2.69 (68) Length: 24.00 (610) Width: 24.00 (610)	AF4158  KOMATSU 6691817310 Safety Element used with AF4159 3311624 Bolt Seal Included Overall Height: 14.79 (376) End 1 OD: 5.81 (148) End 2 OD: 4.61 (117) End 1 ID: 3.54 (90) End 2 ID: 0.67 (17)	AF4504M  KOMATSU 6001814400, NEW HOLLAND 76570088, FIAT HITACHI 76570088 Primary Air Filter used with AF1791 3830497 Bolt Seal Included Overall Height: 18.70 (475) Cover Diameter: 14.86 (378) End 2 OD: 12.08 (307) End 1 ID: 0.93 (24) End 2 ID: 7.73 (196)
AF4135  MANN & HUMMEL C151653 Primary Air Filter used with AF4522 250806 Bolt Seal Included Overall Height: 13.22 (336) Overall OD: 5.87 (149) End 1 ID: 2.82 (72) End 2 ID: 0.34 (9)	AF4159  KOMATSU 6691817210 Primary Air Filter used with AF4158 3311624 Bolt Seal Included Overall Height: 15.50 (394) Overall OD: 9.21 (234) End 1 ID: 4.86 (123) End 2 ID: 0.67 (17)	AF4505M  FORD D6HZ9601A 250806 Bolt Seal Included Overall Height: 9.15 (232) Overall OD: 9.21 (234) End 1 ID: 0.54 (14) End 2 ID: 4.85 (123)
AF4137  KHD(KLOCKNER-HUMBOLDT-DEUTZ) 2339813, KHD(KLOCKNER-HUMBOLDT-DEUTZ) 2311565 Primary Air Filter used with AF25424, AF25490 Overall Height: 8.21 (209) Overall OD: 6.44 (164) End 1 ID: 3.39 (86)	AF4164K  DONALDSON P124164 Primary Air Filter used with AF4165 3311624 Bolt Seal Included Overall Height: 13.38 (340) Fin Diameter: 7.80 (198) End 2 OD: 6.08 (154) End 1 ID: 3.48 (88) End 2 ID: 0.67 (17)	AF4506M  KOMATSU 6001814200 Primary Air Filter used with AF471 3317119 Wing Nut Included 256017 Bolt Seal Included Overall Height: 18.49 (470) End 1 OD: 12.08 (307) End 2 OD: 12.09 (307) End 2 ID: 7.73 (196)
AF4138  CASE 351585R91 3311624 Bolt Seal Included Overall Height: 9.06 (230) End 1 OD: 6.85 (174) End 2 OD: 6.83 (174) End 1 ID: 0.67 (17) End 2 ID: 4.23 (107)	AF4165  DONALDSON P124165 Safety Element used with AF4164K, AF25348K, AF25342 Overall Height: 12.07 (307) End 1 OD: 3.74 (95) End 2 OD: 3.35 (85) End 1 ID: 2.95 (75) End 2 ID: 0.67 (17)	AF4509  TOYOTA 1780168020 Overall Height: 5.75 (146) Overall OD: 8.58 (218) End 1 ID: 4.29 (109)
AF4139  CUMMINS 105067 Overall Height: 12.17 (309) Overall OD: 10.40 (264) End 1 ID: 7.80 (198) End 2 ID: 0.43 (11)	AF4500  MASSEY-FERGUSON 1678295M1 Safety Element used with AF4501, AF4569 Overall Height: 11.50 (292) Overall OD: 2.91 (74) End 1 ID: 1.87 (48) End 2 ID: 0.34 (9)	AF4510  CASE E41535 Safety Element used with AF437K, AF437KM Overall Height: 10.75 (273) Overall OD: 2.60 (66) End 1 ID: 2.21 (56) End 2 ID: 0.34 (9)
AF4149  SCANIA 261185 Overall Height: 18.72 (476) Cover Diameter: 14.96 (380) End 2 OD: 11.88 (302) End 1 ID: 0.41 (11) End 2 ID: 7.55 (192)	AF4501  MASSEY-FERGUSON 1678294M1 Primary Air Filter used with AF4500 Overall Height: 12.68 (322) End 1 OD: 5.75 (146) End 2 OD: 5.20 (132) End 1 ID: 0.37 (10) End 2 ID: 2.97 (76)	AF4511  CASE E43789 Safety Element used with AF4557K Overall Height: 10.20 (259) End 1 OD: 2.91 (74) End 2 OD: 2.84 (72) End 1 ID: 0.34 (9) End 2 ID: 1.85 (47)

E. PRODUCT GUIDE

<p>AF4512 Replacement Element For Kit To Convert CAT 2S1285 Use With Bracket: AK00001 -To Convert CAT 8N4901 Use With Bracket AK00009 3311624 Bolt Seal Included</p>  <p>Overall Height: 11.25 (286) End 1 OD: 4.77 (121) End 2 OD: 4.75 (121) End 1 ID: 3.52 (89) End 2 ID: 0.68 (17)</p>	<p>AF4518 MITSUBISHI ME0120389</p>  <p>Overall Height: 5.04 (128) End 1 OD: 9.41 (239) End 2 OD: 8.86 (225) End 1 ID: 0.47 (12) End 2 ID: 5.59 (142)</p>	<p>AF4527M SISU 1293400121</p>  <p>Overall Height: 28.87 (733) End 1 OD: 8.66 (220) End 2 OD: 5.75 (146) End 1 ID: 5.12 (130)</p>
<p>AF4513 Replacement Element For Kit To Convert CAT 2S1286 Use With Bracket AK00002; -To Convert CAT 9S9972 Use With Bracket AK00003 3311624 Bolt Seal Included</p>  <p>Overall Height: 12.25 (311) Overall OD: 6.30 (160) End 1 ID: 4.60 (117) End 2 ID: 0.68 (17)</p>	<p>AF4520 HUPP 64879G1</p>  <p>Height: 2.19 (56) Length: 29.19 (741) Width: 8.00 (203)</p>	<p>AF4528M SISU 1293400192</p>  <p>Overall Height: 28.78 (731) End 1 OD: 10.40 (264) End 2 OD: 7.51 (191) End 1 ID: 6.95 (177)</p>
<p>AF4514 Replacement Element For Kit To Convert CAT 1P7360 And 4S8340 Use With Bracket: AK00005 3311624 Bolt Seal Included</p>  <p>Overall Height: 12.25 (311) End 1 OD: 7.65 (194) End 2 OD: 7.64 (194) End 1 ID: 0.68 (17) End 2 ID: 5.71 (145)</p>	<p>AF4521 KHD(KLOCKNER-HUMBOLDT-DEUTZ) 4144896, IHC 314080R1 Safety Element used with AF4067</p>  <p>Overall Height: 11.20 (285) End 1 OD: 2.76 (70) End 2 OD: 2.44 (62) End 1 ID: 1.87 (48) End 2 ID: 0.67 (17)</p>	<p>AF4529 CROSLAND 9505 Same as AF354 w/gasket</p>  <p>Overall Height: 9.43 (240) Overall OD: 10.40 (264) End 1 ID: 6.05 (154) End 2 ID: 0.54 (14)</p>
<p>AF4515 Replacement Element For Kit To Convert CAT 6N6444 Use With Bracket: AK00006 3311624 Bolt Seal Included</p>  <p>Overall Height: 11.25 (286) Overall OD: 8.65 (220) End 1 ID: 6.69 (170) End 2 ID: 0.65 (17)</p>	<p>AF4522 LIEBHERR 7002402, ATLAS COPCO 16195441 Safety Element used with AF4135</p>  <p>Overall Height: 12.85 (327) End 1 OD: 3.19 (81) End 2 OD: 2.72 (69) End 1 ID: 2.15 (55) End 2 ID: 0.67 (17)</p>	<p>AF4530 MASSEY-FERGUSON 1613731M1, CASE 702642C1 Safety Element used with AF4531 3311624 Bolt Seal Included</p>  <p>Overall Height: 16.02 (407) Overall OD: 5.41 (137) End 1 ID: 4.10 (104) End 2 ID: 0.67 (17)</p>
<p>AF4516 Replacement Element For Kit To Convert CAT 1P8482 Use With Bracket AK00007; -To Convert CAT 3S4745 Use With Bracket AK00008 3311624 Bolt Seal Included For Magnum Version use AF4516M</p>  <p>Overall Height: 14.23 (361) Overall OD: 8.65 (220) End 1 ID: 6.69 (170) End 2 ID: 0.65 (17)</p>	<p>AF4523 INGERSOLL-RAND 92035955 Safety Element used with AF1802</p>  <p>Overall Height: 18.50 (470) End 1 OD: 6.38 (162) End 2 OD: 6.10 (155) End 1 ID: 5.53 (141) End 2 ID: 0.67 (17)</p>	<p>AF4531 MASSEY-FERGUSON 1613732M1, CASE 702641C1 Primary Air Filter used with AF4530 250806 Bolt Seal Included</p>  <p>Overall Height: 17.56 (446) Overall OD: 10.02 (255) End 1 ID: 5.48 (139) End 2 ID: 0.40 (10)</p>
<p>AF4516M Replacement Element For Kit To Convert CAT 7N1308 Use With Bracket: AK00007 Extended Life Version of AF4516 3311624 Bolt Seal Included</p>  <p>Overall Height: 14.23 (361) Overall OD: 8.65 (220) End 1 ID: 4.60 (117) End 2 ID: 0.68 (17)</p>	<p>AF4524 MOTORCRAFT EFA981</p>  <p>Overall Height: 2.75 (70) Overall OD: 12.80 (325) End 1 ID: 11.04 (280)</p>	<p>AF4532 KOMATSU 6001822500 Safety Element used with AF4533 256017 Bolt Seal Included</p>  <p>Overall Height: 13.52 (343) Overall OD: 5.09 (129) End 1 ID: 3.81 (97) End 2 ID: 0.65 (17)</p>
<p>AF4517 WHITE 7761170</p>  <p>Height: 2.19 (56) Length: 17.00 (432) Width: 15.00 (381)</p>	<p>AF4525 CROSLAND 9009</p>  <p>Overall Height: 2.76 (70) Overall OD: 3.84 (98) End 1 ID: 2.38 (61)</p>	<p>AF4533 KOMATSU 6001811320 Primary Air Filter used with AF4532</p>  <p>Overall Height: 15.57 (395) Overall OD: 9.65 (245) End 1 ID: 5.25 (133)</p>
	<p>AF4526 Replacement Element For Kit To Convert CAT 2S1287 Use With Bracket AK00004 -To Convert CAT 8N-6883 Use With Bracket AK00012 3311624 Bolt Seal Included</p>  <p>Overall Height: 14.23 (361) Overall OD: 6.30 (160) End 1 ID: 4.60 (117) End 2 ID: 0.68 (17)</p>	<p>AF4534 FORD E6HZ9601A</p>  <p>Overall Height: 16.36 (416) Overall OD: 7.93 (201) End 1 ID: 5.33 (135) End 2 ID: 0.67 (17)</p>


E. PRODUCT GUIDE

AF4535M GMC 15527863




Overall Height: 20.38 (518)
Cover Diameter: 11.73 (298)
End 2 OD: 10.59 (269)
End 2 ID: 6.71 (170)

AF4549 VOLVO 6897063 Primary Air Filter used with AF4551



Overall Height: 22.87 (581)
End 1 OD: 10.63 (270)
End 2 OD: 10.59 (269)
End 1 ID: 0.67 (17)
End 2 ID: 7.28 (185)

AF4558 VOLVO 16606004 Safety Element used with AF4559, AF25294




Overall Height: 19.89 (505)
End 1 OD: 6.12 (156)
End 2 OD: 6.08 (155)
End 1 ID: 0.41 (10)
End 2 ID: 4.91 (125)

AF4536 CATERPILLAR 2W4246




Overall Height: 5.52 (140)
Overall OD: 6.83 (174)
End 1 ID: 4.23 (107)

AF4550 VOLVO 1660376 Primary Air Filter used with AF4552



Overall Height: 22.87 (581)
End 1 OD: 10.63 (270)
End 2 OD: 10.59 (269)
End 1 ID: 0.41 (10)
End 2 ID: 7.28 (185)

AF4559 VOLVO 16606606 Primary Air Filter used with AF4558




Overall Height: 21.41 (544)
End 1 OD: 10.16 (258)
End 2 OD: 10.12 (257)
End 1 ID: 0.41 (10)
End 2 ID: 6.34 (161)

AF4539 NELSON 70456N w/Foam Precleaner




Overall Height: 10.90 (277)
Overall OD: 8.00 (203)
End 1 ID: 5.38 (137)

AF4551 VOLVO 6897064 Safety Element used with AF4549




Overall Height: 21.56 (548)
End 1 OD: 7.11 (181)
End 2 OD: 7.07 (180)
End 1 ID: 0.67 (17)
End 2 ID: 5.51 (140)

AF4560 VOLVO 1544449 Primary Air Filter used with AF4746




Overall Height: 14.43 (366)
End 1 OD: 13.78 (350)
End 2 OD: 13.74 (349)
End 1 ID: 0.41 (10)
End 2 ID: 8.31 (211)

AF4540 RENAULT V.I. 5000802163




Overall Height: 16.59 (422)
End 1 OD: 9.36 (238)
End 2 OD: 7.11 (181)
End 1 ID: 0.36 (9)
End 2 ID: 4.16 (106)

AF4552 VOLVO 1660377 Safety Element used with AF4550




Overall Height: 21.44 (545)
End 1 OD: 6.73 (171)
End 2 OD: 6.69 (170)
End 1 ID: 0.41 (10)
End 2 ID: 5.51 (140)

AF4561 GMC 8996724



Overall Height: 1.58 (40)
End 1 ID: 0.63 (16)
Length: 1.63 (42)
Width: 1.97 (50)

AF4541KM JOHN DEERE AT43870 Primary Air Filter used with AF487 3311624 Bolt Seal Included




Overall Height: 12.50 (318)
Fin Diameter: 10.70 (272)
End 2 OD: 7.93 (201)
End 1 ID: 5.33 (135)
End 2 ID: 0.67 (17)

AF4553M ONAN 1401654 Primary Air Filter used with AF4554M Filter used with 71686A, AH19073, AH19074 3830497 Bolt Seal Included




Overall Height: 20.68 (525)
End 1 OD: 14.60 (371)
End 2 OD: 13.83 (351)
End 1 ID: 0.90 (23)
End 2 ID: 9.48 (241)

AF4562M DONALDSON P150693 For element w/o attached cover use AF1850




Overall Height: 28.40 (721)
Cover Diameter: 9.72 (247)
End 2 OD: 8.66 (220)
End 2 ID: 5.21 (132)

AF4545K TOYOTA 177522054071 Same as AF437K with flame retardant paper 3311624 Bolt Seal Included




Overall Height: 11.42 (290)
Fin Diameter: 6.34 (161)
End 2 OD: 5.24 (133)
End 1 ID: 2.71 (69)
End 2 ID: 0.67 (17)

AF4554M ONAN 1404655 Safety Element used with AF4553M Filter used with AH19074 3830497 Bolt Seal Included



Overall Height: 18.50 (470)
End 1 OD: 8.65 (220)
End 2 OD: 8.63 (219)
End 1 ID: 7.09 (180)
End 2 ID: 0.90 (23)

AF4563M FORD E7HZ9601A




Overall Height: 23.52 (597)
End 1 OD: 7.35 (187)
End 2 OD: 7.32 (186)
End 1 ID: 0.41 (10)
End 2 ID: 5.40 (137)

AF4547 COOPERS AZA484T



Overall Height: 4.53 (115)
Overall OD: 11.93 (303)
End 2 ID: 8.50 (216)

AF4555M CHRYSLER 4428308




Overall Height: 9.76 (248)
Overall OD: 7.98 (203)
End 1 ID: 4.64 (118)
End 2 ID: 0.38 (10)

AF4564KM JOHN DEERE AL30394 Primary Air Filter used with AF4626 . 3830160 Wing Nut Included; 3311624 Bolt Seal Included




Overall Height: 14.70 (373)
Cover Diameter: 8.44 (214)
Fin Diameter: 7.80 (198)
End 1 ID: 0.67 (17)
End 2 ID: 3.48 (88)

AF4548 CASE 573640C1




Overall Height: 22.50 (572)
End 1 OD: 10.40 (264)
End 2 OD: 7.49 (190)
End 1 ID: 6.95 (177)

AF4557K CASE E43790 Primary Air Filter used with AF4511
















Overall Height: 11.43 (290)
Fin Diameter: 6.34 (161)
End 2 OD: 5.24 (133)
End 1 ID: 2.95 (75)
End 2 ID: 0.67 (17)

AF4565 RENAULT V.I. 7701027436 Primary Air Filter used with AF4566



Overall Height: 14.53 (369)
End 1 OD: 8.98 (228)
End 2 OD: 8.31 (211)
End 1 ID: 0.39 (10)
End 2 ID: 5.34 (136)

E. PRODUCT GUIDE

<p>AF4566 RENAULT V.I. 7701027437 Safety Element used with AF4565</p>  <p>Overall Height: 13.54 (344) Overall OD: 5.20 (132) End 1 ID: 4.06 (103) End 2 ID: 0.34 (9)</p>	<p>AF4575 MERCEDES-BENZ 20947304</p>  <p>Overall Height: 10.07 (256) Overall OD: 7.78 (198) End 1 ID: 4.08 (104) End 2 ID: 0.34 (9)</p>	<p>AF4586 COOPERS AZA413T</p>  <p>Overall Height: 19.61 (498) End 1 OD: 11.50 (292) End 2 OD: 10.39 (264) End 1 ID: 6.54 (166) End 2 ID: 0.67 (17)</p>
<p>AF4567 HITACHI 4129907 Primary Air Filter used with AF490M single element</p>  <p>Overall Height: 15.32 (389) Cover Diameter: 9.29 (236) End 2 OD: 7.38 (188) End 1 ID: 0.67 (17) End 2 ID: 4.74 (121)</p>	<p>AF4576M DONALDSON P521055, FREIGHTLINER FLC112 3830497 Bolt Seal Included</p>  <p>Overall Height: 16.50 (419) Overall OD: 12.08 (307) End 1 ID: 7.73 (196) End 2 ID: 0.90 (23)</p>	<p>AF4587 MERCEDES-BENZ 10947404</p>  <p>Overall Height: 9.06 (230) Cover Diameter: 14.96 (380) End 2 OD: 11.88 (302) End 1 ID: 0.41 (11) End 2 ID: 6.58 (167)</p>
<p>AF4568 MASSEY-FERGUSON 1806088M91</p>  <p>Overall Height: 10.93 (278) End 1 OD: 5.04 (128) End 2 OD: 4.48 (114) End 2 ID: 2.24 (57)</p>	<p>AF4577M DONALDSON P900556 3830497 Bolt Seal Included</p>  <p>Overall Height: 23.52 (597) Overall OD: 12.08 (307) End 1 ID: 7.73 (196) End 2 ID: 0.90 (23)</p>	<p>AF4588M DONALDSON P522293</p>  <p>Gasket: 3831817 Overall Height: 28.90 (734) End 1 OD: 10.40 (264) End 2 OD: 7.49 (190) End 1 ID: 6.95 (177) End 2 ID: 5.45 (138)</p>
<p>AF4569 MASSEY-FERGUSON 1678308M91 Primary Air Filter used with AF4500</p>  <p>Overall Height: 12.64 (321) End 1 OD: 5.43 (138) End 2 OD: 5.20 (132) End 1 ID: 0.37 (10) End 2 ID: 2.97 (76)</p>	<p>AF4578 IHC 117210C1</p>  <p>Overall Height: 1.81 (46) Overall OD: 7.00 (178) End 1 ID: 5.57 (141)</p>	<p>AF4589 JOHN DEERE T46317 Safety Element used with AF4893M, AF4894KM, AF4905M, AF434KM . 3834340 Wing Nut Included: 3311624 Bolt Seal Included</p>  <p>Overall Height: 15.37 (391) Overall OD: 4.61 (117) End 1 ID: 3.56 (90)</p>
<p>AF4570K J.C.B. 32206002 Primary Air Filter used with AF4571</p>  <p>Overall Height: 13.92 (354) Cover Diameter: 7.05 (179) Fin Diameter: 6.34 (161) End 2 ID: 2.82 (72) Thread Size: M10 X 1.5-6H INT</p>	<p>AF4579 CATERPILLAR 8N5006, CASE 530778C1 3311624 Bolt Seal Included</p>  <p>Overall Height: 9.78 (248) Overall OD: 5.98 (152) End 1 ID: 4.83 (123) End 2 ID: 0.65 (17)</p>	<p>AF4590 GMC 25042383</p>  <p>Overall Height: 2.10 (53) Overall OD: 11.68 (297) End 1 ID: 9.80 (249)</p>
<p>AF4571 J.C.B. 32206003 Safety Element used with AF4570K</p>  <p>Overall Height: 12.07 (307) End 1 OD: 3.27 (83) End 2 OD: 2.72 (69) End 1 ID: 2.40 (61) End 2 ID: 0.67 (17)</p>	<p>AF4580 ALLIS-CHALMERS 246580</p>  <p>Height: 2.19 (56) Length: 11.00 (279) Width: 10.94 (278)</p>	<p>AF4591 GMC 25043334</p>  <p>Height: 1.64 (42) Length: 9.50 (241) Width: 4.47 (114)</p>
<p>AF4573K NISSAN 1654651760</p>  <p>Overall Height: 9.43 (240) Fin Diameter: 6.34 (161) End 2 OD: 5.24 (133) End 1 ID: 2.95 (75) End 2 ID: 0.67 (17)</p>	<p>AF4581 VOLVO 842280</p>  <p>Overall Height: 12.40 (315) Overall OD: 7.72 (196) End 1 ID: 3.98 (101)</p>	<p>AF4592 GMC 25095333</p>  <p>Height: 1.64 (42) Length: 7.61 (193) Width: 6.00 (152)</p>
<p>AF4574 BRIGGS & STRATTON 393957</p>  <p>Overall Height: 3.81 (97) Overall OD: 4.28 (109) End 1 ID: 1.96 (50)</p>	<p>AF4583M DONALDSON XLP772523, ROLLS ROYCE CV9686 Primary Air Filter used with AF820M</p>  <p>Overall Height: 16.68 (424) End 1 OD: 12.08 (307) End 2 OD: 12.02 (305) End 1 ID: 7.73 (196) End 2 ID: 0.67 (17)</p>	<p>AF4593 MOTORCRAFT FA1043</p>  <p>Height: 1.15 (29) Length: 11.24 (286) Width: 6.18 (157)</p>
		<p>AF4594 HONDA 17232PD2660</p>  <p>Overall Height: 2.54 (65) Overall OD: 10.00 (254) End 1 ID: 8.50 (216)</p>


E. PRODUCT GUIDE

AF4595 MAZDA 831723603




Overall Height: 2.54 (65)
Overall OD: 10.00 (254)
End 1 ID: 8.50 (216)

AF4596 TOYOTA 1780115010




Overall Height: 1.56 (40)
Overall OD: 11.50 (292)
End 1 ID: 8.88 (225)

AF4597 CHRYSLER 4241042,
CHRYSLER 4342800




Height: 1.65 (42)
Length: 10.68 (271)
Width: 5.26 (134)

AF4598 NISSAN 16546N4200



Height: 1.43 (36)
Length: 10.63 (270)
Width: 6.37 (162)

AF4601 MOTORCRAFT FA971



Height: 1.59 (40)
Length: 7.89 (200)
Width: 6.99 (178)

AF4602 GMC 25043119




Overall Height: 4.93 (125)
Overall OD: 5.64 (143)
End 2 ID: 3.57 (91)

AF4604 GMC 5646510




Overall Height: 3.01 (76)
Overall OD: 9.50 (241)
End 2 ID: 8.00 (203)

AF4605M CATERPILLAR 4W5228
Primary Air Filter used with
AF1604



Overall Height: 24.60 (625)
End 1 OD: 15.70 (399)
End 2 OD: 14.69 (373)
End 1 ID: 0.88 (22)
End 2 ID: 10.30 (262)

AF4606M CATERPILLAR 4W5716
Primary Air Filter used with
AF883M




Overall Height: 18.57 (472)
End 1 OD: 14.90 (378)
End 2 OD: 13.83 (351)
End 1 ID: 0.90 (23)
End 2 ID: 9.48 (241)

AF4607 TOYOTA 1780148011



Overall Height: 5.75 (146)
Overall OD: 7.60 (193)
End 1 ID: 3.35 (85)

AF4608 VOLVO 4771477



Height: 1.50 (38)
Length: 7.40 (188)
Width: 10.51 (267)

AF4609 CATERPILLAR 8N6309 Uses
service part: AF26169



Overall Height: 10.34 (263)
Overall OD: 19.35 (492)
End 1 ID: 12.93 (329)

AF4610 FIAT-ALLIS 74835378




Overall Height: 3.80 (97)
Largest OD: 3.70 (94)
Thread Size: 3/4-14 NPSI

AF4612 MAZDA 83923672



Overall Height: 2.75 (70)
Overall OD: 10.06 (256)
End 1 ID: 7.56 (192)

AF4613 FORD E6SE9601BA



Height: 1.55 (39)
Length: 11.22 (285)
Width: 8.90 (226)

AF4615 NISSAN 16546V0100



Height: 1.24 (32)
Length: 10.88 (276)
Width: 6.55 (166)

AF4616 TOYOTA 1780154010



Overall Height: 4.94 (125)
Overall OD: 7.31 (186)
End 1 ID: 3.00 (76)

AF4617 NISSAN 16546P6910 Oval
Shaped




AF4618 MAZDA E30123603 Oval
Shaped



Overall Height: 1.82 (46)
End 1 ID: 6.80 (173)

AF4619 FORD E5TE9601AB



Height: 1.84 (47)
Length: 11.27 (286)
Width: 7.57 (192)

AF4621 MAZDA 859923603




Overall Height: 4.38 (111)
Overall OD: 7.38 (187)
End 1 ID: 4.88 (124)

AF4622 MITSUBISHI MD603384 Oval
Shaped



Overall Height: 5.88 (149)
End 1 ID: 2.90 (74)

AF4623 HONDA 17220PC6660
Rectangular Shaped




Overall Height: 2.73 (69)
End 1 ID: 2.90 (74)

AF4624 FORD E7TE9601AC




Height: 1.70 (43)
Length: 12.96 (329)
Width: 5.94 (151)

AF4626 JOHN DEERE AL30395
Safety Element used with
AF4564KM




Overall Height: 13.06 (332)
End 1 OD: 3.75 (95)
End 2 OD: 3.34 (85)
End 1 ID: 2.98 (76)
End 2 ID: 0.66 (17)

AF4627KM CASE 3244397R1 3311624
Bolt Seal Included



Overall Height: 15.52 (394)
Fin Diameter: 10.70 (272)
End 2 OD: 7.93 (201)
End 1 ID: 5.33 (135)
End 2 ID: 0.67 (17)

AF4628M CASE A45694 Primary Air
Filter used with AF937
3834340 Wing Nut Included



Overall Height: 18.59 (472)
End 1 OD: 11.40 (290)
End 2 OD: 10.40 (264)
End 1 ID: .68 (17)
End 2 ID: 6.05 (154)





















E. PRODUCT GUIDE

<p>AF4631 SCANIA 365729</p>  <p>Overall Height: 18.72 (476) Cover Diameter: 14.96 (380) End 2 OD: 11.88 (302) End 1 ID: 0.41 (11) End 2 ID: 7.55 (192)</p>	<p>AF4642M CASE K200379 Primary Air Filter used with AF4721 3311624 Bolt Seal Included</p>  <p>Overall Height: 11.53 (293) End 1 OD: 5.26 (134) End 2 OD: 5.24 (133) End 1 ID: 3.25 (83) End 2 ID: 0.67 (17)</p>	<p>AF4651 DONALDSON P900691 Safety Element used with AF4650K 3311624 Bolt Seal Included</p>  <p>Overall Height: 13.44 (341) Overall OD: 8.26 (210) End 1 ID: 7.10 (180) End 2 ID: 0.67 (17)</p>
<p>AF4633 FORD HOUSINGS E7TZ9600A</p>  <p>Overall Height: 5.00 (127) Overall OD: 11.56 (294) End 1 ID: 8.28 (210)</p>	<p>AF4643 LIEBHERR 7401179 Primary Air Filter used with AF4150 3311624 Bolt Seal Included</p>  <p>Overall Height: 16.48 (418) Overall OD: 7.63 (194) End 1 ID: 4.28 (109) End 2 ID: 0.67 (17)</p>	<p>AF4652 TOYOTA 1780174010</p>  <p>Height: 1.66 (42) Length: 8.80 (224) Width: 6.58 (167)</p>
<p>AF4634 CLARK 965169</p>  <p>Height: 2.63 (67) Length: 17.94 (456) Width: 7.94 (202)</p>	<p>AF4644 VOLVO 1544298 Safety Element used with AF4720 For Outer Air use AF4720 on Volvo application</p>  <p>Overall Height: 12.58 (320) Overall OD: 7.76 (197) End 1 ID: 6.93 (176) End 2 ID: 0.41 (11)</p>	<p>AF4653 TOYOTA 1780170010</p>  <p>Height: 2.13 (54) Length: 10.25 (260) Width: 6.69 (170)</p>
<p>AF4636 CASE A47145 Primary Air Filter used with AF905</p>  <p>Overall Height: 12.50 (318) Overall OD: 10.40 (264) End 1 ID: 6.05 (154) End 2 ID: 0.90 (23)</p>	<p>AF4645 RENAULT V.I. 5000809894</p>  <p>Overall Height: 11.73 (298) Cover Diameter: 10.20 (259) End 2 OD: 9.13 (232) End 2 ID: 4.57 (116)</p>	<p>AF4654 MASSEY-FERGUSON 331035M91, DONALDSON P770181 Safety Element used with AF4891M, AF4655KM, AF25958K</p>  <p>Overall Height: 10.06 (256) End 1 OD: 3.62 (92) End 2 OD: 2.72 (69) End 1 ID: 2.42 (62) End 2 ID: 0.67 (17)</p>
<p>AF4637 MANN & HUMMEL C17160 Primary Air Filter used with AF25424</p>  <p>Overall Height: 8.36 (212) Overall OD: 6.44 (164) End 1 ID: 3.40 (86)</p>	<p>AF4646M DONALDSON P900405 Safety Element used with AF4647KM 3311624 Bolt Seal Included</p>  <p>Overall Height: 13.06 (332) End 1 OD: 7.59 (193) End 2 OD: 6.40 (163) End 1 ID: 5.27 (134) End 2 ID: 0.67 (17)</p>	<p>AF4655KM MASSEY-FERGUSON 331035M1 Primary Air Filter used with AF4654 Wing Nut Included</p>  <p>Overall Height: 11.97 (304) Cover Diameter: 7.24 (184) Fin Diameter: 6.42 (163) End 2 ID: 2.84 (72) Thread Size: 7/16-20 UNF-2B</p>
<p>AF4638 VOLVO 6792554</p>  <p>Overall Height: 23.29 (592) Cover Diameter: 8.15 (207) End 2 OD: 7.36 (187) End 1 ID: 0.41 (10) End 2 ID: 4.57 (116)</p>	<p>AF4647KM DONALDSON P900408 Primary Air Filter used with AF4646M 3830497 Seal Included</p>  <p>Overall Height: 13.56 (344) Fin Diameter: 13.80 (351) End 2 OD: 11.08 (281) End 1 ID: 0.90 (23) End 2 ID: 6.73 (171)</p>	<p>AF4656 PUROLATOR AF1624</p>  <p>Overall Height: 24.00 (610) Overall OD: 16.64 (423) End 2 ID: 11.99 (305)</p>
<p>AF4639 CATERPILLAR 8N4901 Safety Element used with AF344M</p>  <p>Overall Height: 12.00 (305) Flange Diameter: 7.30 (185) End 2 OD: 4.78 (121) End 1 ID: 3.59 (91)</p>	<p>AF4649 Use w/ bracket AK00010</p>  <p>Overall Height: 15.32 (389) Overall OD: 12.49 (317) End 1 ID: 9.11 (231) End 2 ID: 0.67 (17)</p>	<p>AF4657 RENAULT V.I. 5000814797 Primary Air Filter used with AF4658</p>  <p>Overall Height: 15.34 (390) End 1 OD: 12.08 (307) End 2 OD: 12.02 (305) End 1 ID: 7.73 (196) End 2 ID: 0.67 (17)</p>
<p>AF4641M VOLVO 1660375</p>  <p>Overall Height: 22.73 (577) End 1 OD: 10.63 (270) End 2 OD: 10.59 (269) End 1 ID: 0.41 (10) End 2 ID: 6.22 (158)</p>	<p>AF4650K DONALDSON P900690 Primary Air Filter used with AF4651 3302302 Bolt Seal Included</p>  <p>Overall Height: 14.62 (371) Fin Diameter: 15.50 (394) End 2 OD: 13.80 (351) End 1 ID: 0.67 (17) End 2 ID: 9.48 (241)</p>	<p>AF4658 RENAULT V.I. 5000814798 Safety Element used with AF4657, AF25801</p>  <p>Overall Height: 14.44 (367) End 1 OD: 8.43 (214) End 2 OD: 7.31 (186) End 1 ID: 6.23 (158) End 2 ID: 0.67 (17)</p>

























E. PRODUCT GUIDE

<p>AF4660 COOPERS AZA353T Safety Element used with AF435KM</p>  <p>Overall Height: 9.04 (230) End 1 OD: 2.76 (70) End 2 OD: 2.40 (61) End 1 ID: 2.01 (51) End 2 ID: 0.67 (17)</p>	<p>AF4671 AIR MAZE CD1417610826 Primary Air Filter used with AF4672</p>  <p>Overall Height: 15.44 (392) Overall OD: 11.47 (291) End 1 ID: 7.00 (178) End 2 ID: 0.38 (10)</p>	<p>AF4692 CATERPILLAR 7W9853 Primary Air Filter used with AF4694</p>  <p>Gasket: 3309167 (1) Overall Height: 18.56 (472) Overall OD: 14.26 (362) End 2 ID: 9.89 (251)</p>
<p>AF4662 RENAULT V.I. 5000814944</p>  <p>Overall Height: 15.46 (393) Cover Diameter: 14.33 (364) End 2 OD: 9.92 (252) End 1 ID: 0.63 (16) End 2 ID: 6.50 (165)</p>	<p>AF4672 AIR MAZE CD1417610827 Safety Element used with AF4671</p>  <p>Overall Height: 13.94 (354) Overall OD: 6.88 (175) End 1 ID: 5.42 (138)</p>	<p>AF4694 CATERPILLAR 7W9567 Safety Element used with AF4692</p>  <p>Overall Height: 18.13 (460) End 1 OD: 12.10 (307) End 2 OD: 9.81 (249) End 2 ID: 8.13 (206)</p>
<p>AF4663 FENDT F198810140010</p>  <p>Height: 2.17 (55) Length: 23.70 (602) Width: 4.33 (110)</p>	<p>AF4674 AIR MAZE CD1628610826 Primary Air Filter used with AF4675 Filter used with AH19324</p>  <p>Overall Height: 27.06 (687) Overall OD: 12.56 (319) End 1 ID: 7.50 (191) End 2 ID: 0.40 (10)</p>	<p>AF4695 ISUZU 5142150300</p>  <p>Overall Height: 10.75 (273) Overall OD: 6.08 (154) End 1 ID: 3.48 (88) End 2 ID: 0.56 (14)</p>
<p>AF4664 DONALDSON P521598 Uses service part: 3301159S</p>  <p>Overall Height: 25.00 (635) End 1 OD: 11.82 (300) End 2 OD: 9.80 (249) End 1 ID: 7.36 (187)</p>	<p>AF4675 AIR MAZE CD1628610827 Safety Element used with AF4674 Filter used with AH19324</p>  <p>Overall Height: 25.38 (645) Overall OD: 7.38 (187) End 1 ID: 6.12 (155) End 2 ID: 0.64 (16)</p>	<p>AF4696 ISUZU 8941042730</p>  <p>Overall Height: 7.82 (199) Overall OD: 6.08 (154) End 1 ID: 3.48 (88) End 2 ID: 0.56 (14)</p>
<p>AF4666 AIR MAZE CD0510610826</p>  <p>Overall Height: 9.09 (231) Overall OD: 5.53 (140) End 1 ID: 3.06 (78)</p>	<p>AF4676 AIR MAZE CD1830610826 Primary Air Filter used with AF4677</p>  <p>Overall Height: 29.50 (749) Overall OD: 13.90 (353) End 2 ID: 9.95 (253)</p>	<p>AF4699 ISUZU 1142151180</p>  <p>Overall Height: 18.34 (466) Overall OD: 7.29 (185) End 1 ID: 6.18 (157) End 2 ID: 0.75 (19)</p>
<p>AF4668 AIR MAZE CD1017610826 Primary Air Filter used with AF963 Filter used with AH1147</p>  <p>Overall Height: 15.40 (391) Overall OD: 8.53 (217) End 1 ID: 0.42 (11) End 2 ID: 5.39 (137)</p>	<p>AF4677 AIR MAZE CD1830610827 Safety Element used with AF4676</p>  <p>Overall Height: 28.28 (718) Overall OD: 9.88 (251) End 1 ID: 8.06 (205) End 2 ID: 0.53 (13)</p>	<p>AF4700K MITSUBISHI MB120298 . Wing Nut Included</p>  <p>Overall Height: 7.38 (187) Fin Diameter: 10.00 (254) End 2 OD: 8.66 (220) End 1 ID: 4.94 (125) End 2 ID: 0.32 (8)</p>
<p>AF4669 AIR MAZE CD1219610826 Primary Air Filter used with AF4670 Filter used with AH1174</p>  <p>Overall Height: 17.50 (445) Overall OD: 10.00 (254) End 1 ID: 5.88 (149)</p>	<p>AF4678 AIR MAZE CD1623610826 Primary Air Filter used with AF25218 Filter used with AH1151</p>  <p>Overall Height: 22.24 (565) Overall OD: 12.56 (319) End 1 ID: 7.50 (191) End 2 ID: 0.40 (10)</p>	<p>AF4701 HINO 178011960</p>  <p>Overall Height: 9.69 (246) Overall OD: 7.87 (200) End 1 ID: 3.90 (99) End 2 ID: 0.59 (15)</p>
<p>AF4670 AIR MAZE CD1219610830 Safety Element used with AF4669 Filter used with AH1174</p>  <p>Overall Height: 15.98 (406) Overall OD: 5.71 (145) End 1 ID: 5.00 (127) End 2 ID: 0.64 (16)</p>	<p>AF4691 MERCEDES-BENZ 20947004</p>  <p>Overall Height: 11.91 (303) Overall OD: 5.87 (149) End 1 ID: 2.80 (71) End 2 ID: 0.41 (11)</p>	<p>AF4705 HINO 178012200</p>  <p>Overall Height: 12.75 (324) Overall OD: 8.50 (216) End 1 ID: 5.39 (137) End 2 ID: 0.88 (22)</p>

E. PRODUCT GUIDE


<p>AF4706 MITSUBISHI ME033603</p>  <p>Overall Height: 18.00 (457) Flange Diameter: 10.35 (263) End 2 OD: 8.70 (221) End 1 ID: 0.94 (24) End 2 ID: 5.35 (136)</p>	<p>AF4721 CASE K200380 Safety Element used with AF4642M</p>  <p>Overall Height: 9.94 (252) End 1 OD: 2.97 (75) End 2 OD: 2.88 (73) End 1 ID: 0.44 (11) End 2 ID: 1.86 (47)</p>	<p>AF4730 CASE 935693C1 3311624 Bolt Seal Included</p>  <p>Overall Height: 14.35 (364) Overall OD: 5.98 (152) End 1 ID: 4.83 (123) End 2 ID: 0.65 (17)</p>
<p>AF4709 ISUZU 8941017690</p>  <p>Overall Height: 9.75 (248) Overall OD: 6.08 (154) End 1 ID: 3.48 (88) End 2 ID: 0.56 (14)</p>	<p>AF4723 METROPLEX M00709102</p>  <p>Overall Height: 21.07 (535) Overall OD: 12.08 (307) End 1 ID: 7.73 (196)</p>	<p>AF4731 CATERPILLAR 7T1890</p>  <p>Height: 2.69 (68) Length: 26.18 (665) Width: 5.35 (136)</p>
<p>AF4710 MITSUBISHI MD013534</p> 	<p>AF4724 VOLVO 6778729 250806 Bolt Seal Included</p>  <p>Overall Height: 22.53 (572) Overall OD: 7.89 (200) End 1 ID: 4.52 (115) End 2 ID: 0.45 (11)</p>	<p>AF4732 CASE F64318</p>  <p>Height: 2.19 (56) Length: 38.00 (965) Width: 7.00 (178)</p>
<p>AF4711 ISUZU 1142151160</p>  <p>Overall Height: 19.87 (505) Overall OD: 12.06 (306) End 1 ID: 2.38 (60)</p>	<p>AF4725 SCANIA 395776 Primary Air Filter used with AF4726</p>  <p>Overall Height: 17.19 (437) Overall OD: 12.08 (307) End 1 ID: 7.73 (196) End 2 ID: 0.67 (17)</p>	<p>AF4733 ISUZU 8941560520 250806 Bolt Seal Included</p>  <p>Overall Height: 10.57 (268) Overall OD: 7.93 (201) End 1 ID: 5.33 (135) End 2 ID: 0.87 (22)</p>
<p>AF4712 CHRYSLER 4288009 Oval Shaped</p>  <p>Overall Height: 2.25 (57) End 1 OD: 8.81 (224) End 2 OD: 7.19 (183) End 1 ID: 7.27 (185) End 2 ID: 5.69 (144)</p>	<p>AF4726 SCANIA 397814 Safety Element used with AF4725</p>  <p>Overall Height: 15.72 (399) End 1 OD: 7.59 (193) End 2 OD: 6.40 (163) End 1 ID: 5.28 (134) End 2 ID: 0.67 (17)</p>	<p>AF4734 STEIGER 904204T1 Safety Element used with AF4729 3311624 Bolt Seal Included</p>  <p>Overall Height: 20.38 (518) End 1 OD: 7.65 (194) End 2 OD: 7.64 (194) End 1 ID: 0.68 (17) End 2 ID: 6.05 (154)</p>
<p>AF4713 MANN & HUMMEL C301537 Primary Air Filter used with AF4898 Seal included</p>  <p>Overall Height: 18.72 (476) End 1 OD: 11.88 (302) End 2 OD: 11.84 (301) End 1 ID: 7.55 (192) End 2 ID: 0.41 (11)</p>	<p>AF4727 SCANIA 397813 Safety Element used with AF25066, AF25045M</p>  <p>Overall Height: 14.82 (377) End 1 OD: 6.38 (162) End 2 OD: 6.10 (155) End 1 ID: 5.75 (146) End 2 ID: 0.67 (17)</p>	<p>AF4735 DONALDSON P150703</p>  <p>Overall Height: 13.48 (342) End 1 OD: 13.85 (352) End 2 OD: 13.83 (351) End 1 ID: 7.44 (189)</p>
<p>AF4714 VOLVO 1661667, CHAMP LAF4271, LUBERFINER LAF4271 Primary Air Filter used with AF4719</p>  <p>Overall Height: 26.23 (666) Cover Diameter: 13.33 (339) End 2 OD: 10.98 (279) End 2 ID: 7.24 (184)</p>	<p>AF4728 EUCLID 9029495</p>  <p>Overall Height: 4.81 (122) Overall OD: 4.25 (108) End 2 ID: 1.56 (40)</p>	<p>AF4736 JOHN DEERE AT65296 Primary Air Filter used with AF1980 3311624 Bolt Seal Included</p>  <p>Overall Height: 12.48 (317) End 1 OD: 6.85 (174) End 2 OD: 6.83 (174) End 1 ID: 0.67 (17) End 2 ID: 3.48 (88)</p>
<p>AF4719 VOLVO 1661668 Safety Element used with AF4714 Seal included</p>  <p>Overall Height: 25.37 (645) Overall OD: 6.97 (177) End 1 ID: 5.30 (135) End 2 ID: 0.41 (10)</p>	<p>AF4729 STEIGER 904203S1 Primary Air Filter used with AF4734 3830497 Bolt Seal Included</p>  <p>Overall Height: 21.50 (546) Overall OD: 12.08 (307) End 1 ID: 7.73 (196) End 2 ID: 0.90 (23)</p>	<p>AF4737 SCANIA 370750</p>  <p>Overall Height: 20.38 (518) Cover Diameter: 12.17 (309) End 2 OD: 9.54 (242) End 1 ID: 0.41 (11) End 2 ID: 5.21 (132)</p>
<p>AF4720 VOLVO 1660619 Primary Air Filter used with AF4644 . 250806 Bolt Seal Included</p>  <p>Overall Height: 14.50 (368) End 1 OD: 12.22 (311) End 2 OD: 12.19 (310) End 1 ID: 0.41 (10) End 2 ID: 7.89 (201)</p>		

E. PRODUCT GUIDE

AF4738  MACK 57MD44M Overall Height: 28.38 (721) End 1 OD: 8.85 (225) End 2 OD: 8.83 (224) End 2 ID: 5.82 (148)	AF4749  FORD 87HX9601AA Overall Height: 3.74 (95) Overall OD: 9.57 (243) End 1 ID: 7.24 (184)	AF4757  CASE A171256 Safety Element used with AF4756 Overall Height: 14.50 (368) Overall OD: 5.98 (152) End 1 ID: 4.83 (123) End 2 ID: 0.65 (17)
AF4739  ISUZU 8944302500 3830497 Bolt Seal Included Overall Height: 13.50 (343) End 1 OD: 10.45 (265) End 2 OD: 8.70 (221) End 1 ID: 9.00 (229) End 2 ID: 5.33 (135)	AF4750  QUINCY 234583 Quincy Compressor 250806. Bolt Seal Included Overall Height: 21.25 (540) Overall OD: 12.56 (319) End 1 ID: 7.50 (191) End 2 ID: 0.40 (10)	AF4758KM  KOMATSU 3EA0118130 3311624 Bolt Seal Included Overall Height: 10.56 (268) Cover Diameter: 5.91 (150) End 2 OD: 5.16 (131) End 1 ID: 0.67 (17) End 2 ID: 2.56 (65)
AF4743K  KOMATSU 6001817260 Primary Air Filter used with AF4744 Overall Height: 11.42 (290) Fin Diameter: 6.34 (161) End 2 OD: 5.24 (133) End 1 ID: 3.35 (85) Thread Size: M10 X 1.5-6H INT	AF4751  AIR MAZE CD1222610826 Primary Air Filter used with AF4752 Overall Height: 20.00 (508) Overall OD: 10.00 (254) End 1 ID: 0.39 (10) End 2 ID: 5.88 (149)	AF4759M  DONALDSON P150706 3311624 Bolt Seal Included Overall Height: 14.50 (368) End 1 OD: 6.85 (174) End 2 OD: 6.83 (174) End 1 ID: 0.67 (17) End 2 ID: 3.48 (88)
AF4744  Safety Element used with AF4743K, AF25432K Seal included. Overall Height: 9.57 (243) Overall OD: 3.27 (83) End 1 ID: 2.13 (54) End 2 ID: 0.65 (17)	AF4752  AIR MAZE CD1222610830 Safety Element used with AF4751 Overall Height: 18.50 (470) Overall OD: 5.68 (144) End 1 ID: 4.94 (125)	AF4760  DONALDSON R804518 Overall Height: 9.15 (232) Overall OD: 2.46 (62) End 1 ID: 1.94 (49) End 2 ID: 0.66 (17)
AF4745  KHD(KLOCKNER-HUMBOLDT-DEUTZ) 2379163 Safety Element used with AF991 Overall Height: 12.87 (327) End 1 OD: 3.54 (90) End 2 OD: 3.31 (84) End 1 ID: 2.99 (76) End 2 ID: 0.43 (11)	AF4753M  LIEBHERR 7403953 Primary Air Filter used with AF4761M. 3834340 Wing Nut Included; 3311624 Bolt Seal Included Overall Height: 16.55 (420) End 1 OD: 12.50 (318) End 2 OD: 10.40 (264) End 1 ID: 0.66 (17) End 2 ID: 6.05 (154)	AF4761M  LIEBHERR 7403951, FRAM CA8859SY Safety Element used with AF4753M, AF4980KM, AF4981M, AF25315K. 3311624 Bolt Seal Included Overall Height: 15.37 (391) End 1 OD: 5.97 (152) End 2 OD: 5.96 (151) End 1 ID: 0.67 (17) End 2 ID: 4.85 (123)
AF4746  VOLVO 1660903 Safety Element used with AF4560 Overall Height: 12.60 (320) Overall OD: 7.76 (197) End 1 ID: 6.54 (166) End 2 ID: 0.39 (10)	AF4754  STEIGER 906443T1 Primary Air Filter used with AF4755 Filter used with AH19272 Overall Height: 17.54 (445) End 1 OD: 9.21 (234) End 2 OD: 9.14 (232) End 1 ID: 0.67 (17) End 2 ID: 5.87 (149)	AF4762  FORD D7EF9D695AA Height: 1.25 (32) Overall OD: 0.55 (14) Length: 3.21 (82) Width: 1.43 (36)
AF4747  IVECO 107030, IVECO 107029 Primary Air Filter used with AF4970 Seal included. Overall Height: 20.52 (521) End 1 OD: 12.08 (307) End 2 OD: 12.02 (305) End 1 ID: 7.73 (196) End 2 ID: 0.67 (17)	AF4755  STEIGER 906444T1 Safety Element used with AF4754 3311624 Bolt Seal Included Overall Height: 15.61 (396) Overall OD: 5.56 (141) End 1 ID: 4.42 (112) End 2 ID: 0.65 (17)	AF4763  TOYOTA 178022300071 Flame Retardant Media Overall Height: 11.04 (281) End 1 OD: 5.23 (133) End 2 OD: 5.21 (132) End 1 ID: 0.51 (13) End 2 ID: 2.56 (65)
AF4748K  POCLAIN T1950555 Primary Air Filter used with AF4103 Wing Nut Included Overall Height: 15.48 (393) Cover Diameter: 8.37 (213) Fin Diameter: 7.85 (200) End 2 ID: 3.48 (89) Thread Size: 7/16-20 UNF-2B	AF4756  CASE A171255 Primary Air Filter used with AF4757 3311624 Bolt Seal Included Overall Height: 16.55 (420) End 1 OD: 9.90 (251) End 2 OD: 9.88 (251) End 1 ID: 0.67 (17) End 2 ID: 6.07 (154)	AF4764  TOYOTA 178012300071 Overall Height: 11.04 (281) End 1 OD: 5.27 (134) End 2 OD: 5.21 (132) End 1 ID: 0.51 (13) End 2 ID: 2.56 (65)


E. PRODUCT GUIDE

AF4765 FORD E7TE9D695BA




Height: 1.25 (32)
Length: 4.44 (113)
Width: 2.38 (60)

AF4767 FRANKLIN 1504917 Primary Air Filter used with AF25542



Overall Height: 13.58 (345)
End 1 OD: 9.62 (244)
End 2 OD: 9.01 (229)
End 2 ID: 5.71 (145)

AF4768 SULLAIR 250022888



Overall Height: 11.43 (290)
Overall OD: 6.70 (170)
End 1 ID: 3.68 (93)
End 2 ID: 0.48 (12)

AF4769 CATERPILLAR 8N6883 Safety Element used with AF336M Fleetguard Airtkit Option AF4526 + AK00012




Overall Height: 16.13 (410)
Flange Diameter: 9.06 (230)
End 2 OD: 6.28 (160)
End 1 ID: 4.59 (117)

AF4770K LEYLAND ACU7630 Wing Nut Included




Overall Height: 15.54 (395)
Cover Diameter: 8.27 (210)
Fin Diameter: 7.85 (200)
End 2 ID: 3.48 (88)

AF4771 Replacement element for kit to convert CAT 7W9567. Use w/ bracket AK00013. 3311624 Bolt Seal Included




Overall Height: 16.86 (428)
Overall OD: 9.83 (250)
End 1 ID: 8.43 (214)
End 2 ID: 0.65 (17)

AF4772 FORD E7HZ9601B



Overall Height: 16.55 (420)
Overall OD: 10.40 (264)
End 1 ID: 6.05 (154)
End 2 ID: 0.68 (17)

AF4773 DONALDSON P113330



Height: 2.19 (56)
Length: 24.00 (610)
Width: 5.00 (127)

AF4775 IVECO 1901780 Seal included.




Overall Height: 16.37 (416)
Overall OD: 12.08 (307)
End 1 ID: 7.73 (196)
End 2 ID: 0.87 (22)

AF4776 DONALDSON P114101 Vee Pack




Height: 10.84 (275)
Length: 35.54 (903)
Width: 18.50 (470)

AF4777 DONALDSON P125310 Vee Pack




Height: 6.20 (157)
Length: 36.49 (927)
Width: 14.00 (356)

AF4778 DONALDSON P125744




Overall Height: 22.00 (559)
Overall OD: 12.75 (324)
End 1 ID: 8.37 (213)

AF4779 DONALDSON P140681




Overall Height: 12.50 (318)
Overall OD: 11.09 (282)
End 1 ID: 6.73 (171)
End 2 ID: 0.53 (13)

AF4781 DONALDSON P148018



Height: 2.57 (65)
Length: 23.94 (608)
Width: 19.68 (500)

AF4783 DONALDSON P151244




Overall Height: 26.50 (673)
Overall OD: 12.77 (324)
End 1 ID: 8.36 (212)

AF4784 DONALDSON P153972




Overall Height: 17.05 (433)
Overall OD: 13.83 (351)
End 1 ID: 9.48 (241)

AF4785 DONALDSON P520450




Height: 2.19 (56)
Length: 16.00 (406)
Width: 8.00 (203)

AF4786 DONALDSON P102052




Height: 2.57 (65)
Length: 19.50 (495)
Width: 19.50 (495)

AF4787 DONALDSON P114241




Overall Height: 16.43 (417)
Overall OD: 7.64 (194)
End 1 ID: 4.29 (109)

AF4789 DONALDSON P121351




Height: 2.19 (56)
Length: 20.00 (508)
Width: 15.00 (381)

AF4790 DONALDSON P128409




Height: 2.19 (56)
Length: 18.50 (470)
Width: 17.00 (432)

AF4791 DONALDSON P129196




Overall Height: 16.50 (419)
Overall OD: 7.93 (201)
End 1 ID: 3.57 (91)
End 2 ID: 0.53 (13)

AF4793 DONALDSON P131912



























Overall Height: 26.50 (673)
Overall OD: 12.75 (324)
End 1 ID: 8.38 (213)
End 2 ID: 0.53 (13)

AF4794 DONALDSON P132447



Height: 2.19 (56)
Length: 26.00 (660)
Width: 16.00 (406)

E. PRODUCT GUIDE


AF4799  DONALDSON P145891 Overall Height: 26.50 (673) Overall OD: 12.77 (324) End 1 ID: 8.36 (212) End 2 ID: 0.53 (13)	AF4808  DONALDSON P114326 Height: 2.19 (56) Length: 23.50 (597) Width: 11.00 (279)	AF4818  DONALDSON P124767 Safety Element used with AF4835K Overall Height: 10.05 (255) Flange Diameter: 4.12 (105) End 2 OD: 3.36 (85) End 1 ID: 2.26 (57) End 2 ID: 0.66 (17)
AF4800K  DONALDSON P148586 Primary Air Filter used with AF1892 Overall Height: 15.38 (391) Fin Diameter: 6.39 (162) End 2 OD: 5.25 (133) End 1 ID: 3.26 (83) End 2 ID: 0.68 (17)	AF4809  DONALDSON P115051 Height: 2.19 (56) Length: 18.50 (470) Width: 5.25 (133)	AF4819  DONALDSON P127313 Safety Element used with AF4801 Overall Height: 18.48 (469) Overall OD: 7.28 (185) End 1 ID: 6.19 (157) End 2 ID: 0.65 (17)
AF4801  DONALDSON SMP181073 Primary Air Filter used with AF4819 Overall Height: 19.50 (495) Overall OD: 12.08 (307) End 1 ID: 7.73 (196) End 2 ID: 0.90 (23)	AF4810  DONALDSON P117049 Height: 2.19 (56) Length: 47.00 (1194) Width: 7.00 (178)	AF4821  DONALDSON P128252 Overall Height: 14.50 (368) Overall OD: 10.40 (264) End 1 ID: 6.04 (153) End 2 ID: 0.66 (17)
AF4802K  DONALDSON P101038 Overall Height: 12.25 (311) Fin Diameter: 10.06 (256) End 2 OD: 7.93 (201) End 1 ID: 3.57 (91) End 2 ID: 0.53 (13)	AF4812  DONALDSON P118785 Overall Height: 8.39 (213) Flange Diameter: 4.54 (115) End 2 OD: 2.38 (60) End 1 ID: 1.91 (49) End 2 ID: 0.41 (10)	AF4823K  DONALDSON P131331 Overall Height: 15.43 (392) Fin Diameter: 8.89 (226) End 2 OD: 6.84 (174) End 1 ID: 3.48 (88) End 2 ID: 0.66 (17)
AF4804  DONALDSON P109531 Overall Height: 4.13 (105) Overall OD: 13.84 (352) End 1 ID: 9.47 (241) End 2 ID: 0.53 (13)	AF4813  DONALDSON P119791 Safety Element used with AF409K Overall Height: 11.52 (293) End 1 OD: 3.74 (95) End 2 OD: 3.36 (85) End 1 ID: 2.93 (74) End 2 ID: 2.26 (57)	AF4826K  DONALDSON P132935 Primary Air Filter used with AF4827 Overall Height: 14.56 (370) Fin Diameter: 8.88 (226) End 2 OD: 6.85 (174) End 1 ID: 4.23 (108) End 2 ID: 0.67 (17)
AF4805  DONALDSON P110852 Overall Height: 18.50 (470) Overall OD: 11.09 (282) End 1 ID: 6.72 (171) End 2 ID: 0.53 (13)	AF4814K  DONALDSON P122529 Overall Height: 12.50 (318) Fin Diameter: 13.67 (347) End 2 OD: 11.09 (282) End 1 ID: 6.72 (171) End 2 ID: 0.53 (13)	AF4827  DONALDSON P132939 Safety Element used with AF4826K Overall Height: 13.05 (332) Flange Diameter: 4.84 (123) End 2 OD: 4.10 (104) End 1 ID: 3.65 (93) End 2 ID: 0.66 (17)
AF4806  DONALDSON P112059 Overall Height: 12.38 (314) Overall OD: 6.85 (174) End 1 ID: 4.23 (107) End 2 ID: 0.68 (17)	AF4815  DONALDSON P122998 Height: 2.19 (56) Length: 28.00 (711) Width: 6.50 (165)	AF4828  DONALDSON P133179 Overall Height: 18.38 (467) Overall OD: 7.63 (194) End 1 ID: 6.04 (153) End 2 ID: 0.66 (17)
AF4807  DONALDSON P112775 Height: 2.19 (56) Length: 38.00 (965) Width: 5.00 (127)	AF4817  JOHN DEERE AT68184 Safety Element used with AF818K Overall Height: 9.05 (230) Flange Diameter: 3.64 (92) End 2 OD: 2.95 (75) End 1 ID: 2.40 (61) End 2 ID: 0.66 (17)	AF4831  DONALDSON P138883 Overall Height: 15.00 (381) Overall OD: 5.25 (133) End 2 ID: 2.62 (67)

E. PRODUCT GUIDE

<p>AF4833 DONALDSON P158852</p>  <p>Overall Height: 16.50 (419) Overall OD: 7.93 (201) End 1 ID: 5.32 (135) End 2 ID: 0.66 (17)</p>	<p>AF4841 RENAULT V.I. 5010064371 Primary Air Filter used with AF4867 Seal included</p>  <p>Overall Height: 15.60 (396) End 1 OD: 12.09 (307) End 2 OD: 12.07 (307) End 1 ID: 7.74 (197) End 2 ID: 0.67 (17)</p>	<p>AF4849 DONALDSON P118238</p>  <p>Overall Height: 7.53 (191) Flange Diameter: 20.37 (517) End 2 OD: 16.98 (431) End 1 ID: 10.58 (269)</p>
<p>AF4834 DONALDSON P158893</p>  <p>Height: 2.57 (65) Length: 30.00 (762) Width: 6.00 (152)</p>	<p>AF4842 MERCEDES-BENZ 30944204 Seal included.</p>  <p>Overall Height: 10.20 (259) Overall OD: 12.89 (328) End 1 ID: 6.34 (161) End 2 ID: 0.41 (11)</p>	<p>AF4850 DONALDSON P120949 Safety Element used with AF435KM</p>  <p>Overall Height: 8.44 (214) Flange Diameter: 4.54 (115) End 2 OD: 2.38 (60) End 1 ID: 1.91 (49) End 2 ID: 0.66 (17)</p>
<p>AF4835K DONALDSON SMP181093 Primary Air Filter used with AF4818</p>  <p>Overall Height: 11.50 (292) Fin Diameter: 7.84 (199) End 2 OD: 6.09 (155) End 1 ID: 3.48 (88) End 2 ID: 0.66 (17)</p>	<p>AF4843 CASE L32513 Safety Element used with AF4845K</p>  <p>Overall Height: 9.06 (230) End 1 OD: 7.60 (193) End 2 OD: 6.41 (163) End 1 ID: 5.27 (134) End 2 ID: 0.67 (17)</p>	<p>AF4851 DONALDSON P124366 Safety Element used with AF4852</p>  <p>Overall Height: 14.50 (368) Overall OD: 8.64 (219) End 1 ID: 7.06 (179) End 2 ID: 0.90 (23)</p>
<p>AF4836 DONALDSON SMP181132</p>  <p>Overall Height: 9.50 (241) Overall OD: 0.69 (17) End 1 ID: 4.23 (107) End 2 ID: 0.68 (17)</p>	<p>AF4844KM CLARK 2353816 Flame Retardant Media Seal included.</p>  <p>Overall Height: 10.43 (265) Fin Diameter: 5.16 (131) End 2 OD: 4.08 (104) End 1 ID: 2.56 (65) End 2 ID: 0.67 (17)</p>	<p>AF4852 DONALDSON P124370 Primary Air Filter used with AF4851</p>  <p>Overall Height: 15.50 (394) Overall OD: 13.84 (352) End 1 ID: 9.47 (241) End 2 ID: 0.94 (24)</p>
<p>AF4837 DONALDSON SMP181149</p>  <p>Overall Height: 8.43 (214) Overall OD: 9.22 (234) End 1 ID: 4.84 (123) End 2 ID: 0.66 (17)</p>	<p>AF4845K CASE L32512 Primary Air Filter used with AF4843</p>  <p>Overall Height: 9.56 (243) Fin Diameter: 13.80 (351) End 2 OD: 11.08 (281) End 1 ID: 0.67 (17) End 2 ID: 6.73 (171)</p>	<p>AF4853K DONALDSON P148573 Primary Air Filter used with AF4103</p>  <p>Overall Height: 15.16 (385) Fin Diameter: 7.85 (200) End 2 OD: 6.08 (154) End 1 ID: 3.48 (88) End 2 ID: 0.67 (17)</p>
<p>AF4838 DONALDSON SMP181191 Primary Air Filter used with AF4896</p>  <p>Overall Height: 17.90 (455) End 1 OD: 10.45 (265) End 2 OD: 8.70 (221) End 1 ID: 0.90 (23) End 2 ID: 5.33 (135)</p>	<p>AF4846 HINO 178012620 Primary Air Filter used with AF4847</p>  <p>Overall Height: 13.46 (342) End 1 OD: 9.21 (234) End 2 OD: 7.37 (187) End 1 ID: 0.67 (17) End 2 ID: 4.72 (120)</p>	<p>AF4855 UNITED AIR CLEANER V250C142FS Primary Air Filter used with AF1635</p>  <p>Overall Height: 14.00 (356) Overall OD: 5.31 (135) End 1 ID: 3.41 (87)</p>
<p>AF4839 DONALDSON SMP181200</p>  <p>Overall Height: 10.50 (267) Overall OD: 10.41 (264) End 1 ID: 6.03 (153)</p>	<p>AF4847 HINO 178012610 Safety Element used with AF4846</p>  <p>Overall Height: 12.09 (307) End 1 OD: 5.80 (147) End 2 OD: 4.62 (117) End 1 ID: 3.51 (89) End 2 ID: 0.67 (17)</p>	<p>AF4856M JOHN DEERE DDX18911 Primary Air Filter used with AF4103 Wing nut included</p>  <p>Overall Height: 15.39 (391) Cover Diameter: 8.39 (213) End 2 OD: 6.99 (178) End 2 ID: 3.45 (88) Thread Size: 7/16-20 UNF-2B</p>
<p>AF4840 DONALDSON P522451</p>  <p>Overall Height: 13.06 (332) Overall OD: 9.73 (247) End 1 ID: 5.66 (144) End 2 ID: 0.66 (17)</p>	<p>AF4848 DONALDSON P015839</p>  <p>Overall Height: 15.00 (381) Overall OD: 10.40 (264) End 1 ID: 7.79 (198)</p>	<p>AF4857KM COOPERS AZA327T Seal included.</p>  <p>Overall Height: 16.58 (421) Fin Diameter: 9.96 (253) End 2 OD: 7.93 (201) End 1 ID: 5.33 (135) End 2 ID: 0.67 (17)</p>


E. PRODUCT GUIDE

AF4858KM CASE K306535 Seal included.




Overall Height: 13.55 (344)
 Fin Diameter: 9.96 (253)
 End 2 OD: 7.93 (201)
 End 1 ID: 5.33 (135)
 End 2 ID: 0.67 (17)

AF4869 ISUZU 1142151560 Primary Air Filter used with AF4868




Overall Height: 11.25 (286)
 End 1 OD: 9.21 (234)
 End 2 OD: 7.37 (187)
 End 1 ID: 0.67 (17)
 End 2 ID: 4.72 (120)

AF4881 J.C.B. 32903002 Safety Element used with AF4890




Overall Height: 9.08 (231)
 End 1 OD: 3.50 (89)
 End 2 OD: 2.72 (69)
 End 1 ID: 2.40 (61)
 End 2 ID: 0.67 (17)

AF4861M DONALDSON P145328




Overall Height: 29.01 (737)
 End 1 OD: 8.85 (225)
 End 2 OD: 8.83 (224)
 End 2 ID: 5.82 (148)

AF4870M FORD E8HT9600CB




Overall Height: 7.69 (195)
 Overall OD: 13.85 (352)
 End 1 ID: 7.44 (189)
 End 2 ID: 0.67 (17)

AF4882 J.C.B. 32903202 Safety Element used with AF25509K, AF25311, AF1861K




Overall Height: 9.98 (254)
 End 1 OD: 4.13 (105)
 End 2 OD: 3.35 (85)
 End 1 ID: 2.95 (75)
 End 2 ID: 0.67 (17)

AF4862 TEREX 9054912 Safety Element used with AF935M




Overall Height: 18.10 (460)
 Overall OD: 10.88 (276)
 End 1 ID: 8.16 (207)
 End 2 ID: 0.90 (23)

AF4871M DONALDSON XLP182099




Overall Height: 18.52 (470)
 End 1 OD: 16.26 (413)
 End 2 OD: 13.85 (352)
 End 1 ID: 13.70 (348)
 End 2 ID: 7.44 (189)

AF4883 J.C.B. 32205703 Safety Element used with AF4888K



Overall Height: 13.96 (355)
 End 1 OD: 3.50 (89)
 End 2 OD: 2.72 (69)
 End 1 ID: 2.40 (61)
 End 2 ID: 0.67 (17)

AF4863 GUARDIAN G116454



Overall Height: 25.00 (635)
 Overall OD: 12.77 (324)
 End 2 ID: 8.36 (212)

AF4872 GMC 8994542



Overall Height: 3.00 (76)
 Overall OD: 7.94 (202)
 End 1 ID: 4.13 (105)

AF4884 SCHROEDER ABF310 Air Breather with 3/4" NPT Adaptor



Overall Height: 3.20 (81)
 Largest OD: 3.69 (94)
 Thread Size: 1 1/8-16 UN-2B

AF4865M ISUZU 1142151580 Primary Air Filter used with AF1767




Overall Height: 13.47 (342)
 Overall OD: 9.14 (232)
 End 1 ID: 5.87 (149)
 End 2 ID: 0.90 (23)

AF4874 CATERPILLAR 8N2556




Overall Height: 10.31 (262)
 Flange Diameter: 15.64 (397)
 End 2 OD: 12.78 (325)
 End 1 ID: 10.14 (258)

AF4884A STAUFF SGB9010P Air Breather w/o adaptor



Overall Height: 3.20 (81)
 Largest OD: 3.69 (94)
 Thread Size: 1 1/8-16 UN-2B

AF4866 ISUZU 1142151510




Overall Height: 14.26 (362)
 End 1 OD: 6.41 (163)
 End 2 OD: 6.39 (162)
 End 1 ID: 0.67 (17)
 End 2 ID: 5.27 (134)

AF4877 NISSAN D654601D20




Overall Height: 10.54 (268)
 Overall OD: 7.93 (201)
 End 1 ID: 5.33 (135)
 End 2 ID: 0.90 (23)

AF4886 CATERPILLAR 7W6754E Safety Element used with AF1890M



Overall Height: 5.24 (133)
 Flange Diameter: 6.69 (170)
 End 2 OD: 3.95 (100)
 End 1 ID: 2.36 (60)

AF4867 RENAULT V.I. 5010064372 Safety Element used with AF25249M, AF4841, AF4927, AF25284M




Overall Height: 15.00 (381)
 End 1 OD: 7.31 (186)
 End 2 OD: 6.40 (163)
 End 1 ID: 5.28 (134)
 End 2 ID: 0.67 (17)

AF4878 FORD F3HZ9601A, BLAW-KNOX 16480901 Primary Air Filter used with AF25215 Magnum RS Version




Overall Height: 12.80 (325)
 Overall OD: 9.29 (236)
 End 1 ID: 5.20 (132)

AF4887KM KOMATSU 3EC0111630 Primary Air Filter used with AF1966




Overall Height: 11.50 (292)
 Fin Diameter: 8.03 (204)
 End 2 OD: 7.14 (181)
 End 1 ID: 2.71 (69)
 End 2 ID: 0.67 (17)

AF4868 ISUZU 1142151570 Safety Element used with AF4869




Overall Height: 10.66 (271)
 End 1 OD: 5.80 (147)
 End 2 OD: 4.62 (117)
 End 1 ID: 3.51 (89)
 End 2 ID: 0.67 (17)

AF4880 GMC 6422214



Height: 7.13 (181)
 Length: 8.92 (227)
 Width: 8.02 (204)

AF4888K J.C.B. 32205702 Primary Air Filter used with AF4883 Seal included



Overall Height: 15.46 (393)
 Fin Diameter: 6.34 (161)
 End 2 OD: 5.24 (133)
 End 1 ID: 3.17 (81)
 End 2 ID: 0.67 (17)

E. PRODUCT GUIDE

AF4890

J.C.B. 32903001 Primary Air Filter used with AF4881



Overall Height: 10.35 (263)
Cover Diameter: 6.89 (175)
End 2 OD: 5.87 (149)
End 2 ID: 2.80 (71)
Thread Size: M10 X 1.5-6H INT

AF4891M


JOHN DEERE RE35523, ORENSTEIN & KOPPEL 101158, SAME 242292001, DONALDSON P772552 Primary Air Filter used with AF4654



Overall Height: 11.93 (303)
Cover Diameter: 7.09 (180)
End 2 OD: 6.30 (160)
End 2 ID: 2.84 (72)
Thread Size: 7/16-20 UNF-2B

AF4892K

J.C.B. 32903601 Primary Air Filter used with AF4103 Is a longer version of AF25509K Wing nut Included



Overall Height: 15.50 (394)
Cover Diameter: 8.37 (213)
Fin Diameter: 7.85 (200)
End 2 ID: 3.48 (89)

AF4893M

DONALDSON P772530 Primary Air Filter used with AF4589



Overall Height: 16.46 (418)
Cover Diameter: 11.02 (280)
End 2 OD: 9.21 (234)
End 1 ID: 5.00 (127)
Thread Size: 7/16-20 UNF-2B

AF4894KM

FIATAGRI 71415282 Primary Air Filter used with AF4589



Overall Height: 16.46 (418)
Cover Diameter: 11.02 (280)
Fin Diameter: 10.08 (256)
End 2 ID: 5.33 (135)
Thread Size: 7/16-20 UNF-2B

AF4895

VOLVO 15868821



Overall Height: 3.64 (93)
End 1 OD: 3.47 (88)
End 2 OD: 3.31 (84)
End 1 ID: 0.83 (21)

AF4896

MITSUBISHI ME033839 Safety Element used with AF4838, AF25060KM



Overall Height: 16.25 (413)
Overall OD: 5.21 (132)
End 1 ID: 4.16 (106)
End 2 ID: 0.67 (17)

AF4897

DONALDSON P117370



Overall Height: 18.50 (470)
Overall OD: 10.40 (264)
End 1 ID: 6.05 (154)
End 2 ID: 0.90 (23)

AF4898

MERCEDES-BENZ 30941604 Safety Element used with AF4713 Seal included



Overall Height: 17.78 (452)
Overall OD: 7.11 (181)
End 1 ID: 5.99 (152)
End 2 ID: 0.67 (17)

AF4899

STEIGER 906017S1 Wing Nut Included



Overall Height: 18.49 (470)
Overall OD: 12.08 (307)
End 1 ID: 7.73 (196)
End 2 ID: 0.90 (23)

AF4901

LISTER PETTER 38207903



Overall Height: 13.82 (351)
Cover Diameter: 7.24 (184)
End 2 OD: 5.51 (140)
End 2 ID: 2.84 (72)
Thread Size: 7/16-20 UNF-2B

AF4903

ISUZU 1142151810



Overall Height: 15.50 (394)
Overall OD: 10.87 (276)
End 1 ID: 6.50 (165)
End 2 ID: 0.92 (23)

AF4905M

LIEBHERR 7405233, POCLAIN M2150534 Primary Air Filter used with AF4589 Wing nut and seal included



Overall Height: 16.26 (413)
Cover Diameter: 11.02 (280)
End 2 OD: 10.00 (254)
End 2 ID: 4.88 (124)
Thread Size: 7/16-20 UNF-2B

AF4906

IVECO 1902457



Overall Height: 7.17 (182)
Overall OD: 6.30 (160)
End 1 ID: 3.94 (100)

AF4907

IVECO 1902486



Overall Height: 9.29 (236)
Overall OD: 6.30 (160)
End 1 ID: 3.94 (100)

AF4909K

MANITOU 177130 Primary Air Filter used with AF25321 Seal included



Overall Height: 12.05 (306)
Fin Diameter: 7.85 (200)
End 2 OD: 6.08 (154)
End 1 ID: 3.48 (88)
End 2 ID: 0.67 (17)

AF4910

RENAULT V.I. 5001000878



Overall Height: 12.17 (309)
Overall OD: 4.92 (125)
End 1 ID: 3.35 (85)

AF4911

MITSUBISHI 9126108200 Seal included.



Overall Height: 10.16 (258)
Overall OD: 5.24 (133)
End 1 ID: 3.17 (81)
End 2 ID: 0.49 (13)

AF4915

MERCEDES-BENZ 20949204



Height: 2.42 (62)
Length: 6.77 (172)
Width: 23.47 (596)

AF4916

MERCEDES-BENZ 20949304



Height: 3.17 (81)
Length: 23.47 (596)
Width: 6.77 (172)

AF4917

MERCEDES-BENZ 30943904



Overall Height: 9.00 (229)
Overall OD: 5.87 (149)
End 1 ID: 2.80 (71)
End 2 ID: 0.41 (11)

AF4918

FORD 88VB9601AA



Height: 2.28 (58)
Length: 8.90 (226)
Width: 9.45 (240)

AF4919

VOLVO 47714738



Height: 1.54 (39)
Length: 6.48 (165)
Width: 13.19 (335)

AF4920

IVECO 1905710, MANN & HUMMEL C331476



Overall Height: 18.72 (476)
Overall OD: 12.89 (327)
End 1 ID: 8.58 (218)
End 2 ID: 0.41 (11)

AF4923K

NISSAN 1654600H10, NISSAN 1654605H10



Overall Height: 8.03 (204)
Fin Diameter: 5.20 (132)
End 2 OD: 4.09 (104)
End 1 ID: 2.52 (64)
End 2 ID: 0.67 (17)

E. PRODUCT GUIDE

AF4924 CLARK 2373789,
TOWMOTOR 973999




Height: 1.64 (42)
Length: 8.37 (212)
Width: 8.37 (212)

AF4926 DONALDSON P103988




Overall Height: 14.86 (377)
Overall OD: 11.69 (297)
End 1 ID: 5.52 (140)

AF4927 DONALDSON P103988
Primary Air Filter used with
AF4867 Seal included




Overall Height: 15.41 (392)
Overall OD: 11.08 (281)
End 1 ID: 6.73 (171)
End 2 ID: 0.67 (17)

AF4928 IMPCO F115 Filter for Impco
LP Gas conversion kits for S-
10 Chevy and Ford pickups.




Overall Height: 6.63 (168)
Overall OD: 6.75 (171)
End 1 ID: 5.00 (127)

AF4929 IMPCO F15 Filter for Impco LP
Gas conversion kits for S-10
Chevy and Ford pickups.




Overall Height: 2.13 (54)
Overall OD: 6.75 (171)
End 1 ID: 5.00 (127)

AF4930 MITSUBISHI ME033773




Overall Height: 11.88 (302)
Overall OD: 5.21 (132)
End 1 ID: 4.16 (106)
End 2 ID: 0.67 (17)

AF4937 TOWMOTOR 369136



Overall Height: 10.50 (267)
Overall OD: 4.31 (110)
End 1 ID: 2.18 (55)

AF4939 KOMATSU 3EB0125830




Overall Height: 10.35 (263)
Cover Diameter: 5.75 (146)
End 2 OD: 4.08 (104)
End 1 ID: 0.30 (8)
End 2 ID: 2.56 (65)

AF4940 CATERPILLAR 2N7003
Replacement blanket for
AF4128



Height: 0.50 (13)
Length: 26.00 (660)
Width: 24.00 (610)

AF4941K Flame Retardant version of
AF409K. 331624 Bolt Seal
Included




Overall Height: 12.43 (316)
Fin Diameter: 7.85 (200)
End 2 OD: 6.08 (154)
End 1 ID: 3.48 (88)
End 2 ID: 0.67 (17)

AF4942 VOLVO 1080918 Primary Air
Filter used with AF25084



AF4944 MITSUBISHI MD603932




Height: 6.83 (173)
Length: 8.06 (205)
Width: 7.56 (192)

AF4945 MOTORCRAFT FA1048




Height: 2.20 (56)
Length: 10.72 (272)
Width: 8.28 (210)

AF4946 AC A1129C



Height: 1.65 (42)
Length: 11.57 (294)
Width: 7.09 (180)

AF4949 AC A1096C




Height: 1.70 (43)
Length: 10.62 (270)
Width: 7.94 (202)

AF4950 HONDA 17220PM7000



Height: 1.46 (37)
Length: 8.00 (203)
Width: 6.63 (168)

AF4951 HONDA 17220PH4661



Height: 2.03 (52)
Length: 13.53 (344)
Width: 8.41 (214)

AF4952 MITSUBISHI MD604880



Overall Height: 2.50 (64)
Overall OD: 10.50 (267)
End 1 ID: 7.94 (202)

AF4953 MAZDA F20113Z40



Height: 1.63 (41)
Length: 10.12 (257)
Width: 7.00 (178)

AF4954 HONDA 17220PT2000




Height: 1.57 (40)
Length: 9.59 (244)
Width: 5.45 (138)

AF4955 AC A925C



Overall Height: 5.94 (151)
Overall OD: 5.75 (146)
End 1 ID: 3.62 (92)

AF4956 TOYOTA 1780170020



Overall Height: 2.81 (71)
End 1 OD: 8.67 (220)
End 2 OD: 7.55 (192)
End 2 ID: 1.35 (34)

AF4957 VOLVO 463505




Height: 1.44 (37)
Length: 13.16 (334)
Width: 6.38 (162)

AF4958 HONDA 17220PH3000




Height: 1.30 (33)
Length: 11.15 (283)
Width: 7.36 (187)

AF4959 TOYOTA 1780174020



Height: 1.65 (42)
Length: 12.25 (311)
Width: 6.19 (157)

AF4960 MOTORCRAFT FA1061


























Height: 1.58 (40)
Length: 9.55 (243)
Width: 9.55 (243)

AF4961 AC A1111C




Height: 1.56 (40)
Length: 8.56 (217)
Width: 6.16 (156)

E. PRODUCT GUIDE

<p>AF4962 NISSAN 1654684A10</p>  <p>Overall Height: 1.75 (44) End 1 OD: 10.81 (275) End 2 OD: 6.75 (171)</p>	<p>AF4973K Seal included</p>  <p>Overall Height: 7.89 (201) Fin Diameter: 5.16 (131) End 2 OD: 4.08 (104) End 1 ID: 2.56 (65) End 2 ID: 0.67 (17)</p>	<p>AF4983 FIATAGRI 1930537, DONALDSON P770207 Safety Element used with AF25002M Seal included</p>  <p>Overall Height: 12.07 (307) End 1 OD: 3.62 (92) End 2 OD: 2.72 (69) End 1 ID: 2.40 (61) End 2 ID: 0.67 (17)</p>
<p>AF4964 TOYOTA 1780116020</p>  <p>Height: 1.70 (43) Length: 9.84 (250) Width: 6.10 (155)</p>	<p>AF4974 NISSAN 1654689W00</p>  <p>Overall Height: 2.82 (72) Overall OD: 9.69 (246) End 1 ID: 8.12 (206)</p>	<p>AF4984 RENAULT V.I. 5000814696 Primary Air Filter used with AF25061 Seal included</p>  <p>Overall Height: 16.45 (418) Cover Diameter: 14.73 (374) End 2 OD: 11.69 (297) End 2 ID: 7.46 (190)</p>
<p>AF4965 CHRYSLER 53004583</p>  <p>Height: 1.57 (40) Length: 13.50 (343) Width: 6.62 (168)</p>	<p>AF4975 ISUZU 8944656560</p>  <p>Overall Height: 2.82 (72) Overall OD: 8.70 (221) End 1 ID: 1.08 (28)</p>	<p>AF4985 HEAVY DUTY AIR A0337 For use on MCI bus coaches 2556017 Bolt Seal Included</p>  <p>Overall Height: 16.02 (407) Boot Diameter: 15.80 (401) End 2 OD: 15.11 (384) End 1 ID: 0.90 (23) End 2 ID: 8.21 (208)</p>
<p>AF4966 VOLVO 10823680 Air breather on vehicles with air suspension. Is a longer version of AF4895</p>  <p>Overall Height: 5.20 (132) End 1 OD: 3.47 (88) End 2 OD: 3.31 (84) End 1 ID: 0.83 (21)</p>	<p>AF4976 MAZDA JF0113Z40</p>  <p>Height: 1.50 (38) Length: 8.69 (221) Width: 7.38 (187)</p>	<p>AF4986 HEAVY DUTY AIR A02040</p>  <p>Overall Height: 16.74 (425) End 1 OD: 12.79 (325) End 2 OD: 12.77 (324) End 2 ID: 8.36 (212)</p>
<p>AF4967 MOTORCRAFT FA1116</p>  <p>Overall Height: 13.88 (353) Overall OD: 7.38 (187) End 1 ID: 5.38 (137) End 2 ID: 0.39 (10)</p>	<p>AF4977 TOYOTA 1780135020</p>  <p>Height: 2.05 (52) Length: 9.76 (248) Width: 6.65 (169)</p>	<p>AF4988 FARR 498805</p>  <p>Height: 1.88 (48) Length: 23.38 (594) Width: 23.38 (594)</p>
<p>AF4968 DAF 393561 Seal included</p>  <p>Overall Height: 14.81 (376) Overall OD: 9.54 (242) End 1 ID: 5.21 (132) End 2 ID: 0.41 (11)</p>	<p>AF4978 SUZUKI 1378083000</p>  <p>Overall Height: 4.37 (111) Overall OD: 7.24 (184) End 1 ID: 4.65 (118)</p>	<p>AF4989 LEYLAND ABU6154 Seal included</p>  <p>Overall Height: 16.58 (421) Overall OD: 9.21 (234) End 1 ID: 4.86 (123) End 2 ID: 0.67 (17)</p>
<p>AF4970 IVECO 107030 Safety Element used with AF4747 Seal included</p>  <p>Overall Height: 19.21 (488) End 1 OD: 8.43 (214) End 2 OD: 7.26 (185) End 1 ID: 6.24 (159) End 2 ID: 0.67 (17)</p>	<p>AF4980KM BENFRA 40199, DONALDSON P772531 Primary Air Filter used with AF4761M Wing nut and seal included</p>  <p>Overall Height: 16.42 (417) Cover Diameter: 12.50 (318) Fin Diameter: 11.61 (295) End 2 OD: 10.39 (264) End 2 ID: 6.02 (153) Thread Size: 7/16-20 UNF-2B</p>	<p>AF4990 VOLVO V1115700</p>  <p>Overall Height: 16.75 (425) Overall OD: 12.74 (324) End 1 ID: 8.36 (212)</p>
<p>AF4972 IVECO 1905983 Seal included</p>  <p>Overall Height: 11.67 (297) Overall OD: 9.54 (242) End 1 ID: 5.21 (132) End 2 ID: 0.41 (11)</p>	<p>AF4981M MASSEY-FERGUSON 3389793M2, FORD 452529 Primary Air Filter used with AF4761M Wing nut and seal included</p>  <p>Overall Height: 16.46 (418) Cover Diameter: 12.48 (317) End 2 OD: 9.76 (248) End 2 ID: 6.06 (154) Thread Size: 7/16-20 UNF-2B</p>	<p>AF4991 KUBOTA 1735111080</p>  <p>Overall Height: 11.54 (293) Cover Diameter: 7.05 (179) End 2 OD: 5.24 (133) End 1 ID: 0.53 (14) End 2 ID: 2.84 (72)</p>


E. PRODUCT GUIDE

AF4992 LEYLAND 192720 Seal included




Overall Height: 11.40 (290)
Overall OD: 5.24 (133)
End 1 ID: 2.71 (69)
End 2 ID: 0.67 (17)

AF4993 DAF 192057 Seal included




Overall Height: 8.64 (220)
Overall OD: 5.24 (133)
End 1 ID: 2.82 (72)
End 2 ID: 0.67 (17)

AF4994 FIATAGRI 1930175 Safety Element used with AF25057, AF25331 Seal included




Overall Height: 12.43 (316)
Overall OD: 4.61 (117)
End 1 ID: 3.56 (90)
End 2 ID: 0.67 (17)

AF4995K FURUKAWA 1129111C1 Primary Air Filter used with AF4996 Seal included



Overall Height: 15.50 (394)
Fin Diameter: 8.88 (226)
End 2 OD: 6.85 (174)
End 1 ID: 4.23 (108)
End 2 ID: 0.67 (17)

AF4996 FURUKAWA 1129112C1 Safety Element used with AF4995K Seal included




Overall Height: 14.37 (365)
Overall OD: 4.08 (104)
End 1 ID: 2.94 (75)
End 2 ID: 0.67 (17)

AF4999 FARR 52711000




Height: 5.25 (133)
Length: 19.50 (495)
Width: 19.50 (495)

AF25000 AWD 91112964 Seal Included




Overall Height: 14.39 (366)
End 1 OD: 8.94 (227)
End 2 OD: 7.72 (196)
End 1 ID: 0.63 (16)
End 2 ID: 5.06 (129)

AF25002M FIATAGRI 1930536, DONALDSON P772565 Primary Air Filter used with AF4983 Wing Nut Included




Overall Height: 13.82 (351)
Cover Diameter: 7.24 (184)
End 2 OD: 5.43 (138)
End 2 ID: 2.84 (72)
Thread Size: 7/16-20 UNF-2B

AF25005 FARR 49880006 Uses service part: 3847372S, 3847397S



Height: 1.88 (48)
Length: 23.38 (594)
Width: 11.38 (289)

AF25006K MANITOU 177129, SOFILTRA 123607 Primary Air Filter used with AF25753 Seal included




Overall Height: 11.12 (283)
Fin Diameter: 6.34 (161)
End 2 OD: 5.24 (133)
End 1 ID: 2.71 (69)
End 2 ID: 0.67 (17)

AF25007 VOLVO 6888848



Overall Height: 16.70 (424)
Overall OD: 14.38 (365)
End 1 ID: 8.27 (210)
End 2 ID: 0.40 (10)

AF25008 HITACHI 4247974 Safety Element used with AF25009 Seal included



Overall Height: 9.63 (245)
Overall OD: 5.16 (131)
End 1 ID: 4.06 (103)
End 2 ID: 0.67 (17)

AF25009 HITACHI 4206098 Primary Air Filter used with AF25008 Seal Included




Gasket: 3830497
Overall Height: 10.93 (278)
Cover Diameter: 9.92 (252)
End 2 OD: 7.93 (201)
End 1 ID: 0.87 (22)
End 2 ID: 5.33 (135)

AF25010 LEYLAND ASU1816



Overall Height: 6.46 (164)
Overall OD: 5.75 (146)
End 1 ID: 3.54 (90)
End 2 ID: 3.54 (90)

AF25013 V.A.G. (VOLKSWAGEN, AUDI) 21129620



Height: 8.38 (213)
Length: 8.44 (214)
Width: 2.28 (58)

AF25014 CHRYSLER 4300787



Overall Height: 3.06 (78)
End 1 OD: 13.00 (330)
End 2 OD: 9.12 (232)
End 1 ID: 9.81 (249)
End 2 ID: 5.94 (151)

AF25015 CHRYSLER 4287141



Overall Height: 2.69 (68)
Overall OD: 12.34 (313)
End 1 ID: 9.16 (233)

AF25016 MITSUBISHI MD620047




Overall Height: 3.14 (80)
Overall OD: 9.28 (236)
End 1 ID: 6.72 (171)

AF25017 AC A1138C



Height: 1.70 (43)
Length: 10.11 (257)
Width: 8.24 (209)

AF25022 MERCEDES-BENZ 30947004 Seal included.



Overall Height: 18.95 (481)
Overall OD: 12.89 (327)
End 1 ID: 7.66 (195)
End 2 ID: 0.41 (11)

AF25023 MOPAR 4713953 Magnum RS Version



Gasket: 3895660
Overall Height: 9.98 (253)
End 1 OD: 8.21 (209)
End 2 OD: 8.06 (205)
End 1 ID: 4.18 (106)

AF25024 FARR 49880012



Height: 1.88 (48)
Length: 23.50 (597)
Width: 19.50 (495)

AF25029 NEW HOLLAND 1930349




Overall Height: 13.47 (342)
Cover Diameter: 10.75 (273)
End 2 OD: 10.00 (254)
End 2 ID: 4.82 (122)

AF25031 KOMATSU 6001819460



























Overall Height: 12.44 (316)
Cover Diameter: 7.60 (193)
End 2 OD: 6.08 (154)
End 2 ID: 3.48 (88)

AF25033M CASE 2005895C1 Primary Air Filter used with AF25430




Overall Height: 18.63 (473)
End 1 OD: 13.05 (331)
End 2 OD: 12.90 (328)
End 1 ID: 6.78 (172)

E. PRODUCT GUIDE

<p>AF25040 DONALDSON P526678 Magnum RS Version</p>  <p>Overall Height: 15.10 (384) End 1 OD: 9.38 (238) End 2 OD: 9.23 (234) End 1 ID: 5.21 (132)</p>	<p>AF25048 KOMATSU 6675817231</p>  <p>Overall Height: 8.85 (225) Overall OD: 9.65 (245) End 1 ID: 5.25 (133)</p>	<p>AF25062 M.A.N. 81084016082 Primary Air Filter used with AF25230 Seal included For fire resistant version, use AF26279</p>  <p>Overall Height: 24.35 (618) End 1 OD: 12.91 (328) End 2 OD: 12.89 (328) End 1 ID: 8.56 (218) End 2 ID: 0.41 (11)</p>
<p>AF25041 NISSAN 1654606N00 Flame Retardant Media</p>  <p>Overall Height: 11.44 (291) End 1 OD: 5.36 (136) End 2 OD: 5.24 (133) End 2 ID: 2.82 (72)</p>	<p>AF25049 KOMATSU 6675817031</p>  <p>Overall Height: 17.00 (432) Overall OD: 5.09 (129) End 1 ID: 3.81 (97) End 2 ID: 0.42 (11)</p>	<p>AF25063 CHAUMECA CH4S</p>  <p>Overall Height: 10.55 (268) Overall OD: 8.27 (210) End 1 ID: 5.51 (140)</p>
<p>AF25042K TOYOTA 178062380071</p>  <p>Overall Height: 11.54 (293) Cover Diameter: 7.76 (197) Fin Diameter: 6.34 (161) End 1 ID: 0.47 (12) End 2 ID: 2.72 (69)</p>	<p>AF25055 LEYLAND ACU8498 Seal included.</p>  <p>Overall Height: 15.54 (395) Overall OD: 9.21 (234) End 1 ID: 4.86 (124) End 2 ID: 0.67 (17)</p>	<p>AF25064 SCANIA 218989 Primary Air Filter used with AF1840</p>  <p>Overall Height: 14.81 (376) Overall OD: 7.78 (198) End 1 ID: 4.08 (104) End 2 ID: 0.34 (9)</p>
<p>AF25043M DAF 112294 Primary Air Filter used with AF1841</p>  <p>Overall Height: 15.03 (382) Overall OD: 8.96 (228) End 1 ID: 4.61 (117) End 2 ID: 0.41 (11)</p>	<p>AF25056K LEYLAND RTC3478, CROSLAND 9668K Seal included.</p>  <p>Overall Height: 8.64 (220) Fin Diameter: 6.34 (161) End 2 OD: 5.24 (133) End 1 ID: 2.72 (69) End 2 ID: 0.67 (17)</p>	<p>AF25065 MERCEDES-BENZ 10944704 Primary Air Filter used with AF1841</p>  <p>Overall Height: 15.03 (382) Overall OD: 8.96 (228) End 1 ID: 4.61 (117) End 2 ID: 0.41 (11)</p>
<p>AF25044M DAF 265045 Primary Air Filter used with AF1840</p>  <p>Overall Height: 14.81 (376) Overall OD: 7.78 (198) End 1 ID: 4.08 (104) End 2 ID: 0.34 (9)</p>	<p>AF25057 FIATAGRI 1930174, FIATAGRI 1930349 Primary Air Filter used with AF4994</p>  <p>Overall Height: 13.35 (339) Cover Diameter: 10.95 (278) End 2 OD: 10.00 (254) End 2 ID: 4.88 (124) Thread Size: 7/16-20 UNF-2B</p>	<p>AF25066 SCANIA 395773 Primary Air Filter used with AF4727 except for Daf--use AF25045M. Seal included</p>  <p>Overall Height: 14.94 (379) End 1 OD: 11.89 (302) End 2 OD: 11.84 (301) End 1 ID: 7.56 (192) End 2 ID: 0.41 (11)</p>
<p>AF25045M DAF 667078 Primary Air Filter used with AF4727</p>  <p>Overall Height: 14.81 (376) End 1 OD: 11.88 (302) End 2 OD: 11.84 (301) End 1 ID: 7.55 (192) End 2 ID: 0.41 (11)</p>	<p>AF25058 JOHN DEERE AT762159</p>  <p>Overall Height: 13.38 (340) Overall OD: 7.31 (186) End 1 ID: 4.00 (102) End 2 ID: 0.38 (10)</p>	<p>AF25067 CASE 7825516</p>  <p>Overall Height: 3.22 (82) Largest OD: 3.31 (84) Thread Size: 3/4-16 UNF-2B</p>
<p>AF25046 KOMATSU 6001818210 Primary Air Filter used with AF25047</p>  <p>Overall Height: 16.75 (425) Overall OD: 8.48 (215) End 1 ID: 4.17 (106) End 2 ID: 0.63 (16)</p>	<p>AF25060KM KOMATSU 2050173750 Primary Air Filter used with AF25318, AF4896</p>  <p>Overall Height: 17.74 (451) Cover Diameter: 11.02 (280) Fin Diameter: 10.08 (256) End 2 ID: 5.33 (135) Thread Size: 7/16-20 UNF-2B</p>	<p>AF25069 MERCEDES-BENZ 30945104 Half housing attached</p>  <p>Overall Height: 13.11 (333) End 1 OD: 7.48 (190) End 2 OD: 6.18 (157) End 1 ID: 2.76 (70)</p>
<p>AF25047 KOMATSU 6001818310 Safety Element used with AF25046</p>  <p>Overall Height: 15.50 (394) Overall OD: 4.10 (104) End 1 ID: 2.92 (74) End 2 ID: 0.63 (16)</p>	<p>AF25061 RENAULT V.I. 5000814947 Safety Element used with AF4984</p>  <p>Overall Height: 14.76 (375) Overall OD: 7.40 (188) End 1 ID: 6.30 (160) End 2 ID: 0.57 (15)</p>	<p>AF25070K NISSAN 1654602N00 Seal included</p>  <p>Overall Height: 11.40 (290) Fin Diameter: 6.34 (161) End 2 OD: 5.24 (133) End 1 ID: 2.82 (72) End 2 ID: 0.67 (17)</p>


E. PRODUCT GUIDE

AF25074 PEUGEOT 144588 Peugeot vans




Overall Height: 8.19 (208)
Overall OD: 4.84 (123)
End 1 ID: 2.52 (64)

AF25075 VOLKSWAGEN 2VC129619 Mexico only




Overall Height: 15.43 (392)
End 1 OD: 6.59 (167)
End 1 ID: 4.11 (104)

AF25084 VOLVO 1080920 Safety Element used with AF4942




Overall Height: 22.84 (580)
End 1 OD: 6.77 (172)
End 2 OD: 5.83 (148)
End 1 ID: 5.39 (137)
End 2 ID: 0.39 (10)

AF25086 Ford Cargo




AF25087 LEYLAND ACU8456 Seal included



Overall Height: 14.54 (369)
Overall OD: 11.08 (281)
End 1 ID: 6.73 (171)
End 2 ID: 0.67 (17)

AF25088 KOMATSU 6675817021




Overall Height: 9.85 (250)
Overall OD: 9.65 (245)
End 1 ID: 5.25 (133)

AF25089 HITACHI 4206637



Height: 2.69 (68)
Length: 17.13 (435)
Width: 8.47 (215)

AF25090 CHRYSLER 4728406




Height: 2.30 (58)
Length: 11.81 (300)
Width: 10.75 (273)

AF25091 CUMMINS 3040098




Overall Height: 6.00 (152)
Overall OD: 11.50 (292)
End 1 ID: 9.50 (241)

AF25092M Kenworth T8000 and Reyton IT-3700 Applications




Overall Height: 24.30 (617)
Overall OD: 8.14 (207)
End 1 ID: 10.87 (276)
End 2 ID: 8.09 (205)

AF25111M CATERPILLAR 612499 Primary Air Filter used with AF25112M Magnum RS Version of AF344M




Overall Height: 12.32 (313)
End 1 OD: 9.19 (234)
End 2 OD: 9.06 (230)
End 1 ID: 4.63 (118)

AF25112M CATERPILLAR 612500 Safety Element used with AF25111M Magnum RS Version of AF343M




Overall Height: 11.58 (294)
End 1 OD: 4.69 (119)
End 2 OD: 4.49 (114)
End 1 ID: 3.19 (81)

AF25125M CATERPILLAR 612501 Primary Air Filter used with AF25126M Magnum RS Version




Overall Height: 13.23 (336)
End 1 OD: 11.06 (281)
End 2 OD: 10.97 (279)
End 1 ID: 5.91 (150)

AF25126M CATERPILLAR 612502 Safety Element used with AF25125M Magnum RS Version




Overall Height: 12.44 (316)
End 1 OD: 5.93 (151)
End 2 OD: 5.59 (142)
End 1 ID: 4.11 (105)

AF25129M CATERPILLAR 612503 Primary Air Filter used with AF25130M




Overall Height: 16.28 (414)
End 1 OD: 11.06 (281)
End 2 OD: 10.97 (279)
End 1 ID: 5.91 (150)

AF25130M CATERPILLAR 612504 Safety Element used with AF25129M Magnum RS Version




Overall Height: 15.67 (398)
End 1 OD: 5.93 (151)
End 2 OD: 5.59 (142)
End 1 ID: 4.11 (105)

AF25131M CATERPILLAR 610273 Primary Air Filter used with AF25132M Magnum RS Version of AF875M




Overall Height: 13.33 (339)
End 1 OD: 11.48 (292)
End 2 OD: 11.34 (288)
End 1 ID: 7.19 (183)

AF25132M CATERPILLAR 610274 Safety Element used with AF25131M Magnum RS Version




Overall Height: 13.15 (334)
End 1 OD: 7.26 (185)
End 2 OD: 6.89 (175)
End 1 ID: 5.20 (132)

AF25135M CATERPILLAR 612505 Primary Air Filter used with AF25136M Magnum RS Version




Overall Height: 15.37 (391)
End 1 OD: 12.48 (317)
End 2 OD: 12.36 (314)
End 1 ID: 8.21 (209)

AF25136M CATERPILLAR 612506 Safety Element used with AF25135M Magnum RS Version




Overall Height: 15.32 (389)
End 1 OD: 8.27 (210)
End 2 OD: 7.84 (199)
End 1 ID: 6.14 (156)

AF25137M CATERPILLAR 612509 Primary Air Filter used with AF25138M Magnum RS Version




Overall Height: 18.86 (479)
End 1 OD: 12.40 (315)
End 2 OD: 12.36 (314)
End 1 ID: 8.21 (209)

AF25138M CATERPILLAR 612510 Safety Element used with AF25137M Magnum RS version



Overall Height: 18.98 (482)
End 1 OD: 8.27 (210)
End 2 OD: 7.44 (189)
End 1 ID: 6.14 (156)

AF25139M DONALDSON P527682 Primary Air Filter used with AF25345 Magnum RS version.



Overall Height: 15.40 (391)
End 1 OD: 13.13 (334)
End 1 ID: 13.13 (333)
End 2 OD: 12.90 (328)
End 2 ID: 13.06 (332)
End 1 ID: 6.80 (173)
End 1 ID: 6.81 (173)

AF25200K HITACHI 4294845 Seal included



Overall Height: 7.50 (191)
Cover Diameter: 5.04 (128)
End 2 OD: 3.31 (84)
End 1 ID: 0.41 (11)
End 2 ID: 1.69 (43)

E. PRODUCT GUIDE

AF25211 AF4138 with gasket 3320720.



Overall Height: 9.61 (244)
Overall OD: 6.85 (174)
End 1 ID: 4.23 (108)
End 2 ID: 0.67 (17)

AF25215 FORD F3HZ9602A Safety Element used with AF4878



Overall Height: 12.01 (305)
End 1 OD: 5.20 (132)
End 2 OD: 4.96 (126)
End 1 ID: 3.70 (94)

AF25218 AIR MAZE CD1623610827 Safety Element used with AF4678 Filter used with AH1151



Overall Height: 20.75 (527)
Overall OD: 7.38 (187)
End 1 ID: 6.12 (155)
End 2 ID: 0.64 (16)

AF25219 DONALDSON P531026



Overall Height: 23.51 (597)
End 1 OD: 9.38 (238)
End 2 OD: 9.23 (234)
End 1 ID: 5.87 (149)

AF25221 KUBOTA 1142011180



Overall Height: 1.99 (51)
End 1 OD: 4.72 (120)
End 2 OD: 4.41 (112)
End 2 ID: 2.09 (53)

AF25222 M.A.N. 81082040072 Primary Air Filter used with AF25225 Seal included



Overall Height: 13.36 (339)
End 1 OD: 11.88 (302)
End 2 OD: 11.84 (301)
End 1 ID: 7.55 (192)
End 2 ID: 0.41 (11)

AF25224K LEYLAND ACU8916 Seal included



Overall Height: 15.54 (395)
Boot Diameter: 0.67 (17)
Fin Diameter: 9.96 (253)
End 2 OD: 7.93 (201)
End 1 ID: 5.33 (135)

AF25225 M.A.N. 81083040069 Safety Element used with AF25222



Overall Height: 13.19 (335)
End 1 OD: 6.38 (162)
End 2 OD: 6.10 (155)
End 1 ID: 5.53 (141)
End 2 ID: 0.67 (17)

AF25226 FORD F1UZ9601A V8 Engine



Overall Height: 4.40 (112)
Overall OD: 11.56 (294)
End 1 ID: 8.28 (210)

AF25227 MOTORCRAFT FA1605



Height: 2.34 (59)
Length: 10.50 (267)
Width: 8.34 (212)

AF25228M JOHN DEERE AZ45868 Primary Air Filter used with AF25229M Seal included



Overall Height: 22.51 (572)
End 1 OD: 12.09 (307)
End 2 OD: 12.03 (306)
End 1 ID: 7.74 (197)
End 2 ID: 0.67 (17)

AF25229M JOHN DEERE AZ45867 Safety Element used with AF25228M Seal included



Overall Height: 21.58 (548)
End 1 OD: 8.43 (214)
End 2 OD: 7.26 (185)
End 1 ID: 6.23 (158)
End 2 ID: 0.67 (17)

AF25230 M.A.N. 81083040066 Safety Element used with AF25062



Overall Height: 23.98 (609)
End 1 OD: 8.31 (211)
End 2 OD: 7.95 (202)
End 1 ID: 7.48 (190)
End 2 ID: 0.67 (17)

AF25231 HINO 178012440



Overall Height: 11.02 (280)
Overall OD: 7.48 (190)
End 1 ID: 0.89 (23)

AF25232 SUZUKI 1378078100



Overall Height: 1.79 (45)
Overall OD: 8.37 (213)
End 1 ID: 6.30 (160)

AF25233 FARR 119303004



Height: 0.75 (19)
Length: 24.50 (622)
Width: 15.50 (394)

AF25234 FARR 119303005



Height: 0.75 (19)
Length: 23.50 (597)
Width: 23.50 (597)

AF25235 IVECO 1907695



For fire resistant version, use AF26296

Overall Height: 20.27 (515)
Overall OD: 12.89 (327)
End 1 ID: 8.58 (218)
End 2 ID: 0.41 (11)

AF25237 DAF 754718 Magnum RS version



Overall Height: 16.56 (421)
End 1 OD: 9.65 (245)
End 2 OD: 9.53 (242)
End 1 ID: 4.98 (127)

AF25238 VOLVO 1665898 Primary Air Filter used with AF25317 Magnum RS version



Overall Height: 16.61 (422)
Cover Diameter: 15.95 (405)
End 2 OD: 12.91 (328)
End 2 ID: 7.84 (199)

AF25239 VOLVO 16659088 Primary Air Filter used with AF25317 Magnum RS version



Overall Height: 16.52 (420)
Cover Diameter: 16.89 (429)
End 2 OD: 13.78 (350)
End 2 ID: 7.80 (198)

AF25240 CHRYSLER MD604952



Overall Height: 2.15 (55)
End 1 OD: 12.91 (328)
End 2 OD: 9.06 (230)
End 1 ID: 9.92 (252)
End 2 ID: 6.02 (153)

AF25241 NISSAN 1654697002



Overall Height: 15.93 (405)
Overall OD: 6.02 (153)
End 1 ID: 4.76 (121)

AF25242 NISSAN 1654697001



Overall Height: 16.46 (418)
Overall OD: 8.98 (228)
End 1 ID: 6.26 (159)

AF25243 HONDA 17220PE3601



Overall Height: 2.48 (63)
Overall OD: 10.24 (260)
End 1 ID: 7.64 (194)


AF25246 IVECO 1908234



Overall Height: 9.88 (251)
Overall OD: 6.10 (155)
End 1 ID: 3.07 (78)


E. PRODUCT GUIDE

AF25247 Is a longer version of AF25858 Magnum RS version




Gasket: 3309167 (1)
 Overall Height: 23.94 (608)
 End 1 OD: 11.30 (287)
 End 2 OD: 11.15 (283)
 End 1 ID: 6.78 (172)

AF25248 DONALDSON P534925
 Magnum RS version, Peterbilt Model 379




Overall Height: 26.10 (663)
 End 1 OD: 12.95 (329)
 End 2 OD: 12.80 (325)
 End 1 ID: 7.45 (189)

AF25249M RENAULT V.I. 5010066304
 Primary Air Filter used with AF4867, AF820M




Overall Height: 18.49 (470)
 End 1 OD: 12.09 (307)
 End 2 OD: 12.07 (307)
 End 1 ID: 7.74 (197)
 End 2 ID: 0.67 (17)

AF25250 RENAULT V.I. 5000814957
 Safety Element used with AF25285




Overall Height: 13.23 (336)
 Overall OD: 7.40 (188)
 End 1 ID: 0.56 (14)
 End 2 ID: 6.30 (160)

AF25251 RENAULT V.I. 5000814950
 Safety Element used with AF25285




Overall Height: 12.76 (324)
 Overall OD: 7.01 (178)
 End 1 ID: 6.10 (155)

AF25252 RENAULT V.I. 5000294118
 Renault AE cabins



Height: 1.97 (50)
 Length: 10.67 (271)
 Width: 11.30 (287)

AF25254 FORD F57X9601A



Overall Height: 7.90 (201)
 End 1 OD: 6.09 (155)
 End 2 OD: 5.04 (128)
 End 1 ID: 3.30 (84)

AF25255 FORD F5TZ9601A,
 MOTORCRAFT FA1617



Height: 6.02 (153)
 Length: 12.93 (328)
 Width: 6.19 (157)

AF25256 AC A1163C, GMC 25098463



Height: 1.65 (42)
 Length: 11.52 (293)
 Width: 6.01 (153)

AF25257 STEIGER 604452T2



Length: 13.18 (335)
 Width: 5.25 (133)

AF25258 GMC 15998574 Magnum RS version




Overall Height: 10.65 (271)
 Overall OD: 6.49 (165)
 End 1 ID: 3.58 (91)

AF25259 GMC 15986275 Magnum RS version




Overall Height: 10.65 (271)
 Overall OD: 7.24 (184)
 End 1 ID: 3.58 (91)

AF25260 IVECO 1908233



Overall Height: 13.50 (343)
 Overall OD: 6.10 (155)
 End 1 ID: 3.19 (81)

AF25261 Gardner Denver Compressors




Overall Height: 11.71 (297)
 Overall OD: 9.61 (244)
 End 1 ID: 5.14 (131)

AF25262 CATERPILLAR 1063969,
 FRAM CA8492 Primary Air Filter used with AF25263
 Magnum RS version




Overall Height: 18.35 (466)
 End 1 OD: 14.27 (363)
 End 2 OD: 14.13 (359)
 End 1 ID: 8.98 (228)

AF25263 CATERPILLAR 1063973
 Safety Element used with AF25262 Magnum RS Version



Overall Height: 17.72 (450)
 End 1 OD: 9.06 (230)
 End 2 OD: 8.66 (220)
 End 1 ID: 7.01 (178)

AF25264 M.A.N. 81083040083 Primary
 Air Filter used with AF25615
 Magnum RS Version




Overall Height: 19.00 (483)
 End 1 OD: 11.87 (302)
 End 2 OD: 11.93 (303)
 End 1 ID: 6.69 (170)

AF25265 BOMAG 5821003



Overall Height: 3.01 (77)
 Overall OD: 3.33 (85)
 End 1 ID: 2.36 (60)

AF25278 CUMMINS 3630778 Filter
 used with AH19036




Overall Height: 18.49 (470)
 Cover Diameter: 16.41 (417)
 End 2 OD: 13.83 (351)
 End 2 ID: 9.48 (241)

AF25279 CATERPILLAR 611450
 Primary Air Filter used with AF25280




Overall Height: 6.73 (171)
 End 1 OD: 8.21 (209)
 End 2 OD: 8.06 (205)
 End 1 ID: 4.18 (106)

AF25280 CATERPILLAR 611451 Safety
 Element used with AF25279
 Magnum RS Version




Overall Height: 5.83 (148)
 End 1 OD: 4.25 (108)
 End 2 OD: 4.02 (102)
 End 1 ID: 2.60 (66)

AF25281 CATERPILLAR 1029388
 Primary Air Filter used with AF25282




Overall Height: 7.54 (192)
 End 1 OD: 8.21 (209)
 End 2 OD: 8.06 (205)
 End 1 ID: 4.18 (106)

AF25282 CATERPILLAR 1029387
 Safety Element used with AF25281
 Magnum RS version




Overall Height: 6.69 (170)
 End 1 OD: 4.25 (108)
 End 2 OD: 4.02 (102)
 End 1 ID: 2.60 (66)

AF25284M RENAULT V.I. 5010317060
 Primary Air Filter used with AF4867, AF820M



























Overall Height: 18.73 (476)
 End 1 OD: 12.09 (307)
 End 2 OD: 12.07 (307)
 End 1 ID: 7.74 (197)
 End 2 ID: 0.67 (17)

AF25285 RENAULT V.I. 5000814945
 Primary Air Filter used with AF25250, AF25251




Overall Height: 14.68 (373)
 Cover Diameter: 14.33 (364)
 End 2 OD: 11.02 (280)
 End 1 ID: 0.63 (16)
 End 2 ID: 7.48 (190)

E. PRODUCT GUIDE

<p>AF25286 RENAULT V.I. 5000814946</p>  <p>Overall Height: 16.26 (413) Cover Diameter: 9.92 (252) End 2 OD: 8.66 (220) End 2 ID: 3.70 (94)</p>	<p>AF25294 VOLVO 16655631 Primary Air Filter used with AF4558</p>  <p>Overall Height: 21.64 (550) Cover Diameter: 12.32 (313) End 2 OD: 10.12 (257) End 2 ID: 6.34 (161)</p>	<p>AF25304 FORD F4TZ9D695A</p>  <p>Height: 1.25 (32) Length: 4.43 (113) Width: 2.65 (67)</p>
<p>AF25287K MITSUBISHI 9186101600</p>  <p>Overall Height: 12.29 (312) Fin Diameter: 7.85 (200) End 2 OD: 6.08 (154) End 1 ID: 3.48 (88) End 2 ID: 0.67 (17)</p>	<p>AF25295 TOYOTA 1780154080</p>  <p>Overall Height: 7.80 (198) Overall OD: 6.04 (153) End 1 ID: 3.52 (89)</p>	<p>AF25305 VOLVO 8143691</p>  <p>Height: 1.93 (49) Length: 8.27 (210) Width: 8.27 (210)</p>
<p>AF25288M CATERPILLAR 612507 Primary Air Filter used with AF25289M Magnum RS Version.</p>  <p>Overall Height: 15.37 (390) End 1 OD: 12.53 (318) End 2 OD: 12.37 (314) End 1 ID: 8.20 (208)</p>	<p>AF25296 PEUGEOT 1444A0</p>  <p>Overall Height: 11.26 (286) Overall OD: 6.65 (169) End 1 ID: 3.19 (81)</p>	<p>AF25306 MERCEDES-BENZ 30947504</p>  <p>Height: 2.77 (70) Length: 12.60 (320) Width: 10.95 (278)</p>
<p>AF25289M CATERPILLAR 612508 Safety Element used with AF25288M Magnum RS version</p>  <p>Overall Height: 11.77 (299) End 1 OD: 8.27 (210) End 2 OD: 7.44 (189) End 1 ID: 6.14 (156)</p>	<p>AF25299 DONALDSON P531138</p>  <p>Overall Height: 13.95 (354) Overall OD: 19.30 (490) End 1 ID: 12.90 (328)</p>	<p>AF25307 THERMO-KING 117234</p>  <p>Height: 1.14 (29) Length: 6.02 (153) Width: 7.60 (193)</p>
<p>AF25290 FIATAGRI 1930591 Primary Air Filter used with AF25434</p>  <p>Overall Height: 11.58 (294) Overall OD: 4.11 (105) End 1 ID: 2.38 (61)</p>	<p>AF25300 JOHN DEERE AL78223 Primary Air Filter used with AF25301</p>  <p>Overall Height: 12.21 (310) Fin Diameter: 9.29 (236) End 2 OD: 7.28 (185) End 1 ID: 3.60 (92) End 2 ID: 3.66 (93)</p>	<p>AF25308 TOYOTA 17741U210071 Flame Retardant Media Fire Resistant version of AF25436</p>  <p>Overall Height: 12.31 (313) Overall OD: 5.08 (129) End 1 ID: 3.20 (81)</p>
<p>AF25291 FIATAGRI 1930587 Primary Air Filter used with AF25484 Magnum RS Version</p>  <p>Overall Height: 12.78 (325) Overall OD: 5.59 (142) End 1 ID: 3.25 (83)</p>	<p>AF25301 JOHN DEERE AL78224 Safety Element used with AF25300</p>  <p>Overall Height: 5.08 (129) Cover Diameter: 7.84 (199) End 2 OD: 5.02 (128) End 1 ID: 3.64 (93)</p>	<p>AF25311 J.C.B. 32903201 Primary Air Filter used with AF4882</p>  <p>Overall Height: 11.39 (289) Cover Diameter: 8.37 (213) End 2 OD: 6.08 (155) End 2 ID: 3.48 (89) Thread Size: M10 X 1.5-6H INT</p>
<p>AF25292 FIATAGRI 1930589, OMNIQUIP PARTS WORLDWIDE 8035098 Primary Air Filter used with AF25485 Magnum RS version Outer body is made of perforated metal, with 2 non-perforated sections in the body</p>  <p>Overall Height: 13.78 (350) Overall OD: 6.50 (165) End 1 ID: 3.64 (93)</p>	<p>AF25302 FORD E9NN9B618BA Primary Air Filter used with AF25303 Used on Ford 4700K series tractor - Kubota Engine</p>  <p>Overall Height: 13.12 (333) End 1 OD: 8.05 (204) End 2 OD: 7.44 (189) End 1 ID: 0.56 (14) End 2 ID: 3.75 (95) Thread Size: M10 X 1.5-6H INT</p>	<p>AF25312 VOLVO PENTA 865152</p>  <p>Overall Height: 27.64 (702) End 1 OD: 10.04 (255) End 2 OD: 9.92 (252) End 1 ID: 4.53 (115)</p>
<p>AF25293M PEGASO 171686</p>  <p>Overall Height: 20.52 (521) End 1 OD: 12.08 (307) End 2 OD: 12.02 (305) End 1 ID: 7.73 (196) End 2 ID: 0.67 (17)</p>	<p>AF25303 NEW HOLLAND 82008601, FORD FINISCODE 1869555 Safety Element used with AF25302 Used on Ford 4700K series tractor - Kubota engine</p>  <p>Overall Height: 11.48 (292) End 1 OD: 4.34 (110) End 2 OD: 3.63 (92) End 1 ID: 3.00 (76) End 2 ID: 0.56 (14)</p>	<p>AF25313 SCANIA 1335678 Primary Air Filter used with AF25969 Magnum RS version</p>  <p>Overall Height: 20.65 (525) End 1 OD: 11.87 (302) End 2 OD: 11.93 (303) End 1 ID: 6.69 (170)</p>


E. PRODUCT GUIDE

AF25314 SCANIA 1335679 Magnum RS Version




Overall Height: 17.46 (444)
End 1 OD: 11.87 (302)
End 2 OD: 11.93 (303)
End 1 ID: 6.69 (170)

AF25323 MASSEY-FERGUSON 3595500M1 Primary Air Filter used with AF25356



Overall Height: 10.99 (279)
Cover Diameter: 8.37 (213)
End 2 OD: 6.08 (155)
End 2 ID: 3.48 (89)
Thread Size: 7/16-20 UNF-2B

AF25334 JOHN DEERE AL78870 Safety Element used with AF25341




Overall Height: 5.08 (129)
Cover Diameter: 9.37 (238)
End 2 OD: 6.36 (162)
End 1 ID: 4.67 (119)

AF25315K FIAT-ALLIS 1930604 Primary Air Filter used with AF4761M




Overall Height: 16.46 (418)
Fin Diameter: 11.73 (298)
End 2 OD: 9.67 (246)
End 1 ID: 6.06 (154)
End 2 ID: 0.63 (16)

AF25324K MASSEY-FERGUSON 3515586M1 Primary Air Filter used with AF25356




Overall Height: 11.11 (282)
Cover Diameter: 8.37 (213)
Fin Diameter: 7.85 (200)
End 2 ID: 3.48 (89)
Thread Size: 7/16-20 UNF-2B

AF25335 PERLINI 350087A Primary Air Filter used with AF25326




Overall Height: 24.54 (623)
End 1 OD: 12.08 (307)
End 2 OD: 12.06 (306)
End 1 ID: 7.73 (196)
End 2 ID: 0.67 (17)

AF25316 GMC 25042562




Height: 1.67 (42)
Length: 16.00 (406)
Width: 7.91 (201)

AF25325 VAPORMATIC CPD7042, FORD E6NN9B618B




Overall Height: 16.58 (421)
End 1 OD: 9.01 (229)
End 2 OD: 9.00 (229)
End 1 ID: 5.71 (145)

AF25336 FORD 9846495 Safety Element used with AF25368




Overall Height: 15.01 (381)
End 1 OD: 5.97 (152)
End 2 OD: 5.96 (151)
End 1 ID: 0.67 (17)
End 2 ID: 4.85 (123)

AF25317 VOLVO 1665937 Safety Element used with AF25238, AF25239, AF25632 On Volvo Model FH12 use AF25238 - On Volvo Model FH16 use AF25239




Overall Height: 17.64 (448)
End 1 OD: 7.97 (203)
End 2 OD: 7.68 (195)
End 1 ID: 6.69 (170)

AF25326 PERLINI 350088A Safety Element used with AF25335




Overall Height: 23.37 (594)
End 1 OD: 8.43 (214)
End 2 OD: 7.26 (185)
End 1 ID: 6.24 (159)
End 2 ID: 0.67 (17)

AF25337M TOYOTA 177432360071, TOYOTA 177412360071 Primary Air Filter used with AF25483 Magnum RS Version




Overall Height: 10.97 (279)
Overall OD: 5.43 (138)
End 1 ID: 3.29 (84)

AF25318 KOMATSU 20501K1480 Safety Element used with AF25060KM




Overall Height: 16.42 (417)
Overall OD: 4.61 (117)
End 1 ID: 3.56 (90)
End 2 ID: 0.67 (17)

AF25330 FARR T529DR Filter used with 3349348




Height: 5.25 (133)
Length: 29.50 (749)
Width: 19.00 (483)

AF25338 CATERPILLAR 1236855 Primary Air Filter used with AF25339 Magnum RS version



Overall Height: 15.53 (394)
End 1 OD: 14.27 (363)
End 2 OD: 14.13 (359)
End 1 ID: 8.98 (228)

AF25319 MERCEDES-BENZ 30948304



Height: 3.16 (80)
Length: 12.60 (320)
Width: 10.95 (278)

AF25331 MASSEY-FERGUSON 3385733M1 Primary Air Filter used with AF4994



Overall Height: 13.49 (343)
Cover Diameter: 11.02 (280)
End 2 OD: 9.21 (234)
End 2 ID: 5.00 (127)
Thread Size: 7/16-20 UNF-2B

AF25339 CATERPILLAR 1236856 Safety Element used with AF25338




Overall Height: 15.16 (385)
End 1 OD: 9.06 (230)
End 2 OD: 8.66 (220)
End 1 ID: 7.01 (178)

AF25320 VOLKSWAGEN 44129620



Overall Height: 9.33 (237)
Overall OD: 6.42 (163)
End 1 ID: 3.66 (93)

AF25332 LISTER PETTER 60131350




Overall Height: 4.15 (106)
Overall OD: 3.66 (93)
End 1 ID: 2.21 (56)

AF25340 KOHLER 4708303



Overall Height: 2.55 (65)
Overall OD: 7.00 (178)
End 1 ID: 5.57 (141)

AF25321 MANITOU 177179 Safety Element used with AF4909K




Overall Height: 11.24 (286)
End 1 OD: 3.76 (96)
End 2 OD: 3.37 (86)
End 1 ID: 2.93 (75)
End 2 ID: 0.35 (9)

AF25333 RENAULT V.I. 5010230841 Primary Air Filter used with 5010317187, AF25634 Magnum RS Version For fire resistant version, use AF26244



Overall Height: 18.25 (464)
Overall OD: 12.21 (310)
End 1 ID: 7.07 (180)

AF25341 JOHN DEERE AL78869 Primary Air Filter used with AF25334



























Overall Height: 12.17 (309)
Fin Diameter: 11.22 (285)
End 2 OD: 8.80 (224)
End 1 ID: 4.86 (124)

AF25322 HATZ 952900



Overall Height: 3.64 (93)
Overall OD: 9.65 (245)
End 1 ID: 5.63 (143)

E. PRODUCT GUIDE

<p>AF25342 NEW HOLLAND 1930605 Primary Air Filter used with AF25978, AF4165</p>  <p>Overall Height: 13.49 (343) Cover Diameter: 8.37 (213) End 2 OD: 6.08 (155) End 2 ID: 3.48 (89) Thread Size: 7/16-20 UNF-2B</p>	<p>AF25351 FARYMANN 5410612</p>  <p>Overall Height: 6.87 (175) Overall OD: 4.96 (126) End 1 ID: 2.52 (64) End 2 ID: 0.34 (9)</p>	<p>AF25359 JOHN DEERE RE51629 Primary Air Filter used with AF25360 Magnum RS Version</p>  <p>Overall Height: 15.75 (400) Overall OD: 11.06 (281) End 1 ID: 5.91 (150)</p>
<p>AF25343 MASSEY-FERGUSON 1644333M1 Primary Air Filter used with AF25344</p>  <p>Overall Height: 12.44 (316) End 1 OD: 8.98 (228) End 2 OD: 8.31 (211) End 1 ID: 0.39 (10) End 2 ID: 5.30 (135)</p>	<p>AF25352 JOHN DEERE RT6005011111, INGERSOLL-RAND 85400729 Primary Air Filter used with AF25485 Magnum RS Version Outer body is made entirely of flattened expanded metal</p>  <p>Is European Version of: AF25557</p> <p>Overall Height: 13.78 (350) Overall OD: 6.50 (165) End 1 ID: 3.64 (93)</p>	<p>AF25360 JOHN DEERE RE51630 Safety Element used with AF25359 Magnum RS Version</p>  <p>Overall Height: 15.04 (382) End 1 OD: 5.93 (151) End 2 OD: 5.59 (142) End 1 ID: 4.11 (105)</p>
<p>AF25344 MASSEY-FERGUSON 1644334M1 Safety Element used with AF25343</p>  <p>Overall Height: 11.46 (291) Overall OD: 5.20 (132) End 1 ID: 4.06 (103) End 2 ID: 0.34 (9)</p>	<p>AF25353 NISSAN 165461G000</p>  <p>Overall Height: 9.23 (235) Overall OD: 4.96 (126) End 1 ID: 2.52 (64) End 2 ID: 0.34 (9)</p>	<p>AF25361 JOHN DEERE RE34967 Safety Element used with AF25358 Magnum RS version</p>  <p>Overall Height: 14.96 (380) End 1 OD: 5.20 (132) End 2 OD: 4.96 (126) End 1 ID: 3.70 (94)</p>
<p>AF25345 DONALDSON P527683 Safety Element used with AF25139M Magnum RS Version</p>  <p>Overall Height: 14.45 (367) End 1 OD: 6.89 (175) End 2 OD: 6.75 (172) End 1 ID: 5.28 (134)</p>	<p>AF25354 DONALDSON P536142, DONALDSON P533930 Primary Air Filter used with AF25429 Used in EPG13-0090 Don. Hsg.</p>  <p>Overall Height: 15.46 (393) End 1 OD: 11.11 (282) End 2 OD: 10.96 (278) End 1 ID: 5.87 (149)</p>	<p>AF25365 MITSUBISHI ME073821, CHAMP LAF5783, LUBERFINER LAF5783 Primary Air Filter used with AF25640 Magnum RS Version</p>  <p>Overall Height: 16.25 (413) End 1 OD: 9.38 (238) End 2 OD: 9.23 (234) End 1 ID: 5.21 (132)</p>
<p>AF25346 FARR 117780001 Farr RF-180 Series (Baggie Style Air)</p>  <p>Height: 6.38 (162) Length: 29.38 (746) Width: 27.38 (695)</p>	<p>AF25356 MASSEY-FERGUSON 3595501M1 Safety Element used with AF25323, AF25324K</p>  <p>Overall Height: 9.04 (230) End 1 OD: 3.74 (95) End 2 OD: 3.35 (85) End 1 ID: 2.95 (75) End 2 ID: 0.67 (17)</p>	<p>AF25366 NISSAN 1654606J11</p>  <p>Overall Height: 6.04 (154) Overall OD: 6.04 (153) End 1 ID: 3.52 (89) End 2 ID: 3.52 (89)</p>
<p>AF25347 FARR 117780002 Farr RF-180 Series (Baggie Style Air)</p>  <p>Height: 5.12 (130) Length: 19.50 (495) Width: 22.12 (562)</p>	<p>AF25357 RENAULT D.M.A. 6005002529 Safety Element used with AF25349, AF25501</p>  <p>Overall Height: 13.07 (332) Overall OD: 4.23 (108) End 1 ID: 3.17 (81) End 2 ID: 0.34 (9)</p>	<p>AF25368 NEW HOLLAND 89846494 Primary Air Filter used with AF25336</p>  <p>Overall Height: 16.05 (408) Overall OD: 9.92 (252) End 1 ID: 6.10 (155) End 2 ID: 0.67 (17)</p>
<p>AF25348K FIAT HITACHI 71405431 Primary Air Filter used with AF25978, AF4165</p>  <p>Overall Height: 13.93 (354) Cover Diameter: 8.37 (213) Fin Diameter: 7.85 (200) End 2 ID: 3.48 (89)</p>	<p>AF25358 JOHN DEERE RE34966 Primary Air Filter used with AF25361 Magnum RS version</p>  <p>Overall Height: 15.67 (398) Overall OD: 9.29 (236) End 1 ID: 5.20 (132)</p>	<p>AF25371 NEW HOLLAND 82008606 Primary Air Filter used with AF25457</p>  <p>Overall Height: 15.55 (395) End 1 OD: 9.09 (231) End 2 OD: 8.35 (212) End 1 ID: 0.45 (12) End 2 ID: 4.84 (123)</p>
<p>AF25349 RENAULT D.M.A. 7701028479 Primary Air Filter used with AF25357</p>  <p>Overall Height: 14.63 (372) End 1 OD: 7.44 (189) End 2 OD: 6.65 (169) End 1 ID: 0.34 (9) End 2 ID: 4.31 (110)</p>	<p>AF25372 ISUZU 8943349060</p>  <p>Overall Height: 5.87 (149) Overall OD: 5.98 (152) End 1 ID: 3.49 (89)</p>	<p>AF25372 ISUZU 8943349060</p>  <p>Overall Height: 5.87 (149) Overall OD: 5.98 (152) End 1 ID: 3.49 (89)</p>


























E. PRODUCT GUIDE

AF25373K  MITSUBISHI MD620109 Overall Height: 6.15 (156) Overall OD: 6.04 (153) End 1 ID: 3.52 (89) End 2 ID: 3.52 (89)	AF25386  KOMATSU 1654674200, NISSAN 1654674200 Overall Height: 5.00 (127) Overall OD: 6.38 (162) End 1 ID: 3.69 (94)	AF25410M  TORIT 8PP2537000 Flame retardant media Overall Height: 22.50 (572) Overall OD: 13.83 (351) End 1 ID: 9.48 (241)
AF25374  KOMATSU 4210712312 Height: 2.21 (56) Length: 9.96 (253) Width: 6.00 (153)	AF25392  NISSAN 165460T006 Overall Height: 7.99 (203) End 1 OD: 7.95 (202) End 2 OD: 2.68 (68) End 1 ID: 4.94 (126)	AF25411M  TORIT 8PP4205800 Flame retardant media Overall Height: 26.50 (673) Overall OD: 13.83 (351) End 1 ID: 9.48 (241)
AF25376  HATZ 40084500 Overall Height: 3.66 (93) Overall OD: 6.50 (165) End 1 ID: 3.50 (89) End 2 ID: 3.50 (89)	AF25398  HINO 178012900 Overall Height: 12.29 (312) Overall OD: 6.33 (161) End 1 ID: 5.22 (133)	AF25412  DONALDSON P821963 Safety Element used with AF25414 Overall Height: 13.65 (347) End 1 OD: 5.30 (135) End 2 OD: 4.98 (126) End 1 ID: 4.43 (113)
AF25380  TOYOTA 1780154100 Overall Height: 11.02 (280) Overall OD: 5.28 (134) End 1 ID: 3.05 (78)	AF25399  TOYOTA 1780135030 Overall Height: 5.67 (144) Overall OD: 6.20 (158) End 1 ID: 3.01 (77)	AF25413  HITACHI 4287060 Safety Element used with AF25384 Overall Height: 13.78 (350) Overall OD: 4.95 (126) End 1 ID: 4.10 (104)
AF25382  RENAULT V.I. 5010230916 Primary Air Filter used with AF25439 Magnum RS Version For fire resistant version, use AF26272 Overall Height: 21.77 (553) Overall OD: 12.21 (310) End 1 ID: 7.07 (180)	AF25402  KOMATSU 6001815440 Overall Height: 24.51 (623) End 1 OD: 15.85 (403) End 2 OD: 13.79 (350) End 1 ID: 9.53 (242) End 2 ID: 0.85 (22)	AF25414  HITACHI 4286128 Primary Air Filter used with AF25412 Overall Height: 14.45 (367) End 1 OD: 9.38 (238) End 2 OD: 9.23 (234) End 1 ID: 5.21 (132)
AF25383  NISSAN D6546Z9100 Magnum RS Version Overall Height: 14.68 (373) End 1 OD: 11.30 (287) End 2 OD: 11.15 (283) End 1 ID: 6.87 (175)	AF25403  KOMATSU 6001815450 Overall Height: 22.72 (577) Overall OD: 8.59 (218) End 1 ID: 7.15 (182) End 2 ID: 0.68 (17)	AF25415  HINO 178012810 Overall Height: 18.49 (470) Overall OD: 9.21 (234) End 1 ID: 4.86 (123) End 2 ID: 0.67 (17)
AF25384  HITACHI 4283861 Primary Air Filter used with AF25413 Overall Height: 14.51 (368) End 1 OD: 8.21 (209) End 2 OD: 8.00 (203) End 1 ID: 4.87 (124)	AF25408  MITSUBISHI ME073252 Overall Height: 17.65 (448) Overall OD: 9.13 (232) End 1 ID: 5.83 (148) End 2 ID: 0.88 (22)	AF25416  HINO 178013000 Primary Air Filter used with AF25638 Overall Height: 13.61 (346) End 1 OD: 9.38 (238) End 2 OD: 9.23 (234) End 1 ID: 5.89 (150) End 2 ID: 5.21 (132)
AF25385K  DAIHATSU 1780187304 Overall Height: 8.11 (206) End 1 OD: 6.03 (153) End 2 OD: 6.02 (153) End 1 ID: 3.51 (89) End 2 ID: 3.51 (89)	AF25409M  Rogers Machinery Gen Set Overall Height: 12.67 (322) Overall OD: 13.83 (351) End 1 ID: 9.48 (241) End 2 ID: 0.90 (23)	AF25417  HITACHI 4206099 Overall Height: 12.35 (314) Overall OD: 6.08 (154) End 1 ID: 4.06 (103) End 2 ID: 0.65 (17)

E. PRODUCT GUIDE

AF25418  HITACHI 4285623 Overall Height: 12.92 (328) End 1 OD: 6.06 (154) End 2 OD: 7.89 (200) End 1 ID: 4.06 (103) End 2 ID: 0.63 (16)	AF25429  DONALDSON P533890 Safety Element used with AF25354 Used in EPG13-0077 Donaldson Housing. Overall Height: 14.84 (377) End 1 OD: 5.94 (151) End 2 OD: 5.60 (142) End 1 ID: 5.05 (128)	AF25438  MITSUBISHI ME017242 Magnum RS Version Overall Height: 9.69 (246) Overall OD: 7.09 (180) End 1 ID: 3.70 (94)
AF25419  HITACHI 4247975 Overall Height: 11.58 (294) Overall OD: 4.03 (102) End 1 ID: 3.01 (76) End 2 ID: 0.63 (16)	AF25430  Safety Element used with AF25033M Overall Height: 17.76 (451) End 1 OD: 6.89 (175) End 2 OD: 6.52 (166) End 1 ID: 5.89 (150)	AF25439  RENAULT V.I. 5010269584 Safety Element used with AF25382 Magnum RS version Overall Height: 21.06 (535) End 1 OD: 7.05 (179) End 2 OD: 6.81 (173) End 1 ID: 5.39 (137)
AF25423  FORD F5UZ9601A Height: 1.63 (41) Length: 11.28 (286) Width: 6.57 (167)	AF25432K  TOYOTA 178072380071 Primary Air Filter used with AF4744 Overall Height: 11.54 (293) Cover Diameter: 7.76 (197) Fin Diameter: 6.34 (161) End 1 ID: 0.47 (12) End 2 ID: 3.35 (85)	AF25440K  KUBOTA 1497111180 Overall Height: 4.02 (102) End 1 OD: 4.17 (106) End 2 OD: 3.37 (86) End 1 ID: 1.24 (32) End 2 ID: 1.22 (31)
AF25424  KHD(KLOCKNER-HUMBOLDT-DEUTZ) 2243521 Safety Element used with AF4137, AF4637, AF990 Overall Height: 7.52 (191) End 1 OD: 3.31 (84) End 2 OD: 3.23 (82) End 1 ID: 2.87 (73) End 2 ID: 0.34 (9)	AF25433  FARYMANN 5410522 Overall Height: 5.35 (136) Overall OD: 3.90 (99) End 1 ID: 1.44 (37)	AF25441  HITACHI 4285619 Overall Height: 11.42 (290) End 1 OD: 9.94 (252) End 2 OD: 7.94 (202) End 1 ID: 0.85 (22) End 2 ID: 5.25 (133)
AF25425  KHD(KLOCKNER-HUMBOLDT-DEUTZ) 2243522 Safety Element used with AF991 Overall Height: 12.24 (311) End 1 OD: 3.31 (84) End 2 OD: 3.23 (82) End 1 ID: 2.87 (73) End 2 ID: 0.34 (9)	AF25434  FIATAGRI 1930592 Safety Element used with AF25290, AF25539 Overall Height: 11.28 (287) End 1 OD: 2.36 (60) End 2 OD: 2.24 (57) End 1 ID: 1.65 (42)	AF25442  MITSUBISHI 9126106700 Overall Height: 9.19 (233) Fin OD: 5.16 (131) End 1 OD: 4.20 (107) End 1 ID: .64 (16) End 2 ID: 2.17 (55)
AF25426  DAF 1317409 Magnum RS Version Overall Height: 19.04 (484) Overall OD: 11.06 (281) End 1 ID: 5.91 (150)	AF25435  VOLVO 8076195 Gasket: 256464 (1) Overall Height: 16.50 (419) Overall OD: 13.09 (332) End 1 ID: 7.69 (195)	AF25443  KOMATSU 6001816340 Overall Height: 10.20 (259) End 1 OD: 6.33 (161) End 2 OD: 5.09 (129) End 1 ID: 0.64 (16) End 2 ID: 3.05 (77)
AF25427  MERCEDES-BENZ 30949104 Overall Height: 12.53 (318) End 1 OD: 16.54 (420) End 2 OD: 16.52 (420) End 1 ID: 10.02 (255) End 2 ID: 0.41 (11)	AF25436  FIAT HITACHI 4290940 Primary Air Filter used with AF25497 Magnum RS version Is European Version of: AF25553 For fire resistant version, use AF25308 Overall Height: 12.30 (313) Overall OD: 4.96 (126) End 1 ID: 3.21 (82)	AF25444  KOMATSU 6001819470 Overall Height: 12.43 (316) End 1 OD: 7.60 (193) End 2 OD: 6.07 (154) End 1 ID: 0.63 (16) End 2 ID: 3.29 (84)
AF25428  MERCEDES-BENZ 30949204 Overall Height: 10.30 (262) End 1 OD: 16.54 (420) End 2 OD: 16.52 (420) End 1 ID: 10.02 (255) End 2 ID: 0.41 (11)	AF25437  DAF 1295090, INGERSOLL-RAND 85400737 Primary Air Filter used with AF25523 Magnum RS version Overall Height: 20.65 (525) Overall OD: 11.06 (281) End 1 ID: 5.91 (150)	AF25446  NISSAN 1654665000 Overall Height: 2.68 (68) Overall OD: 14.33 (364) End 1 ID: 11.73 (298)
		AF25447  MITSUBISHI MD604940 Overall Height: 2.65 (67) Overall OD: 10.53 (267) End 1 ID: 7.80 (198) End 2 ID: 7.35 (187)

E. PRODUCT GUIDE

AF25449  MAZDA S20723603 Overall Height: 8.35 (212) Overall OD: 6.00 (153) End 1 ID: 3.39 (86)	AF25461M  CASE 132149A1 Safety Element used with AF25460M Magnum RS Version Overall Height: 20.75 (527) End 1 OD: 5.93 (151) End 2 OD: 5.59 (142) End 1 ID: 4.11 (105)	AF25474  HONDA 17210ZE3822, HONDA 17210ZE3505 Overall Height: 3.58 (91) End 1 ID: 0.87 (22)
AF25450  HINO 178012910, HINO 178012830 Overall Height: 14.45 (367) Overall OD: 10.91 (277) End 1 ID: 6.50 (165)	AF25466M  STEIGER 908300T1 Primary Air Filter used with AF25467M Magnum RS Version Overall Height: 21.45 (545) End 1 OD: 12.53 (318) End 2 OD: 12.37 (314) End 1 ID: 8.20 (208)	AF25475  HINO 178012410 Overall Height: 9.29 (236) Overall OD: 7.48 (190) End 1 ID: 4.13 (105)
AF25450M  DONALDSON P830524 Overall Height: 14.31 (364) End 1 OD: 10.57 (268) End 2 OD: 6.02 (153) End 1 ID: 6.47 (164) End 2 ID: 0.90 (23)	AF25467M  CASE 908301T1 Safety Element used with AF25466M Magnum RS Version Overall Height: 20.75 (527) End 1 OD: 8.27 (210) End 2 OD: 7.84 (199) End 1 ID: 6.14 (156)	AF25476  MERCEDES-BENZ 40940204 Primary Air-Magnum RS Version Overall Height: 16.12 (410) End 1 OD: 13.58 (345) End 2 OD: 10.98 (279) End 2 ID: 4.92 (125)
AF25451  HINO 178012820, HINO 178012730 Overall Height: 13.39 (340) Overall OD: 9.06 (230) End 1 ID: 4.76 (121)	AF25468  TEREX 15270189 Safety Element used with AF25454, AF25627 Overall Height: 20.04 (509) End 1 OD: 7.05 (179) End 2 OD: 6.81 (173) End 1 ID: 5.39 (137)	AF25477  MITSUBISHI 9136113300 Overall Height: 8.95 (227) End 1 OD: 6.16 (156) End 2 OD: 4.27 (108) End 2 ID: 2.21 (56)
AF25454  INGERSOLL-RAND 85401339 Primary Air Filter used with AF25468 Terex 15270188 - Magnum RS Version - Overall Height: 20.63 (524) Overall OD: 12.21 (310) End 1 ID: 7.07 (180)	AF25469  DONALDSON P533938 Primary Air Filter used with AF25470 Magnum RS Version Overall Height: 17.23 (438) Overall OD: 13.50 (343) End 1 ID: 8.20 (208)	AF25478  LEYLAND ACHD040 Magnum RS Version Overall Height: 20.91 (531) Overall OD: 8.19 (208) End 1 ID: 4.17 (106)
AF25456K  CASE 1265510C1 Overall Height: 11.50 (292) Fin Diameter: 6.41 (163) End 2 OD: 5.25 (133) End 1 ID: 3.25 (83) End 2 ID: 0.66 (17)	AF25470  DONALDSON P533946 Safety Element used with AF25469 Magnum RS Version Overall Height: 16.84 (428) End 1 OD: 8.32 (211) End 2 OD: 7.89 (200) End 1 ID: 6.12 (155)	AF25479  VAN HOOL 10591354 Primary Air Filter used with AF25620 Overall Height: 22.95 (583) Overall OD: 12.21 (310) End 1 ID: 7.07 (180)
AF25457  NEW HOLLAND 82008607 Safety Element used with AF25371 Overall Height: 13.92 (354) End 1 OD: 5.98 (152) End 2 OD: 4.72 (120) End 1 ID: 3.94 (100) End 2 ID: 0.43 (11)	AF25471  HONDA 17210ZE0505, HONDA 17210ZE0822 Overall Height: 2.01 (51) End 1 ID: 0.87 (22)	AF25480  VORTOX VF120W Overall Height: 19.05 (484) Overall OD: 10.98 (279) End 1 ID: 5.80 (147)
AF25460M  CASE 132151A1 Primary Air Filter used with AF25461M Magnum RS Version Overall Height: 21.50 (546) End 1 OD: 11.11 (282) End 2 OD: 10.98 (279) End 1 ID: 5.87 (149)	AF25472  HONDA 17210ZB1822, HONDA 17210ZE1505 Overall Height: 2.76 (70) End 1 ID: 0.87 (22)	AF25481  HATZ 4030100 Overall Height: 3.31 (84) Overall OD: 5.53 (141) End 1 ID: 3.13 (80)
AF25473  HONDA 17210ZE2505, HONDA 17210ZE2822 Overall Height: 3.07 (78) End 1 ID: 0.87 (22)		

E. PRODUCT GUIDE

<p>AF25483 TOYOTA 177442360071 Safety Element used with AF25337M Magnum RS Version</p>  <p>Overall Height: 10.41 (265) End 1 OD: 3.31 (84) End 2 OD: 3.07 (78) End 1 ID: 2.48 (63)</p>	<p>AF25497 CATERPILLAR 1402337, BOBCAT 6666334 Safety Element used with AF25436 Magnum RS version Is European Version of: AF25554</p>  <p>Overall Height: 11.63 (296) End 1 OD: 3.31 (84) End 2 OD: 3.07 (78) End 1 ID: 2.48 (63)</p>	<p>AF25506 FARR 55445011</p>  <p>Height: 5.30 (135) Length: 36.44 (926) Width: 14.00 (356)</p>
<p>AF25484 FIATAGRI 1930588 Safety Element used with AF25291, AF25526, AF25588 Magnum RS Version Is European Version of: AF25556</p>  <p>Overall Height: 12.50 (318) End 1 OD: 3.31 (84) End 2 OD: 3.07 (78) End 1 ID: 2.48 (63)</p>	<p>AF25498 NEW HOLLAND 82008596 Primary Air Filter used with AF25499</p>  <p>Overall Height: 12.36 (314) End 1 OD: 9.13 (232) End 2 OD: 8.35 (212) End 1 ID: 0.45 (12) End 2 ID: 4.84 (123)</p>	<p>AF25507 CLARK AK2</p>  <p>Overall Height: 12.15 (309) Overall OD: 8.00 (203) End 1 ID: 6.13 (156)</p>
<p>AF25485 INGERSOLL-RAND 59046805, FIATAGRI 1930590 Safety Element used with AF25292, AF25352 Magnum RS version Is European Version of: AF25558</p>  <p>Overall Height: 13.29 (338) End 1 OD: 3.66 (93) End 2 OD: 3.43 (87) End 1 ID: 2.84 (72)</p>	<p>AF25499 NEW HOLLAND 82008597 Safety Element used with AF25498</p>  <p>Overall Height: 10.81 (275) End 1 OD: 5.98 (152) End 2 OD: 4.72 (120) End 1 ID: 3.94 (100) End 2 ID: 0.43 (11)</p>	<p>AF25508 MIDLAND STEEL 100696E</p>  <p>Overall Height: 1.25 (32) Overall OD: 4.00 (102) End 1 ID: 1.88 (48)</p>
<p>AF25490 KHD(KLOCKNER-HUMBOLDT-DEUTZ) 4308634 Safety Element used with AF4137</p>  <p>Overall Height: 7.85 (200) End 1 OD: 3.15 (80) End 2 OD: 2.64 (67) End 1 ID: 2.28 (58) End 2 ID: 0.35 (9)</p>	<p>AF25500K MITSUBISHI MD620563</p>  <p>Overall Height: 7.89 (201) Fin Diameter: 7.85 (200) End 2 OD: 6.08 (154) End 1 ID: 3.48 (88) End 2 ID: 0.47 (12)</p>	<p>AF25509K J.C.B. 32906801 Primary Air Filter used with AF4882 Is a short version of AF4892K</p>  <p>Overall Height: 11.39 (289) Cover Diameter: 8.37 (213) Fin Diameter: 7.85 (200) End 2 ID: 3.48 (89) Thread Size: M10 X 1.5-6H</p>
<p>AF25491 J.C.B. 32912902 Safety Element used with AF25492, AF25964 Magnum RS version</p>  <p>Overall Height: 15.93 (405) End 1 OD: 4.29 (109) End 2 OD: 4.06 (103) End 1 ID: 3.47 (88)</p>	<p>AF25501 VALMET 836136409 Primary Air Filter used with AF25357</p>  <p>Overall Height: 13.70 (348) Cover Diameter: 7.76 (197) End 2 OD: 6.44 (164) End 1 ID: 0.34 (9) End 2 ID: 4.63 (118)</p>	<p>AF25510 TOYOTA 1780154170</p>  <p>Overall Height: 4.64 (118) Overall OD: 8.48 (215) End 1 ID: 4.25 (108)</p>
<p>AF25492 J.C.B. 32912901, INGERSOLL-RAND 85400752 Primary Air Filter used with AF25491 Magnum RS Version</p>  <p>Overall Height: 16.58 (421) Overall OD: 8.19 (208) End 1 ID: 4.17 (106)</p>	<p>AF25502K SAME 242493401 Primary Air Filter used with AF25503</p>  <p>Overall Height: 12.85 (327) Cover Diameter: 6.73 (171) Fin Diameter: 6.26 (159) End 2 ID: 3.17 (81) Thread Size: 7/16-20 UNF-2B</p>	<p>AF25517 GENERAL ELECTRIC 1X6383</p>  <p>Overall Height: 7.88 (200) Overall OD: 5.56 (141) End 1 ID: 2.75 (70)</p>
<p>AF25493 TOYOTA 278011506083</p>  <p>Overall Height: 1.50 (38) Overall OD: 9.84 (250) End 1 ID: 2.56 (65)</p>	<p>AF25503 SAME 242493402 Safety Element used with AF25502K</p>  <p>Overall Height: 11.14 (283) End 1 OD: 3.66 (93) End 2 OD: 2.01 (51) End 1 ID: 2.42 (62) End 2 ID: 0.65 (17)</p>	<p>AF25519 INGERSOLL-RAND 59144188</p>  <p>Overall Height: 11.74 (298) Overall OD: 3.32 (84) End 1 ID: 2.55 (65)</p>
<p>AF25496 M.A.N. 81083040087, M.A.N. 81084050015 Magnum RS version</p>  <p>Overall Height: 15.04 (382) Overall OD: 9.76 (248) End 1 ID: 4.72 (120)</p>	<p>AF25504 RENAULT AGRICULTURE 7700039509 Primary Air Filter used with AF25755 Magnum RS Version</p>  <p>Overall Height: 15.04 (382) Overall OD: 8.19 (208) End 1 ID: 4.17 (106)</p>	<p>AF25521 CASE 128782A1 Safety Element used with AF25524 Magnum RS type</p>  <p>Overall Height: 14.86 (378) End 1 OD: 3.31 (84) End 2 OD: 3.07 (78) End 1 ID: 2.48 (63)</p>


E. PRODUCT GUIDE

AF25522 KASSBOHRER 8319147187




Overall Height: 18.50 (470)
End 1 OD: 11.87 (302)
End 2 OD: 11.93 (303)
End 1 ID: 6.69 (170)

AF25530 LISTER PETTER 36607188




Overall Height: 2.91 (74)
Overall OD: 5.95 (151)
End 1 ID: 3.47 (88)
End 2 ID: 3.47 (88)

AF25546 Filter used with AH19077



Overall Height: 15.50 (394)
End 1 OD: 7.00 (178)
End 2 OD: 5.98 (152)
End 1 ID: 3.62 (92)

AF25523 Safety Element used with AF25437, AF25756 John Deere 644H Wheel Loader.



Overall Height: 19.72 (501)
End 1 OD: 5.93 (151)
End 2 OD: 5.59 (142)
End 1 ID: 4.11 (105)

AF25538 MASSEY-FERGUSON 6191362M1 Primary Air Filter used with AF25967 Magnum RS
Is European Version of: AF25550




Overall Height: 7.28 (185)
Overall OD: 3.54 (90)
End 1 ID: 1.81 (46)

AF25547 Filter used with AH19078




Overall Height: 18.50 (470)
End 1 OD: 8.25 (210)
End 2 OD: 7.20 (183)
End 1 ID: 4.75 (121)

AF25524 CASE 128781A1 Primary Air Filter used with AF25521




Overall Height: 15.43 (392)
Overall OD: 5.43 (138)
End 1 ID: 3.29 (84)

AF25539 ATLAS 2911788, INGERSOLL-RAND 85400646 Primary Air Filter used with AF25434 Magnum RS Version




Overall Height: 11.58 (294)
Overall OD: 4.11 (105)
End 1 ID: 2.38 (61)

AF25548 Filter used with AH19079




Overall Height: 19.50 (495)
End 1 OD: 9.85 (250)
End 2 OD: 7.94 (202)
End 1 ID: 6.05 (154)

AF25525 Is a short version of AF25952M Similar to AF25219 with Hot Melt on Outside Only




Overall Height: 23.66 (601)
End 1 OD: 9.38 (238)
End 2 OD: 9.23 (234)
End 1 ID: 5.87 (149)

AF25540K J.C.B. 32905001 Primary Air Filter used with AF25529




Overall Height: 8.47 (215)
Cover Diameter: 7.05 (179)
Fin Diameter: 6.34 (161)
End 2 ID: 2.82 (72)
Thread Size: M10 X 1.5-6H INT

AF25549 Filter used with AH19080



Overall Height: 19.50 (495)
End 1 OD: 11.46 (291)
End 2 OD: 10.39 (264)
End 1 ID: 7.00 (178)

AF25526 ATLAS 2991546, INGERSOLL-RAND 85400679 Primary Air Filter used with AF25484 Magnum RS type



Overall Height: 12.78 (325)
Overall OD: 5.59 (142)
End 1 ID: 3.25 (83)

AF25541 CHRYSLER 4864442




Height: 2.86 (73)
Length: 11.81 (300)
Width: 10.75 (273)

AF25550 Filter used with AH19081, AH19082
For European Version, use: AF25538




Overall Height: 7.33 (186)
Overall OD: 3.50 (89)
End 1 ID: 1.87 (48)

AF25527 J.C.B. 32905302 Safety Element used with AF25528K, WGA473K



Overall Height: 7.05 (179)
End 1 OD: 2.76 (70)
End 2 OD: 2.40 (61)
End 1 ID: 2.01 (51)
End 2 ID: 0.67 (17)

AF25542 FRANKLIN 1504918, FRAM CA2551SY, BALDWIN PA2607 Safety Element used with AF4767




Overall Height: 12.50 (318)
Overall OD: 5.56 (141)
End 1 ID: 4.50 (114)
End 2 ID: 0.42 (11)

AF25551 Primary Air Filter used with AF25552 Filter used with AH19083, AH19084, AH19085, AH19086
For European Version, use: AF25575




Overall Height: 10.80 (274)
Overall OD: 4.13 (105)
End 2 ID: 2.50 (64)

AF25528K J.C.B. 32905301 Primary Air Filter used with AF25527




Overall Height: 8.39 (213)
Cover Diameter: 5.59 (142)
Fin Diameter: 5.16 (131)
End 2 ID: 2.48 (63)

AF25543K Filter used with AH19108




Overall Height: 10.38 (264)
Fin Diameter: 5.17 (131)
End 2 OD: 4.09 (104)
End 1 ID: 2.47 (63)
End 2 ID: 0.66 (17)

AF25552 Safety Element used with AF25551 Filter used with AH19084, AH19086
For European Version, use: AF25576




Overall Height: 10.35 (263)
Overall OD: 2.39 (61)
End 1 ID: 1.81 (46)

AF25529 J.C.B. 32905002 Safety Element used with AF25540K



Overall Height: 7.01 (178)
End 1 OD: 3.64 (93)
End 2 OD: 2.74 (70)
End 1 ID: 2.42 (62)
End 2 ID: 0.67 (17)

AF25544 Primary Air Filter used with AF25545 Filter used with AH19075, AH19076



Overall Height: 24.50 (622)
Overall OD: 15.12 (384)
End 1 ID: 10.00 (254)

AF25553 Primary Air Filter used with AF25554 Filter used with AH19087, AH19088, AH19089, AH19090
For European Version, use: AF25436



























Overall Height: 12.39 (315)
End 1 OD: 5.13 (130)
End 2 OD: 5.10 (130)
End 1 ID: 3.32 (84)

AF25545 Safety Element used with AF25544 Filter used with AH19076



Overall Height: 23.50 (597)
Overall OD: 9.89 (251)
End 1 ID: 8.05 (204)

E. PRODUCT GUIDE

<p>AF25554 Safety Element used with AF25553 Filter used with AH19088, AH19090 For European Version, use: AF25497</p>  <p>Overall Height: 11.87 (302) End 1 OD: 3.32 (84) End 2 OD: 2.99 (76) End 1 ID: 2.59 (66)</p>	<p>AF25566 COMPAIR 9826251262 Safety Element used with AF25565</p>  <p>Overall Height: 13.47 (342) End 1 OD: 3.03 (77) End 2 OD: 2.93 (75) End 1 ID: 2.52 (64)</p>	<p>AF25578M KUBOTA T00716323</p>  <p>Overall Height: 9.75 (248) Overall OD: 4.00 (102) End 1 ID: 2.50 (64)</p>
<p>AF25555 Primary Air Filter used with AF25556 Filter used with AH19091, AH19092, AH19093, AH19094 For European Version, use: AF25588</p>  <p>Overall Height: 13.00 (330) End 1 OD: 5.41 (137) End 2 OD: 5.39 (137) End 2 ID: 3.32 (84)</p>	<p>AF25567 TOYOTA 1780162010</p>  <p>Overall Height: 5.66 (144) Overall OD: 7.72 (196) End 1 ID: 3.35 (85)</p>	<p>AF25580KM DONALDSON P533597 Primary Air Filter used with AF25676</p>  <p>Overall Height: 8.38 (213) Fin Diameter: 5.17 (131) End 2 OD: 4.09 (104) End 1 ID: 2.56 (65) End 2 ID: 0.66 (17)</p>
<p>AF25556 Safety Element used with AF25555 Filter used with AH19092, AH19094 For European Version, use: AF25484</p>  <p>Overall Height: 12.60 (320) End 1 OD: 3.32 (84) End 2 OD: 2.99 (76) End 1 ID: 2.59 (66)</p>	<p>AF25569 TOYOTA 1780123020 Outside/in flow</p>  <p>Overall Height: 4.13 (105) Overall OD: 6.42 (163) End 1 ID: 2.99 (76)</p>	<p>AF25582M MITSUBISHI AE073385</p>  <p>Overall Height: 16.42 (417) Overall OD: 5.61 (142) End 1 ID: 0.64 (16) End 2 ID: 4.72 (120)</p>
<p>AF25557 Primary Air Filter used with AF25558 Filter used with AH19095, AH19096, AH19097, AH19098 For European Version, use: AF25352</p>  <p>Overall Height: 13.99 (355) Overall OD: 6.42 (163) End 1 ID: 3.74 (95)</p>	<p>AF25570 JOHN DEERE RE46310 Primary Air Filter used with AF25571</p>  <p>Overall Height: 16.83 (427) End 1 OD: 9.21 (234) End 2 OD: 9.14 (232) End 1 ID: 0.67 (17) End 2 ID: 5.87 (149)</p>	<p>AF25584M TOYOTA 1780167060</p>  <p>Overall Height: 5.66 (144) Overall OD: 4.23 (107) End 1 ID: 8.56 (217)</p>
<p>AF25558 OMNIQUIP PARTS WORLDWIDE 8035099, INGERSOLL-RAND 59155127 Safety Element used with AF25557 Filter used with AH19096, AH19098 For European Version, use: AF25485</p>  <p>Overall Height: 13.16 (334) End 1 ID: 2.75 (70)</p>	<p>AF25571 JOHN DEERE RE46311 Safety Element used with AF25570</p>  <p>Overall Height: 15.15 (385) Overall OD: 5.56 (141) End 1 ID: 4.42 (112) End 2 ID: 0.65 (17)</p>	<p>AF25588 CLARK 6666375 Primary Air Filter used with AF25484 Is European Version of: AF25555</p>  <p>Overall Height: 12.99 (330) Overall OD: 5.43 (138) End 1 ID: 3.29 (84)</p>
<p>AF25561 NISSAN 16546Z9101</p>  <p>Overall Height: 13.85 (352) End 1 OD: 6.75 (171) End 2 OD: 7.68 (195) End 1 ID: 4.99 (127)</p>	<p>AF25573 HITACHI 4234793</p>  <p>Length: 8.88 (225) Width: 10.75 (273)</p>	<p>AF25589 CATERPILLAR 1318822 Primary Air Filter used with AF25624 Magnum RS</p>  <p>Overall Height: 13.47 (342) Overall OD: 9.29 (236) End 1 ID: 5.20 (132)</p>
<p>AF25565 COMPAIR 9826251261 Primary Air Filter used with AF25566</p>  <p>Overall Height: 14.19 (361) End 1 OD: 5.87 (149) End 2 OD: 5.83 (148) End 2 ID: 3.31 (84)</p>	<p>AF25574 NEW HOLLAND 81868102</p>  <p>Height: 1.97 (50) Length: 4.09 (104) Width: 20.45 (520)</p>	<p>AF25590 MOTORCRAFT FA1634</p>  <p>Overall Height: 7.81 (198) Overall OD: 8.13 (207) End 1 ID: 4.25 (108)</p>
<p>AF25575 BOBCAT 6672467 Primary Air Filter used with AF25576 Magnum RS Is European Version of: AF25551</p>  <p>Overall Height: 10.63 (270) Overall OD: 4.11 (105) End 1 ID: 2.38 (61)</p>	<p>AF25576 BOBCAT 6672468 Safety Element used with AF25575 Safety RS Is European Version of: AF25552</p>  <p>Overall Height: 10.45 (266) End 1 OD: 2.36 (60) End 2 OD: 2.24 (57) End 1 ID: 1.65 (42)</p>	<p>AF25591 INGERSOLL-RAND 59155143, INGERSOLL-RAND 5915543</p>  <p>Overall Height: 15.43 (392) Overall OD: 6.09 (155) End 1 ID: 3.48 (88) End 2 ID: 0.66 (17)</p>


E. PRODUCT GUIDE

AF25593 NELSON 64288P Filter used with AH19115




Overall Height: 23.73 (603)
Cover Diameter: 16.30 (414)
End 2 OD: 12.08 (307)
End 2 ID: 7.73 (196)

AF25610 DYNAPAC 909271 Safety Element used with AF25612




Overall Height: 19.82 (504)
End 1 OD: 4.29 (109)
End 2 OD: 4.06 (103)
End 1 ID: 3.47 (88)

AF25620 VOLVO CONSTRUCTION EQUIPMENT 110339991 Safety Element used with AF25619, AF25479 Magnum RS Version




Overall Height: 22.17 (563)
End 1 OD: 7.05 (179)
End 2 OD: 6.81 (173)
End 1 ID: 5.39 (137)

AF25595 CASE 243968A1 Primary Air Filter used with AF25596M



Overall Height: 22.20 (564)
End 1 OD: 13.05 (331)
End 2 OD: 12.90 (328)
End 1 ID: 6.78 (172)

AF25612 DYNAPAC 909270 Primary Air Filter used with AF25610




Overall Height: 20.59 (523)
Overall OD: 8.19 (208)
End 1 ID: 4.17 (106)

AF25621 MOTORCRAFT FA1675 Has foam precleaner



Height: 2.32 (59)
Length: 13.48 (342)
Width: 7.09 (180)

AF25596M Safety Element used with AF25595



Overall Height: 21.50 (546)
End 1 OD: 6.89 (175)
End 2 OD: 6.75 (172)
End 1 ID: 5.28 (134)

AF25614 SCANIA 1387549




Overall Height: 17.46 (444)
Overall OD: 12.21 (310)
End 1 ID: 7.07 (180)

AF25623 DAF 1353115 Magnum RS Version Flame Retardant Media




Overall Height: 19.96 (507)
Overall OD: 11.06 (281)
End 1 ID: 5.91 (150)

AF25598 DONALDSON P542101




Overall Height: 15.37 (390)
End 1 OD: 10.96 (278)
End 2 OD: 10.81 (274)
End 1 ID: 6.78 (172)

AF25615 M.A.N. 81083040084 Safety Element used with AF25624



Overall Height: 18.50 (470)
End 1 OD: 6.68 (170)
End 2 OD: 6.44 (164)
End 1 ID: 5.22 (133)

AF25624 CATERPILLAR 1318821 Safety Element used with AF25589



Overall Height: 12.72 (323)
End 1 OD: 5.20 (132)
End 2 OD: 4.96 (126)
End 1 ID: 3.70 (94)

AF25599 ROVER ESR1445




Height: 2.22 (56)
Length: 10.14 (258)
Width: 7.92 (201)

AF25616 SEDDON-ATKINSON 3308730R1



Overall Height: 18.49 (470)
Overall OD: 12.08 (307)
End 1 ID: 7.72 (196)
End 2 ID: 0.67 (17)

AF25625M LETOURNEAU-WESTINGHOUSE 4219820 To be used on models L1400 & L1000



Overall Height: 22.48 (571)
Overall OD: 13.83 (351)
End 1 ID: 9.48 (241)
End 2 ID: 0.90 (23)

AF25601 CHRYSLER MD620048



Overall Height: 3.04 (77)
Overall OD: 9.20 (234)
End 1 ID: 6.63 (168)

AF25617 CASE 187471A1 Primary Air Filter used with AF25618



Overall Height: 15.53 (395)
Overall OD: 8.19 (208)
End 1 ID: 4.17 (106)

AF25626 KASSBOHRER 8319150192




Overall Height: 13.05 (332)
End 1 OD: 11.87 (302)
End 2 OD: 11.93 (303)
End 1 ID: 6.69 (170)

AF25602 MITSUBISHI ME294850




Overall Height: 14.90 (378)
Overall OD: 11.00 (279)
End 1 ID: 5.73 (146)

AF25618 CASE 187472A2 Safety Element used with AF25617, AF25957 Magnum RS Version



Overall Height: 14.94 (380)
End 1 OD: 4.29 (109)
End 2 OD: 4.06 (103)
End 1 ID: 3.47 (88)

AF25627 SCANIA 1387548 Primary Air Filter used with AF25468 Primary Air Filter for AF25468 for Komatsu applications



Overall Height: 20.63 (524)
Overall OD: 12.21 (310)
End 1 ID: 7.07 (180)

AF25607 YANMAR 11425012580



Overall Height: 1.79 (46)
End 1 OD: 4.13 (105)
End 2 OD: 3.94 (100)
End 1 ID: 2.05 (52)
End 2 ID: 0.24 (6)

AF25619 VOLVO CONSTRUCTION EQUIPMENT 11033998 Primary Air Filter used with AF25620



Overall Height: 22.95 (583)
Overall OD: 12.21 (310)
End 1 ID: 7.07 (180)

AF25628 Replaces 83626B



Overall Height: 2.39 (61)
Overall OD: 4.35 (110)
End 1 ID: 3.00 (76)

AF25608 HONDA 17220PE0663












Overall Height: 1.69 (43)
Overall OD: 10.43 (265)
End 2 ID: 7.76 (197)

AF25629 MOTORCRAFT FA1680




Height: 2.30 (58)
Length: 13.35 (339)
Width: 7.23 (184)

E. PRODUCT GUIDE

AF25630 M.A.N. 81619100011  <p>Height: 1.58 (40) Length: 15.75 (400) Width: 7.09 (180)</p>	AF25653 MERCEDES-BENZ 30949604  <p>Overall Height: 13.76 (350) End 1 OD: 13.58 (345) End 2 OD: 10.98 (279) End 2 ID: 4.92 (125)</p>	AF25664 CATERPILLAR 1127448  <p>Height: 1.92 (49) Length: 11.28 (287) Width: 8.92 (227)</p>
AF25631 VOLVO 8149064 Primary Air Filter used with AF26162  <p>Overall Height: 16.30 (414) End 1 OD: 12.66 (322) End 2 OD: 12.01 (305) End 2 ID: 5.91 (150)</p>	AF25654 IVECO 1904581  <p>Overall Height: 13.09 (333) Overall OD: 5.87 (149) End 1 ID: 2.82 (72) End 2 ID: 0.34 (9)</p>	AF25665 CATERPILLAR 1130305  <p>Height: 2.56 (65) Length: 16.61 (422) Width: 5.51 (140)</p>
AF25632 VOLVO 8149961 Primary Air Filter used with AF25317  <p>Overall Height: 16.42 (417) End 1 OD: 13.78 (350) End 2 OD: 13.11 (333) End 2 ID: 7.84 (199)</p>	AF25656 INGERSOLL-RAND 32012957  <p>Overall Height: 4.71 (120) Overall OD: 4.35 (110) End 1 ID: 3.00 (76) End 2 ID: 3.00 (76)</p>	AF25666 CATERPILLAR 7T3519  <p>Height: 3.57 (91) Length: 19.69 (500) Width: 3.94 (100)</p>
AF25634 RENAULT V.I. 5010317187 Safety Element used with AF25333  <p>Overall Height: 17.52 (445) End 1 OD: 7.05 (179) End 2 OD: 6.81 (173) End 1 ID: 5.39 (137)</p>	AF25657 CATERPILLAR 7T7358  <p>Height: 2.45 (62) Length: 13.00 (330) Width: 12.00 (305)</p>	AF25667 DONALDSON P532966 Primary Air Filter used with AF26114  <p>Overall Height: 19.00 (483) Overall OD: 9.30 (236) End 1 ID: 5.17 (131)</p>
AF25635 LEYLAND ACHH325  <p>Overall Height: 14.19 (361) Overall OD: 8.47 (215) End 1 ID: 4.69 (119)</p>	AF25659 CATERPILLAR 8C9657  <p>Height: 2.50 (64) Length: 17.56 (446) Width: 5.98 (152)</p>	AF25668 MOTOR COACH 9G337, BALDWIN PA2839  <p>Overall Height: 15.87 (403) Boot Diameter: 16.85 (428) End 2 OD: 15.09 (383) End 2 ID: 8.26 (210)</p>
AF25636 AC A1518C Upgrade of AF25757  <p>Height: 2.31 (59) Length: 12.31 (313) Width: 9.75 (248)</p>	AF25660 CATERPILLAR 9X4986  <p>Height: 2.81 (71) Length: 14.86 (377) Width: 4.00 (102)</p>	AF25670 BOBCAT 6647380  <p>Overall Height: 6.83 (174) Overall OD: 3.66 (93) End 1 ID: 1.71 (44) End 2 ID: 0.34 (9)</p>
AF25638 HINO 178013030A Safety Element used with AF25416  <p>Overall Height: 12.91 (328) End 1 OD: 5.26 (134) End 2 OD: 4.92 (125) End 2 ID: 3.31 (84)</p>	AF25661 CATERPILLAR 9X3352  <p>Height: 2.44 (62) Length: 9.05 (230) Width: 9.05 (230)</p>	AF25672 NELSON 87295A, CATERPILLAR 7X6041 Height includes 43 mm pull tab  <p>Height: 2.44 (62) Length: 12.24 (311) Width: 9.49 (241)</p>
AF25647 NELSON 70459C  <p>Overall Height: 11.50 (292) Overall OD: 7.88 (200) End 1 ID: 4.13 (105)</p>	AF25662 CATERPILLAR 9X8216  <p>Height: 2.44 (62) Length: 26.97 (685) Width: 5.98 (152)</p>	AF25674 CASE K945043 Primary Air Filter used with AF25686  <p>Overall Height: 10.75 (273) Overall OD: 6.08 (155) End 1 ID: 3.78 (96) End 2 ID: 0.69 (18)</p>
AF25648 TOYOTA 177022347071  <p>Overall Height: 10.92 (277) Overall OD: 5.40 (137) End 1 ID: 3.22 (82)</p>		


E. PRODUCT GUIDE

AF25675 DONALDSON P776490, CATERPILLAR 7R2258



Height: 17.17 (436)
Length: 6.00 (152)
Width: 2.20 (56)

AF25685 DONALDSON P922118 Navistar 9800 Series




Overall Height: 26.36 (670)
End 1 OD: 11.06 (281)
End 2 OD: 7.52 (191)
End 1 ID: 6.87 (175)

AF25697 ELIXAIRE 2244665000




Height: 10.60 (269)
Length: 10.60 (269)
Width: 0.75 (19)

AF25676 JOHN DEERE AM108185, NELSON 70751A Safety Element used with AF25580KM




Overall Height: 7.00 (178)
Flange Diameter: 4.50 (114)
End 2 OD: 2.30 (58)
End 1 ID: 2.07 (53)
End 2 ID: 0.66 (17)

AF25686 MC CORMICK K952344 Safety Element used with AF25674



Overall Height: 9.57 (243)
Overall OD: 3.71 (94)
End 1 ID: 2.56 (65)
End 2 ID: 0.42 (11)

AF25700 CASE 294292A1, IHC 294292A1 Primary Air Filter used with AF25701




Overall Height: 11.66 (296)
End 1 OD: 13.35 (339)
End 2 OD: 13.33 (339)
End 2 ID: 8.21 (208)

AF25677 CATERPILLAR 3E0410, NELSON 87495A




Height: 1.25 (32)
Length: 9.00 (229)
Width: 7.00 (178)

AF25687 MACK 57MD46M




Overall Height: 25.50 (648)
Overall OD: 9.40 (239)
End 1 ID: 5.90 (150)

AF25701 CASE 294293A1 Safety Element used with AF25700



Overall Height: 10.72 (272)
End 1 OD: 8.11 (206)
End 2 OD: 7.69 (195)
End 1 ID: 5.94 (151)

AF25678 JOHN DEERE AH92463, NELSON 83754A




Height: 1.19 (30)
Length: 16.50 (419)
Width: 5.00 (127)

AF25688 Brazil




AF25702 KUBOTA 6C04094250 Safety Element used with AF25703K




Overall Height: 6.22 (158)
End 1 OD: 2.17 (55)
End 2 OD: 2.01 (51)
End 1 ID: 1.58 (40)
End 2 ID: 0.67 (17)

AF25680 CATERPILLAR 2G1946, BALDWIN PA3482




Height: 0.81 (21)
Length: 13.25 (337)
Width: 11.94 (303)

AF25689K CASE D56453




Overall Height: 15.44 (392)
Fin Diameter: 7.81 (198)
End 2 OD: 6.09 (155)
End 1 ID: 3.47 (88)
End 2 ID: 0.69 (17)

AF25703K KUBOTA 6C04094240 Primary Air Filter used with AF25702




Overall Height: 7.28 (185)
Fin Diameter: 4.25 (108)
End 2 OD: 3.29 (84)
End 1 ID: 2.13 (54)
End 2 ID: 0.67 (17)

AF25682 FORD F7CZ9601A, WIX 46406



Overall Height: 7.90 (201)
End 1 OD: 6.87 (174)
End 2 OD: 4.64 (118)
End 1 ID: 3.15 (80)

AF25693 NELSON 870710N, NELSON 870710A



Overall Height: 22.30 (566)
End 1 OD: 10.41 (264)
End 2 OD: 7.79 (198)
End 1 ID: 5.80 (147)
End 2 ID: 3.14 (80)

AF25704 DAF 1385791




Overall Height: 17.09 (434)
Overall OD: 9.61 (244)
End 1 ID: 4.92 (125)

AF25683 FORD F67Z9601AA, MOTORCRAFT FA1641, FORD F67X9601AA, CHAMP AF1641




Overall Height: 5.91 (150)
End 1 OD: 6.96 (177)
End 2 OD: 5.30 (135)
End 1 ID: 3.15 (80)

AF25694 INTERNATIONAL TRUCKS 3507421C1



Overall Height: 23.50 (597)
End 1 OD: 9.65 (245)
End 2 OD: 9.25 (235)
End 2 ID: 5.13 (130)

AF25705 KOBELCO LQ11PU0001S002 Primary Air Filter used with AF25706




Overall Height: 14.75 (375)
Overall OD: 9.18 (233)
End 1 ID: 5.88 (149)

AF25684 FORD F77X9601AA, FORD F77Z9601AA, MOTORCRAFT FA1658, CHAMP AF1658




Height: 2.26 (57)
Length: 8.75 (222)
Width: 7.52 (191)

AF25695 MERCEDES-BENZ 8301118



Height: 1.50 (38)
Length: 14.96 (380)
Width: 5.32 (135)

AF25706 KOBELCO LQ11PU0001S001 Safety Element used with AF25705





























Overall Height: 12.88 (327)
Overall OD: 5.56 (141)
End 1 ID: 4.40 (112)

AF25696 RENAULT V.I. 7701044595



Height: 1.69 (43)
Length: 12.40 (315)
Width: 10.32 (262)


E. PRODUCT GUIDE


<p>AF25707 INTERNATIONAL TRUCKS 3532799C1 Primary Air Filter used with AF25732</p>  <p>Overall Height: 16.00 (406) End 1 OD: 10.22 (260) End 2 OD: 10.19 (259) End 1 ID: 7.97 (202)</p>	<p>AF25721 KHD(KLOCKNER-HUMBOLDT-DEUTZ) 4415905 Primary Air Filter used with AF25722</p>  <p>Overall Height: 14.80 (376) End 1 OD: 6.27 (159) End 2 OD: 6.22 (158) End 2 ID: 3.70 (94)</p>	<p>AF25729 BOMAG 5821149 Primary Air Filter used with AF25730</p>  <p>Overall Height: 16.08 (409) End 1 OD: 8.59 (218) End 2 OD: 8.54 (217) End 2 ID: 4.88 (124)</p>
<p>AF25708 NELSON 871148A</p>  <p>Overall Height: 20.54 (522) Overall OD: 11.02 (280) End 2 ID: 7.93 (201)</p>	<p>AF25722 ATLAS COPCO 1615892700 Safety Element used with AF25721</p>  <p>Overall Height: 14.06 (357) End 1 OD: 3.43 (87) End 2 OD: 3.31 (84) End 1 ID: 2.91 (74)</p>	<p>AF25730 BOMAG 5821150 Safety Element used with AF25729</p>  <p>Overall Height: 15.12 (384) End 1 OD: 4.61 (117) End 2 OD: 4.51 (115) End 1 ID: 4.09 (104)</p>
<p>AF25708M NELSON 870904A Filter used with AH19266, AH19273, AH19274</p>  <p>Overall Height: 20.50 (521) Overall OD: 11.00 (279) End 2 ID: 8.10 (206)</p>	<p>AF25723 KHD(KLOCKNER-HUMBOLDT-DEUTZ) 1180867 Primary Air Filter used with AF25724 Radial Seal</p>  <p>Overall Height: 15.79 (401) End 1 OD: 7.69 (195) End 2 OD: 7.64 (194) End 2 ID: 4.49 (114)</p>	<p>AF25731 MERCEDES-BENZ A0040941104</p>  <p>Height: 3.11 (79) Length: 24.80 (630) Width: 22.44 (570)</p>
<p>AF25709 FORD 6610580</p>  <p>Height: 2.28 (58) Length: 12.44 (316) Width: 5.91 (150)</p>	<p>AF25724 KHD(KLOCKNER-HUMBOLDT-DEUTZ) 1180872 Safety Element used with AF25723</p>  <p>Overall Height: 15.04 (382) End 1 OD: 4.21 (107) End 2 OD: 4.11 (105) End 1 ID: 3.70 (94)</p>	<p>AF25732 INTERNATIONAL TRUCKS 3532800C1 Safety Element used with AF25707</p>  <p>Overall Height: 15.39 (391) Overall OD: 8.09 (205) End 1 ID: 5.28 (134)</p>
<p>AF25710 CASE 367349A1 Primary Air Filter used with AF25711</p>  <p>Overall Height: 13.90 (353) Overall OD: 12.09 (307) End 1 ID: 8.21 (208)</p>	<p>AF25725 ATLAS COPCO 2914930000 Primary Air Filter used with AF25726</p>  <p>Overall Height: 9.96 (253) End 1 OD: 4.54 (115) End 2 OD: 4.49 (114) End 2 ID: 2.52 (64)</p>	<p>AF25733 MERCEDES-BENZ 8356947</p>  <p>Height: 1.12 (29) Length: 13.47 (342) Width: 7.15 (182)</p>
<p>AF25711 CASE 367350A1 Safety Element used with AF25710</p>  <p>Overall Height: 12.96 (329) End 1 OD: 8.11 (206) End 2 OD: 7.69 (195) End 1 ID: 5.94 (151)</p>	<p>AF25726 KHD(KLOCKNER-HUMBOLDT-DEUTZ) 1180868 Safety Element used with AF25725</p>  <p>Overall Height: 9.25 (235) End 1 OD: 2.24 (57) End 2 OD: 2.15 (55) End 1 ID: 1.73 (44)</p>	<p>AF25734 CATERPILLAR 4P0710</p>  <p>Overall Height: 14.38 (365) Overall OD: 19.35 (492) End 1 ID: 12.93 (329)</p>
<p>AF25713 CATERPILLAR 6C9226, TEREX 15270794</p>  <p>Height: 1.00 (25) Length: 11.81 (300) Width: 9.84 (250)</p>	<p>AF25727 KHD(KLOCKNER-HUMBOLDT-DEUTZ) 1319142 Primary Air Filter used with AF25728</p>  <p>Overall Height: 12.60 (320) End 1 OD: 4.92 (125) End 2 OD: 4.89 (124) End 2 ID: 2.91 (74)</p>	<p>AF25735 FIAT HITACHI 1930601 Safety Element used with AF25740K</p>  <p>Overall Height: 11.95 (304) End 1 OD: 5.97 (152) End 2 OD: 5.96 (151) End 1 ID: 0.67 (17) End 2 ID: 4.85 (123)</p>
<p>AF25719 MERCEDES-BENZ 6380900151</p>  <p>Height: 2.70 (69) Length: 13.07 (332) Width: 10.32 (262)</p>	<p>AF25728 DEUTZ AG 1180869 Safety Element used with AF25727</p>  <p>Overall Height: 11.89 (302) End 1 OD: 2.64 (67) End 2 OD: 2.54 (65) End 1 ID: 2.13 (54)</p>	<p>AF25740K FIAT HITACHI 1930600 Primary Air Filter used with AF25735</p>  <p>Overall Height: 13.47 (342) Fin Diameter: 11.73 (298) End 2 OD: 9.67 (246) End 1 ID: 6.06 (154) End 2 ID: 0.63 (16)</p>
<p>AF25720K TOYOTA 17803F980171 Primary Air Filter used with AF25741</p>  <p>Overall Height: 11.52 (293) Fin Diameter: 6.34 (161) End 2 OD: 5.24 (133) End 1 ID: 3.35 (85) End 2 ID: 0.67 (17)</p>	<p>AF25741 TOYOTA 178042300071 Safety Element used with AF25720K</p>  <p>Overall Height: 10.37 (264) Overall OD: 3.23 (82) End 1 ID: 2.54 (65) End 2 ID: 0.48 (12)</p>	


E. PRODUCT GUIDE


AF25742 GMC 25099849 Engine Application


 Height: 2.08 (53)
 Length: 15.93 (405)
 Width: 7.90 (201)


AF25745 KUBOTA 6A10082632

 Overall Height: 6.99 (178)
 Overall OD: 3.66 (93)
 End 1 ID: 1.71 (44)


AF25746 Primary Air Filter used with AF25747 Filter used with AH19262, AH19263

 Overall Height: 16.92 (430)
 Overall OD: 8.82 (224)
 End 1 ID: 5.12 (130)


AF25747 Safety Element used with AF25746

 Overall Height: 16.02 (407)
 End 1 OD: 5.30 (135)
 End 2 OD: 5.17 (131)
 End 1 ID: 3.26 (83)


AF25748 RENAULT AGRICULTURE 7700050840 Primary Air Filter used with AF25749

 Overall Height: 18.66 (474)
 Overall OD: 9.29 (236)
 End 1 ID: 5.20 (132)

AF25749 RENAULT AGRICULTURE 7700050841 Safety Element used with AF25748

 Overall Height: 17.72 (450)
 End 1 OD: 5.20 (132)
 End 2 OD: 4.96 (126)
 End 1 ID: 3.70 (94)

AF25750 NELSON 871064N

 Overall Height: 23.58 (599)
 End 1 OD: 16.25 (413)
 End 2 OD: 13.81 (351)
 End 1 ID: 9.50 (241)


AF25751 NELSON 870178N

 Overall Height: 19.30 (490)
 Overall OD: 15.12 (384)
 End 1 ID: 10.00 (254)


AF25752 NELSON 870179N

 Overall Height: 18.30 (465)
 End 1 OD: 9.89 (251)
 End 2 OD: 9.88 (251)
 End 1 ID: 8.05 (204)


AF25753 MANITOU 177178 Safety Element used with AF25006K

 Overall Height: 10.12 (257)
 End 1 OD: 3.07 (78)
 End 2 OD: 2.62 (67)
 End 1 ID: 2.21 (56)
 End 2 ID: 0.34 (9)

AF25754 GMC 25099149

 Height: 7.16 (182)
 Length: 9.41 (239)
 Width: 1.59 (40)


AF25755 RENAULT AGRICULTURE 7700039510 Safety Element used with AF25504

 Overall Height: 14.35 (365)
 End 1 OD: 4.29 (109)
 End 2 OD: 4.06 (103)
 End 1 ID: 3.47 (88)


AF25756 VOLVO CONSTRUCTION EQUIPMENT 11110022 Primary Air Filter used with AF25523

 Overall Height: 20.65 (525)
 Overall OD: 11.06 (281)
 End 1 ID: 5.91 (150)


AF25757 AC A1519C, GMC 25313348 For Upgrade, use AF25636 Light Duty

 Height: 9.75 (248)
 Length: 12.31 (313)
 Width: 2.31 (59)


AF25758M GMC 2062062


 Overall Height: 8.05 (204)
 Overall OD: 12.08 (307)
 End 1 ID: 6.69 (170)


AF25761 AIR REFINER ARM1510 Is a shorter version of AF953K without the fin

 Overall Height: 9.68 (246)
 Overall OD: 6.08 (154)
 End 1 ID: 3.48 (88)
 End 2 ID: 0.67 (17)


AF25762 JOHN DEERE AT69308 Is a short version of AF1828

 Overall Height: 16.59 (421)
 End 1 OD: 12.80 (325)
 End 2 OD: 12.08 (307)
 End 1 ID: 0.90 (23)
 End 2 ID: 7.73 (196)


AF25763M AIR REFINER ARM529241 Primary Air Filter used with AF25764 Is a short version of AF975M

 Overall Height: 18.55 (471)
 Overall OD: 10.86 (276)
 End 1 ID: 6.50 (165)
 End 2 ID: 0.92 (23)


AF25764 FRAM CA7106SY Safety Element used with AF25763M Is a short version of AF976

 Overall Height: 17.43 (443)
 End 1 OD: 6.41 (163)
 End 2 OD: 6.39 (162)
 End 1 ID: .67 (17)
 End 2 ID: 5.27 (134)

AF25767 MASSEY-FERGUSON 3902806M1 Primary Air Filter used with AF25768

 Overall Height: 21.36 (543)
 Overall OD: 9.51 (242)
 End 2 ID: 5.57 (142)



AF25768 MASSEY-FERGUSON 3902812M1 Safety Element used with AF25767

 Overall Height: 20.43 (519)
 End 1 OD: 5.41 (138)
 End 2 OD: 5.32 (135)
 End 1 ID: 4.92 (125)












AF25769 ATLAS COPCO 2914501700 Primary Air Filter used with AF25770

 Overall Height: 23.39 (594)
 Overall OD: 11.73 (298)
 End 2 ID: 8.07 (205)

AF25770 ATLAS COPCO 2914501800 Safety Element used with AF25769

 Overall Height: 22.44 (570)
 End 1 OD: 7.72 (196)
 End 2 OD: 7.60 (193)
 End 1 ID: 7.21 (183)

AF25771

 Overall Height: 19.38 (492)
 End 1 OD: 13.72 (348)
 End 2 OD: 12.09 (307)
 End 1 ID: 9.25 (235)

E. PRODUCT GUIDE

AF25772	TAMROCK 88021199		Overall Height: 24.21 (615) Overall OD: 4.53 (115) Thread Size: M62X4
AF25773	CUMMINS 3430460		Height: 6.26 (159) Length: 17.72 (450) Width: 18.70 (475)
AF25774	CASE 139768A1		Height: 2.44 (62) Length: 12.18 (309) Width: 4.00 (102)
AF25775	JOHN DEERE AT141209		Height: 2.44 (62) Length: 14.75 (375) Width: 4.88 (124)
AF25776	CATERPILLAR 7T8945, CATERPILLAR 7X6012		Height: 2.50 (64) Length: 9.05 (230) Width: 9.05 (230)
AF25777	CASE 1970006C2		Height: 2.19 (56) Length: 20.00 (508) Width: 9.00 (229)
AF25778	CRENLO 120621		Height: 2.69 (68) Length: 26.97 (685) Width: 6.25 (159)
AF25779	AGCO 559300, EXCEL 37077, MELROE 6620654		Height: 2.19 (56) Length: 28.00 (711) Width: 7.50 (191)
AF25780	CATERPILLAR 1807487		Height: 2.56 (65) Length: 16.85 (428) Width: 11.73 (298)
AF25781	CATERPILLAR 1193355		Height: 2.56 (65) Length: 15.94 (405) Width: 7.87 (200)




























AF25782	NELSON 870404G		Height: 2.44 (62) Length: 32.76 (832) Width: 3.87 (98)
AF25783	AGCO 71362389		Height: 2.19 (56) Length: 24.00 (610) Width: 9.00 (229)
AF25785	NEW HOLLAND 627749		Height: 2.19 (56) Length: 30.00 (762) Width: 9.50 (241)
AF25786	JOHN DEERE AT170037		Height: 2.31 (59) Length: 14.76 (375) Width: 6.89 (175)
AF25787	CRENLO 128151		Height: 2.69 (68) Length: 26.97 (685) Width: 6.25 (159)
AF25788	CASE R53519		Height: 2.44 (62) Length: 13.58 (345) Width: 4.00 (102)
AF25789	AC A964C		Height: 2.69 (68) Length: 44.00 (1118) Width: 4.00 (102)
AF25790	CASE 240883A2		Height: 2.56 (65) Length: 14.14 (359) Width: 7.12 (181)
AF25791	NEW HOLLAND 9672473, NEW HOLLAND 107219		Height: 2.19 (56) Length: 28.00 (711) Width: 6.00 (152)
AF25792	RED DOT 585820		Height: 1.25 (32) Length: 15.00 (381) Width: 8.00 (203)
AF25794	MANITOU 563415 Safety Element used with AF25795		Overall Height: 13.01 (331) End 1 OD: 3.66 (93) End 2 OD: 3.43 (87) End 1 ID: 2.84 (72)

AF25795	MANITOU 563416 Primary Air Filter used with AF25794		Overall Height: 13.60 (346) Overall OD: 6.38 (162) End 1 ID: 3.62 (92)
AF25797	RENAULT V.I. 5001847123		Height: 2.22 (57) Length: 12.40 (315) Width: 10.32 (262)
AF25799	CUMMINS 3429703		Height: 6.26 (159) Length: 13.78 (350) Width: 17.72 (450)
AF25801	NISSAN 1654621566 Primary Air Filter used with AF4658		Overall Height: 15.34 (390) End 1 OD: 12.08 (307) End 2 OD: 12.02 (305) End 1 ID: 7.73 (196) End 2 ID: 0.67 (17)
AF25825	KHD(KLOCKNER- HUMBOLDT-DEUTZ) 12134578		Height: 2.87 (73) Length: 19.57 (497) Width: 19.57 (497)
AF25827	CUMMINS 4013821 Applied on Cummins PowerGen Units/Landfill Equipment with QSV81/91 Liter Natural Gas		
AF25829	SCANIA 1420197		Height: 2.70 (69) Length: 9.17 (233) Width: 6.85 (174)
AF25830	VOLVO CONSTRUCTION EQUIPMENT 11110217 Primary Air Filter used with AF25897		Overall Height: 19.33 (491) Overall OD: 14.15 (360) End 1 ID: 8.92 (227)
AF25840	DAF 1322255		Height: 1.02 (26) Length: 12.60 (320) Width: 9.27 (236)

E. PRODUCT GUIDE

AF25841 FORD 4041615  Height: 2.26 (58) Length: 10.95 (278) Width: 7.07 (180)	AF25872 DAF 1433690  Overall Height: 13.23 (336) Overall OD: 8.47 (215) End 1 ID: 4.69 (119)	AF25888 CARRIER 300043022  Overall Height: 9.90 (252) End 1 OD: 4.41 (112) End 2 OD: 3.92 (100) End 1 ID: 2.34 (60)
AF25848 Duramax Diesel  Height: 2.31 (59) Length: 12.31 (313) Width: 9.75 (248)	AF25873 DAF 1433697  Overall Height: 16.38 (416) Overall OD: 8.47 (215) End 1 ID: 4.69 (119)	AF25889 DYNAPAC 380294 Safety Element used with AF25890  Overall Height: 9.11 (232) End 1 OD: 3.31 (84) End 2 OD: 3.07 (78) End 1 ID: 2.48 (63)
AF25849 MASSEY-FERGUSON 3388840M2  Height: 2.40 (61) Length: 34.65 (880) Width: 5.32 (135)	AF25875 IVECO 42471161  Overall Height: 13.15 (334) Overall OD: 9.72 (247) End 2 ID: 5.47 (139)	AF25890 DYNAPAC 380295 Primary Air Filter used with AF25889  Overall Height: 9.69 (246) Overall OD: 4.96 (126) End 1 ID: 3.21 (82)
AF25852 INGERSOLL-RAND 39708466 	AF25876 IVECO 42471166  Overall Height: 15.43 (392) Overall OD: 9.72 (247) End 2 ID: 5.47 (139)	AF25893 KALMAR 9238720542  Overall Height: 18.39 (467) Overall OD: 13.83 (351) End 1 ID: 9.48 (241) End 2 ID: 0.54 (14)
AF25854 GMC 15153904 Chevrolet Van 5.7L Model 3500  Overall Height: 12.87 (327) Overall OD: 5.44 (138) End 1 ID: 3.20 (81)	AF25877 ONAN 1402636 Primary Air Filter used with AF25878 Filter used with AH19323  Overall Height: 20.65 (525) Overall OD: 11.54 (293) End 1 ID: 7.01 (178) End 2 ID: 0.39 (10)	AF25894 M.A.N. 81084050016 Primary Air Filter used with AF25896 Flame Retardant Media  Overall Height: 20.08 (510) Overall OD: 10.51 (267) End 2 ID: 6.26 (159)
AF25855 STIHL 42231410300  Height: 1.85 (47) Length: 5.32 (135) Width: 3.48 (89)	AF25878 ONAN 1402638 Safety Element used with AF25877 Filter used with AH19323  Overall Height: 19.11 (486) Overall OD: 6.85 (174) End 1 ID: 5.41 (138) End 2 ID: 0.62 (16)	AF25895 IVECO 500339085  Overall Height: 2.42 (62) Largest OD: 3.17 (81) Thread Size: M16X1.5
AF25856 NELSON 70988F Primary Air Filter used with AF25857 Used in Reyltor housing RT1216M  Overall Height: 16.75 (425) Overall OD: 9.30 (236) End 1 ID: 4.90 (124)	AF25886 CATERPILLAR 1080671 Primary Air Filter used with AF25887  Overall Height: 11.59 (295) Overall OD: 8.19 (208) End 1 ID: 4.17 (106)	AF25896 M.A.N. 81084050017 Safety Element used with AF25894  Overall Height: 17.97 (457) End 1 OD: 6.14 (156) End 2 OD: 6.12 (156) Thread Size: 143 X 6 (DIN 6063)
AF25857 NELSON 70989F Safety Element used with AF25856 Used in Reyltor housing RT1216M  Overall Height: 15.50 (394) End 1 OD: 5.10 (130) End 2 OD: 4.90 (124) End 1 ID: 4.10 (104)	AF25887 CATERPILLAR 1080672 Safety Element used with AF25886  Overall Height: 10.83 (275) End 1 OD: 4.25 (108) End 2 OD: 4.02 (102) End 1 ID: 2.60 (66)	AF25897 VOLVO 11110218, VOLVO CONSTRUCTION EQUIPMENT 11110218 Safety Element used with AF25830  Overall Height: 19.04 (484) End 1 OD: 9.06 (230) End 2 OD: 8.66 (220) End 1 ID: 7.01 (178)
AF25858 Is a short version of AF25247  Overall Height: 21.57 (548) End 1 OD: 11.22 (285) End 2 OD: 11.15 (283) End 1 ID: 6.82 (173)		

E. PRODUCT GUIDE

<p>AF25898 RENAULT V.I. 5010315990</p>  <p>Overall Height: 14.59 (371) End 1 OD: 9.65 (245) End 2 OD: 9.61 (244) End 1 ID: 4.98 (127)</p>	<p>AF25953 VOLVO-BM 11007848</p>  <p>Height: 2.76 (70) Length: 15.55 (395) Width: 12.99 (330)</p>	<p>AF25961 Safety Element used with AF25960 Filter used with AH19260, AH19331, AH19490 OptiAir 800 Series Safety Element</p>  <p>Overall Height: 13.16 (334) End 1 OD: 5.02 (128) End 2 OD: 3.39 (86)</p>
<p>AF25899 M.A.N. 81083040093</p>  <p>Overall Height: 19.61 (498) Overall OD: 9.76 (248) End 1 ID: 4.72 (120)</p>	<p>AF25954 VOLVO-BM 11007847</p>  <p>Height: 0.59 (15) Length: 18.11 (460) Width: 15.67 (398)</p>	<p>AF25962 Primary Air Filter used with AF25963 Filter used with AH19333, AH19334 11" OptiAir 1100 Series</p>  <p>Overall Height: 16.80 (427) End 1 OD: 8.80 (224) End 1 ID: 7.14 (181)</p>
<p>AF25904 CUMMINS 4071693</p>  <p>Overall Height: 9.71 (247) Overall OD: 5.12 (130) End 1 ID: 2.76 (70) End 2 ID: 0.43 (11)</p>	<p>AF25955 BALDWIN RS4572 Has the same design features as the AF25248 except it is 4 inches shorter.</p>  <p>Overall Height: 22.14 (562) End 1 OD: 12.92 (328) End 2 OD: 12.80 (325) End 1 ID: 7.46 (189)</p>	<p>AF25963 Safety Element used with AF25962 Filter used with AH19334 11" OptiAir 1100 Series</p>  <p>Overall Height: 15.96 (405) End 1 OD: 7.25 (184) End 2 OD: 4.77 (121)</p>
<p>AF25906 CUMMINS 4055592</p>  <p>Overall Height: 24.49 (622) Overall OD: 14.25 (362) End 1 ID: 9.88 (251) End 2 ID: 0.93 (24)</p>	<p>AF25956 MERCEDES-BENZ 8303318</p>  <p>Height: 1.06 (27) Length: 14.80 (376) Width: 6.77 (172)</p>	<p>AF25964 TIMBERJACK F434072 Primary Air Filter used with AF25491</p>  <p>Overall Height: 16.58 (421) Overall OD: 8.19 (208) End 1 ID: 4.17 (106)</p>
<p>AF25907 CUMMINS 4055591</p>  <p>Overall Height: 22.26 (566) Overall OD: 9.80 (249) End 1 ID: 8.68 (221) End 2 ID: 0.90 (23)</p>	<p>AF25957 FENDT H411201090100 Primary Air Filter used with AF25618</p>  <p>Overall Height: 15.53 (395) Overall OD: 7.24 (184) End 1 ID: 4.13 (105)</p>	<p>AF25966M TOWMOTOR 690826 Flame Retardant Media</p>  <p>Overall Height: 9.02 (229) End 1 OD: 6.85 (174) End 2 OD: 6.83 (174) End 2 ID: 4.23 (107)</p>
<p>AF25910 CUMMINS 3814695</p>  <p>Overall Height: 12.03 (306) Overall OD: 7.78 (198) End 1 ID: 4.33 (110) End 2 ID: 0.34 (9)</p>	<p>AF25958K J.C.B. 32913601 Primary Air Filter used with AF4654</p>  <p>Overall Height: 12.05 (306) Cover Diameter: 7.13 (181) Fin Diameter: 6.34 (161) End 2 ID: 2.82 (72) Thread Size: M10 X 1.5-6H INT</p>	<p>AF25967 BOBCAT 6673753 Safety Element used with AF25538</p>  <p>Overall Height: 6.06 (154) End 1 OD: 1.79 (46) End 2 OD: 1.52 (39) End 1 ID: 1.12 (29)</p>
<p>AF25911 CUMMINS 3814696</p>  <p>Overall Height: 10.87 (276) Overall OD: 4.09 (104) End 1 ID: 3.58 (91) End 2 ID: 0.66 (17)</p>	<p>AF25959 Filter used with AH19330</p>  <p>Overall Height: 10.80 (274) End 1 OD: 4.13 (105) End 1 ID: 3.00 (76)</p>	<p>AF25968 MC CORMICK 334755A2</p>  <p>Height: 1.02 (26) Length: 19.02 (483) Width: 6.10 (155)</p>
<p>AF25913 CUMMINS 3815068</p>  <p>Overall Height: 12.34 (314) Overall OD: 9.09 (231) End 1 ID: 4.78 (122) End 2 ID: 0.39 (10)</p>	<p>AF25960 Primary Air Filter used with AF25961 Filter used with AH19260, AH19261, AH19331, AH19332, AH19490, AH19491 8" OptiAir 800 Series</p>  <p>Overall Height: 14.08 (358) End 1 OD: 6.42 (163) End 2 OD: 6.41 (163) End 1 ID: 4.90 (124)</p>	<p>AF25969 SCANIA 1335680 Safety Element used with AF25313</p>  <p>Overall Height: 19.82 (504) End 1 OD: 6.68 (170) End 2 OD: 6.44 (164) End 1 ID: 5.22 (133)</p>
<p>AF25914 CUMMINS 3815069</p>  <p>Overall Height: 9.31 (237) Overall OD: 4.72 (120) End 1 ID: 3.98 (101) End 2 ID: 0.64 (16)</p> <p>AF25952M Is a longer version of AF25525</p>  <p>Overall Height: 25.45 (646) End 1 OD: 9.32 (237) End 2 OD: 9.23 (234) End 1 ID: 5.78 (147)</p>	<p>AF25972 IVECO 500387947</p>  <p>Height: 1.38 (35) Length: 17.21 (437) Width: 3.92 (100)</p>	

E. PRODUCT GUIDE


AF25975  DAF 1657523 Flame Retardant Media Overall Height: 19.09 (485) End 1 OD: 10.59 (269) End 2 OD: 10.43 (265) End 1 ID: 6.38 (162)	AF26107  INTERNATIONAL TRUCKS 3532799C1 OptiAir replacement with flame retardant media Overall Height: 16.00 (406) End 1 OD: 10.22 (260) End 2 OD: 10.19 (259) End 1 ID: 7.97 (202)	AF26117  Primary Air Filter used with AF26118 Filter used with AH19476, AH19477, AH19488, AH19489 6" OptiAir 600 Series. Overall Height: 297.0 (7541) End 1 OD: 158.4 (4023) End 1 OD: 87.6 (2225) End 1 ID: 44.1 (1120)
AF25976  DAF 1657522 Flame Retardant Media Overall Height: 16.73 (425) End 1 OD: 10.59 (269) End 2 OD: 10.43 (265) End 1 ID: 6.38 (162)	AF26108  KHD(KLOCKNER-HUMBOLDT-DEUTZ) 4411228 Height: 2.76 (70) Length: 21.97 (558) Width: 2.95 (75)	AF26118  Safety Element used with AF26117 Filter used with AH19477, AH19488 OptiAir 600 Series Safety Element
AF25977  WAUKESHA 169180A, WAUKESHA 169180C Height: 5.25 (133) Length: 25.50 (648) Width: 19.50 (495)	AF26109  Quincy Air Compressor Model 120382 Overall Height: 19.50 (495) Overall OD: 7.38 (187) End 1 ID: 6.12 (155) End 2 ID: 0.76 (19)	AF26119  MC CORMICK 248124A1 Height: 2.24 (57) Length: 18.47 (469) Width: 4.59 (117)
AF25978  NEW HOLLAND 1930825 Safety Element used with AF25342, AF25348K Overall Height: 12.05 (306) End 1 OD: 4.13 (105) End 2 OD: 3.35 (85) End 1 ID: 2.95 (75) End 2 ID: 0.67 (17)	AF26111M  REYTOR IT2015 Overall Height: 17.67 (449) End 1 OD: 11.11 (282) End 2 OD: 10.96 (278) End 1 ID: 5.87 (149)	AF26120  Primary Air Filter used with AF26121 Filter used with AH19478, AH19479 10" OptiAir 1000 Series Overall Height: 14.86 (377) End 1 OD: 7.59 (193) End 2 OD: 7.55 (192) End 1 ID: 5.77 (147)
AF25996  Overall Height: 16.09 (409) End 1 OD: 10.35 (263) End 2 OD: 10.24 (260) End 1 ID: 5.87 (149)	AF26112M  FORD F6HZ9601BA Overall Height: 17.22 (437) End 1 OD: 13.05 (331) End 2 OD: 12.90 (328) End 1 ID: 6.78 (172)	AF26121  Safety Element used with AF26120 Filter used with AH19479 10" OptiAir 1000 Series Overall Height: 14.15 (360) End 1 OD: 5.89 (150) End 2 OD: 4.13 (105) End 1 ID: 2.98 (76)
AF25997  VOLKSWAGEN 2S0129620 Mexico only Overall Height: 16.09 (409) End 1 OD: 10.35 (263) End 2 OD: 10.24 (260) End 1 ID: 5.87 (149)	AF26113  CUMMINS 3683458 Filter used with 3941157 Cummins ISX and ISM Applications Overall Height: 2.56 (65) Largest OD: 2.99 (76) Largest OD: 2.76 (70) Largest OD: 3.05 (77) Thread Size: M16 X 1.5-6H INT	AF26124  Primary Air Filter used with AF26125 Filter used with AH19480, AH19481 OptiAir 1300 Series Primary Element Overall Height: 20.46 (520) End 1 OD: 10.33 (262) End 2 OD: 10.31 (262) End 1 ID: 8.04 (204)
AF26103 IHC 3551814C1	AF26114  CASE 249988A1 Safety Element used with AF25667 Freightliner Truck Class 7 Model FL70 & FL80 Class Overall Height: 18.43 (468) End 1 OD: 5.20 (132) End 2 OD: 4.96 (126) End 1 ID: 3.70 (94)	AF26125  Safety Element used with AF26124 Filter used with AH19481 OptiAir 1300 Series Safety Element Overall Height: 19.52 (496) End 1 OD: 8.05 (204) End 2 OD: 4.13 (105) End 1 ID: 5.24 (133)
AF26105  REYTOR IT2015S Overall Height: 16.19 (411) End 1 OD: 6.07 (154) End 2 OD: 5.60 (142)	AF26116  Primary Air Filter used with AF26167 Filter used with AH19474, AH19484, AH19485, AH19496 4" OptiAir 400 Series. Overall Height: 180.0 (4572) End 1 OD: 90.2 (2291) End 2 OD: 89.0 (2261) End 1 ID: 60.5 (1537)	AF26127  CATERPILLAR 9Y5011 Replaces 85160B, 85498A Overall Height: 2.50 (64) Largest OD: 3.12 (79) Thread Size: NONE
AF26106  CHRYSLER 53032700AB Inside/out flow Height: 2.78 (71) Length: 10.91 (277) Width: 9.92 (252)	AF26131  FORD 4L3Z9601BA Height: 1.41 (36) Length: 11.30 (287) Width: 8.50 (216)	

E. PRODUCT GUIDE

AF26139 FODEN 1322259  Height: 1.02 (26) Length: 16.93 (430) Width: 6.54 (166)	AF26153 Freightliner M2 Truck Applications 	AF26166 Safety Element used with AF26168 Filter used with AH19482, AH19486 OptiAir 500 Series Safety Element Overall Height: 9.92 (252) End 1 OD: 3.05 (78) End 2 OD: 1.44 (37) End 1 ID: 1.89 (48)
AF26140 MC CORMICK 330266M92  Height: 2.36 (60) Length: 23.03 (585) Width: 7.09 (180)	AF26154 Freightliner M2 Truck Applications 	AF26167 Safety Element used with AF26116 Filter used with AH19484, AH19496 OptiAir 400 Series Safety Element Overall Height: 6.35 (161) End 1 OD: 2.41 (61) End 2 OD: 1.72 (44) End 1 ID: 1.72 (44)
AF26142 Used on New Holland Tractor Models 9384, 9484, 9682, 9684, 9882, & 9884  Height: 7.0 (178) Length: 39.0 (991) Width: 2.1 (53)	AF26155 JOHN DEERE AL150288 	AF26168 Primary Air Filter used with AF26166 Filter used with AH19482, AH19483, AH19486, AH19487 5" OptiAir 500 Series Overall Height: 10.72 (272) Overall OD: 4.13 (105) End 1 ID: 3.19 (81)
AF26143 M.A.N. 81619100018  Height: 2.76 (70) Length: 18.41 (468) Width: 7.87 (200)	AF26156 JOHN DEERE AL150285 	AF26169 CATERPILLAR 8N2555 Used with AF4609 Foam Blanket Overall Height: 9.50 (241) Overall OD: 20.20 (513) End 1 ID: 19.20 (488)
AF26144 MERCEDES-BENZ 9738350147  Height: 1.18 (30) Length: 23.03 (585) Width: 6.85 (174)	AF26157 JOHN DEERE AL119839 	AF26170 INGERSOLL-RAND 39708466  Overall Height: 5.02 (128) Overall OD: 10.24 (260) End 1 ID: 6.10 (155)
AF26145 DAF 1362124  Height: 1.77 (45) Length: 10.20 (259) Width: 6.54 (166)	AF26158 FORD 2U2J9601BA Ford 7.3L PowerStroke Applications. 	AF26172 MERCEDES-BENZ A0040941804, MERCEDES-BENZ 40941804  Overall Height: 13.94 (354) Overall OD: 7.24 (184) End 1 ID: 4.13 (105)
AF26146 IVECO 504024890  Height: 1.00 (26) Length: 17.72 (450) Width: 8.13 (207)	AF26159 HUMMER 88944151 	AF26174 MERCEDES-BENZ A9408350047  Height: 1.18 (30) Length: 17.68 (449) Width: 7.78 (198)
AF26147 ATLAS COPCO 3214623900  Overall Height: 23.62 (600) Overall OD: 4.72 (120) Thread Size: M76X4	AF26161 CASE 87300190, NEW HOLLAND 87300189 CNH Class 1 Compact Tractors with ISM (Shibaura) Engine 	AF26175 FENDT H311200090100  Overall Height: 13.56 (345) Overall OD: 7.48 (190) End 1 ID: 3.74 (95)
AF26149K CASE 87300211, NEW HOLLAND 87300210 CNH Class 4 Compact Tractors with ISM (Shibaura) engines. New Holland and Boomer Utility Tractors (48 and 55 Gross hp) Overall Height: 11.50 (292) Fin Diameter: 6.41 (163) End 2 OD: 5.25 (133) End 1 ID: 3.25 (83) End 2 ID: 0.66 (17)	AF26162 VOLVO 3979928 Safety Element used with AF25631  Overall Height: 17.36 (441) End 1 OD: 6.63 (169) End 2 OD: 5.63 (143) End 1 ID: 5.37 (137)	AF26165 MERCEDES-BENZ 40942404  Overall Height: 13.56 (345) Cover Diameter: 20.47 (520) End 2 OD: 16.02 (407) End 1 ID: 8.73 (222)
AF26150 CASE 87300209, NEW HOLLAND 87300208 CNH Class 4 Compact Tractors with ISM (Shibaura) Engines 	AF26163M VOLVO 20411815 Primary Air Filter used with AF26212 Applied on Volvo Trucks with Cummins ISX engine. 	
AF26152 FORD 3C3Z9601BA 		


E. PRODUCT GUIDE

AF26176 FENDT H311200090110




Overall Height: 13.29 (338)
End 1 OD: 3.90 (99)
End 2 OD: 3.43 (87)
End 1 ID: 2.84 (72)

AF26192 LINDE 9839001 Safety Element used with AF26191




Overall Height: 11.06 (281)
End 1 OD: 2.52 (64)
End 2 OD: 2.40 (61)
End 1 ID: 1.81 (46)

AF26206 FENDT H916201091060 Safety Element used with AF26205




Overall Height: 17.24 (438)
End 1 OD: 5.93 (151)
End 2 OD: 5.59 (142)
End 1 ID: 4.11 (105)

AF26178 Applied on John Deere Wheel Loader 644H




Overall Height: 11.51 (292)
Overall OD: 6.42 (163)
End 1 ID: 3.74 (95)

AF26193 NISSAN 16546FJ170 Flame Retardant Media. Nissan Forklifts.




Overall Height: 10.78 (274)
Overall OD: 4.13 (105)
End 2 ID: 2.36 (60)

AF26207 NEW HOLLAND 84432503 Primary Air Filter used with AF26208




Overall Height: 24.92 (633)
Overall OD: 14.15 (360)
End 1 ID: 8.92 (227)

AF26181 Applied on Caterpillar D6H Crawlers




Height: 2.69 (68)
Length: 21.25 (540)
Width: 5.90 (150)

AF26194 CATERPILLAR 4P0711




Overall Height: 14.30 (363)
Flange Diameter: 15.63 (397)
End 1 ID: 10.14 (258)

AF26208 NEW HOLLAND 84432504 Safety Element used with AF26207




Overall Height: 24.61 (625)
End 1 OD: 9.06 (230)
End 2 OD: 8.66 (220)
End 1 ID: 7.01 (178)

AF26182 JOHN DEERE AT73529



Height: 2.69 (68)
Length: 29.50 (749)
Width: 5.00 (127)

AF26199 IVECO 2992388




Overall Height: 16.32 (415)
Overall OD: 9.13 (232)
End 1 ID: 5.47 (139)

AF26209 TEREX 15273424 Primary Air Filter used with AF26210



Overall Height: 20.51 (521)
Overall OD: 14.15 (360)
End 1 ID: 8.92 (227)

AF26183 MC CORMICK 3233584R2




Height: 1.48 (38)
Length: 13.74 (349)
Width: 5.93 (151)

AF26201 JOHN DEERE RE172447




Overall Height: 10.83 (275)
End 1 OD: 6.89 (175)
End 2 OD: 6.50 (165)
End 1 ID: 5.28 (134)

AF26210 TEREX 15273425 Safety Element used with AF26209




Overall Height: 20.28 (515)
End 1 OD: 9.06 (230)
End 2 OD: 8.66 (220)
End 1 ID: 7.01 (178)

AF26185 CUMMINS POWER GENERATION LTD 1403828




Overall Height: 5.59 (142)
Overall OD: 4.96 (126)
End 1 ID: 2.36 (60)

AF26202 IVECO 42537392




Overall Height: 20.98 (533)
End 1 OD: 10.47 (266)
End 2 OD: 10.51 (267)
End 1 ID: 6.26 (159)

AF26211 VOLKSWAGEN 2S0129620A Mexico only, Secondary Element: AF25997




Overall Height: 16.63 (422)
Overall OD: 5.63 (143)
End 1 OD: 5.21 (132)
End 1 ID: 4.54 (115)

AF26186 CUMMINS POWER GENERATION LTD 1403829




Overall Height: 5.59 (142)
Overall OD: 4.96 (126)
End 1 ID: 2.36 (60)

AF26203 GMC 2002268, FORD 1C3Z9601AA




Height: 3.30 (84)
Width: 7.23 (184)

AF26212 VOLVO 20411816 Safety Element used with AF26163M



Overall Height: 18.46 (469)
Overall OD: 8.38 (213)

AF26187 CUMMINS POWER GENERATION LTD 1403830




Overall Height: 5.59 (142)
Overall OD: 4.96 (126)
End 1 ID: 2.36 (60)

AF26204 IVECO 2992374 Primary Air Filter used with AF26245



Overall Height: 19.01 (483)
Overall OD: 12.89 (327)
End 1 ID: 8.58 (218)
End 2 ID: 0.41 (11)

AF26213 IVECO 500314688



Height: 1.22 (31)
Length: 11.30 (287)
Width: 6.32 (161)

AF26188 VOLVO 876069




Overall Height: 6.40 (163)
Overall OD: 3.39 (86)
End 1 ID: 1.61 (41)

AF26205 FENDT H916201091050 Primary Air Filter used with AF26206




Overall Height: 18.19 (462)
Overall OD: 11.06 (281)
End 1 ID: 5.91 (150)

AF26214 NEW HOLLAND 84072431 Primary Air Filter used with AF26215






















Overall Height: 22.95 (583)
Overall OD: 11.06 (281)
End 1 ID: 5.91 (150)

AF26191 LINDE 9839000 Primary Air Filter used with AF26192




Overall height: 11.61 (295)
End 1 OD: 5.20 (132)
End 1 ID: 2.56 (65)

E. PRODUCT GUIDE

<p>AF26215 NEW HOLLAND 84072430 Safety Element used with AF26214</p>  <p>Overall Height: 22.05 (560) End 1 OD: 5.93 (151) End 2 OD: 5.59 (142) End 1 ID: 4.11 (105)</p>	<p>AF26245 IVECO 41214149 Safety Element used with AF26204</p>  <p>Overall Height: 18.90 (480) End 1 OD: 10.47 (266) End 2 OD: 10.51 (267) End 1 ID: 6.26 (159)</p>	<p>AF26275 J.C.B. 32210101</p>  <p>Overall Height: 15.51 (394) Overall OD: 8.47 (215) End 1 ID: 4.69 (119)</p>
<p>AF26226 M.A.N. 81779100012</p>  <p>Height: 1.18 (30) Length: 18.23 (463) Width: 9.43 (240)</p>	<p>AF26246 M.A.N. 81083040100</p>  <p>Overall Height: 18.90 (480) End 1 OD: 10.47 (266) End 2 OD: 10.51 (267) End 1 ID: 6.26 (159)</p>	<p>AF26279 IVECO 41272212 Fire Resistant version of AF25062</p>  <p>Overall Height: 24.35 (618) End 1 OD: 12.91 (328) End 2 OD: 12.89 (328) End 1 ID: 8.56 (218) End 2 ID: 0.41 (11)</p>
<p>AF26230 KUBOTA 6798082632</p>  <p>Overall Height: 7.09 (180) Overall OD: 3.27 (83) End 1 ID: 1.81 (46) End 2 ID: 1.81 (46)</p>	<p>AF26247 CATERPILLAR 2277448 Primary Air Filter used with AF26248</p>  <p>Overall Height: 18.90 (480) End 1 OD: 10.47 (266) End 2 OD: 10.51 (267) End 1 ID: 6.26 (159)</p>	<p>AF26285K HYUNDAI 11EM21041 Primary Air Filter used with AF26286</p>  <p>Overall Height: 19.40 (493) Boot Diameter: 10.08 (256) End 2 OD: 7.93 (201) End 1 ID: 5.33 (135) End 2 ID: 0.75 (19)</p>
<p>AF26231 M.A.N. 85619500025</p>  <p>Height: 1.58 (40) Length: 14.21 (361) Width: 6.26 (159)</p>	<p>AF26248 CATERPILLAR 2277449 Safety Element used with AF26247</p>  <p>Overall Height: 1.75 (45) Overall OD: 8.18 (208) End 1 OD: 5.54 (141)</p>	<p>AF26286 HYUNDAI 11EM21051 Safety Element used with AF26285K</p>  <p>Overall Height: 19.37 (492) Overall OD: 5.16 (131) End 1 ID: 4.06 (103) End 2 ID: 0.75 (19)</p>
<p>AF26232 CUMMINS POWER GENERATION LTD 1403999</p>  <p>Overall Height: 5.59 (142) Overall OD: 4.96 (126) End 1 ID: 2.13 (54)</p>	<p>AF26249 VOLVO PENTA 3827643</p>  <p>Overall Height: 19.11 (486) Overall OD: 11.93 (303) End 1 ID: 7.24 (184)</p>	<p>AF26296 IVECO 41272515 Fire Resistant version of AF25235</p>  <p>Overall Height: 20.27 (515) Overall OD: 12.89 (327) End 1 ID: 8.58 (218) End 2 ID: 0.41 (11)</p>
<p>AF26233 Special PLALLOY Industrial Applications</p>  <p>Overall Height: 8.66 (220) Overall OD: 13.15 (334) End 1 ID: 8.13 (207)</p>	<p>AF26253</p>  <p>Overall Height: 6.69 (170) End 1 OD: 1.77 (45) End 2 OD: 1.70 (43)</p>	<p>AF26297 CATERPILLAR 1131578</p>  <p>Overall Height: 18.41 (468) Overall OD: 19.35 (492) End 1 ID: 12.93 (329)</p>
<p>AF26235 FREIGHTLINER 91559</p>  <p>Height: 0.98 (25) Length: 10.63 (270) Width: 10.63 (270)</p>	<p>AF26253</p>  <p>Overall Height: 6.69 (170) End 1 OD: 1.77 (45) End 2 OD: 1.70 (43)</p>	<p>AF26298 CHRYSLER 53032404AA Mexico only</p>  <p>Length: 13.78 (350) Width: 9.33 (237)</p>
<p>AF26241 IVECO 41272124 Flame Retardant Media</p>  <p>Overall Height: 18.15 (461) End 1 OD: 12.30 (313) End 2 OD: 12.34 (314) End 1 ID: 8.07 (205)</p>	<p>AF26253</p>  <p>Overall Height: 16.34 (415) Overall OD: 9.13 (232) End 1 ID: 5.47 (139)</p>	<p>AF26299 GMC 97039002 Mexico only</p>  <p>Length: 12.11 (308) Width: 0.00 (0)</p>
<p>AF26242 MERCEDES-BENZ 40943504, MERCEDES-BENZ A0040943504</p>  <p>Overall Height: 20.98 (533) End 1 OD: 10.47 (266) End 2 OD: 10.51 (267) End 1 ID: 6.26 (159)</p>	<p>AF26267 VOLVO CONSTRUCTION EQUIPMENT 11703979</p>  <p>Height: 1.73 (44) Length: 17.09 (434) Width: 4.80 (122)</p>	<p>AF26301 CHRYSLER 4306393 Mexico only</p>  <p>Overall Height: 2.72 (69) End 1 OD: 10.00 (254) End 1 ID: 7.48 (190)</p>
<p>AF26244 RENAULT TRUCKS 5001865723 Flame Retardant Media Fire Resistant version of AF25333</p>  <p>Overall Height: 18.25 (464) Overall OD: 12.21 (310) End 1 ID: 7.07 (180)</p>	<p>AF26268 INTERNATIONAL TRUCKS 3551815C1</p>  <p>Overall Height: 21.77 (553) Overall OD: 12.21 (310) End 1 ID: 7.07 (180)</p>	<p>AF26302 GMC 93425428 Mexico Only</p>  <p>Overall Height: 3.44 (87) End 1 OD: 11.61 (295) End 1 ID: 9.80 (249)</p>


E. PRODUCT GUIDE

AF26303 FORD F50Y9601A
Mexico only




Overall Height: 7.91 (201)
End 1 OD: 8.15 (207)
End 1 ID: 4.25 (108)

AF26304 FORD D3Z29601A
Mexico only



Overall Height: 1.97 (50)
End 1 OD: 10.63 (270)
End 1 ID: 9.09 (231)

AF26305 GMC 25050385
Mexico only



Height: 2.80 (71)
Overall OD: 9.65 (245)
End 1 ID: 8.07 (205)

AF26306 FORD E7TZ9601B
Mexico only

Length: 12.68 (322)
Width: 5.81 (148)

AF26307 CHRYSLER 53004383
Mexico only

Length: 13.39 (340)
Width: 6.61 (168)

AF26308 GMC 25313348
Mexico only

Length: 12.28 (312)
Width: 9.72 (247)

AF26309 GMC 25098463
Mexico only

Length: 11.50 (292)
Width: 5.91 (150)

AF26310 FORD F57Z9601A
Mexico only



Height: 7.85 (199.39)
Overall OD: 6.93 (175.9)
End 1 ID: 3.11 (79)

AF26312 GMC 8991386
Mexico only



Height: 2.26 (57.5)
Overall OD: 9.69 (246.0)
End 1 ID: 8.07 (205.0)

AF26313 FORD E9SZ9601A
Mexico only

Length: 9.57 (243)
Width: 9.57 (243)

AF26314 GMC 25042562
Mexico only

Length: 16.00 (406)
Width: 7.95 (202)

AF26315 GMC 15998574
Mexico only

Overall Height: 11.18 (284)
Overall OD: 6.48 (164.5)
End 1 ID: 3.60 (91.5)

AF26316 CHRYSLER 3614353
Mexico only



Height: 3.58 (91)
Overall OD: 10.51 (267)
End 1 ID: 8.86 (225)

AF26317 JEEP 948516
Mexico only



Height: 3.50 (89)
Overall OD: 9.76 (248)

AF26318 FORD XC3Z9601AA
Mexico only

Length: 13.40 (340)
Width: 7.24 (184)

AF26319 GMC 25168082
Mexico only

Height: 11.14 (283)
Overall OD: 7.19 (182.5)
End 1 ID: 3.69 (93.6)

AF26320 NISSAN 1654618000
Mexico only



Height: 2.01 (51)
Overall OD: 8.88 (225.5)
End 1 ID: 6.93 (176)

AF26321 NISSAN 16546V0100
Mexico only




Length: 11.02 (280)
Width: 6.61 (168)

AF26322 NISSAN 16546VW600
Mexico only



Height: 11.51 (292.39)
Overall OD: 4.86 (123.5)

AF26323 NISSAN 1654686G00
Mexico only



Height: 2.33 (59.3)
Overall OD: 12.80 (325)

AF26324 Mexico only

Length: 11.42 (290)
Width: 9.69 (246)

AF26325 IVECO 41272534
Fire Resistant version of AF4503

AF26328 Upgrade of AF1968 Used on Kenworth T800 Short Hood Chassis Trucks

Overall Height: 22.40 (569)
End 1 OD: 11.67 (296)
End 2 OD: 10.59 (269)
End 2 ID: 6.71 (170)

AF26328M Upgrade of AF1968M Used on Kenworth (Paccar) T800 Short Hood Chassis Trucks

Overall Height: 22.40 (569)
End 1 OD: 11.67 (296)
End 2 OD: 10.59 (269)
End 2 ID: 6.71 (170)


Air Housings

AH1100 CUMMINS 3315741
Disposable Housing Unit




Overall Height: 15.46 (393)
Outlet OD: 5.50 (140)
Length: 14.56 (370)
Width: 17.38 (442)

AH1101 CUMMINS 3315742 Gen Set
Disposable Housing Unit




Height: 17.91 (455)
Outlet OD: 5.50 (140)
End 1 OD: 17.64 (448)
End 1 ID: 5.50 (140)
Length: 17.83 (453)
Width: 19.82 (503)

AH1103 Disposable Housing Unit



Overall Height: 25.72 (653)
Largest Housing OD: 11.00 (279)
End Connection Height: 1.60 (41)
End Connection OD: 7.00 (178)

AH1103F Same As AH1103 Except Element Inside Is Sitting Off Center.




AH1107 DONALDSON HOUSINGS
ECC085004 Disposable Housing Unit



Overall Height: 10.88 (276)
Largest Housing OD: 8.50 (216)
End Connection Height: 1.38 (35)
End Connection ID: 3.00 (76)

AH1134 Housing used with AF1913
Nelson Winslow Hat Type



Overall Height: 8.00 (203)
Largest Housing OD: 8.20 (208)
End Connection Height: 2.00 (51)
End Connection ID: 3.04 (77)

AH1135 FARR 71338003 For Upgrade, use AH1135M Disposable Housing Unit



Overall Height: 25.72 (653)
Largest Housing OD: 13.50 (343)
End Connection Height: 1.60 (41)
End Connection OD: 7.00 (178)